



wwPDB EM Validation Summary Report ⓘ

Mar 24, 2026 – 10:45 AM JST

PDB ID : 9UH4 / pdb_00009uh4
EMDB ID : EMD-64154
Title : PSI-4 FCPI supercomplex from haptophyte *Chrysothila roscoffensis*
Authors : La Rocca, R.; Tsai, P.-C.; Kato, K.; Nakajima, Y.; Akita, F.; Shen, J.-R.
Deposited on : 2025-04-14
Resolution : 2.12 Å (reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.48.1

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.12 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	210492	15764	-
Ramachandran outliers	207382	16835	-
Sidechain outliers	206894	16415	-
Q-score	-	25397	2398 (1.64 - 2.62)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	752	90% 8% .
2	B	734	92% 7%
3	C	81	95% . .
4	D	142	88% 9% .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	E	67	
6	F	184	
7	I	35	
8	J	39	
9	L	141	
10	M	29	
11	U	191	
12	G	209	
13	H	169	
14	K	200	
15	k	89	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
16	CLA	A	802	X	-	-	-
16	CLA	A	803	X	-	-	-
16	CLA	A	804	X	-	-	-
16	CLA	A	805	X	-	-	-
16	CLA	A	810	X	-	-	-
16	CLA	A	811	X	-	-	-
16	CLA	A	812	X	-	-	-
16	CLA	A	815	X	-	-	-
16	CLA	A	816	X	-	-	-
16	CLA	A	817	X	-	-	-
16	CLA	A	818	X	-	-	-
16	CLA	A	820	X	-	-	-
16	CLA	A	821	X	-	-	-
16	CLA	A	822	X	-	-	-
16	CLA	A	823	X	-	-	-
16	CLA	A	824	X	-	-	-
16	CLA	A	825	X	-	-	-
16	CLA	A	828	X	-	-	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
16	CLA	A	829	X	-	-	-
16	CLA	A	831	X	-	-	-
16	CLA	A	832	X	-	-	-
16	CLA	A	833	X	-	-	-
16	CLA	A	834	X	-	-	-
16	CLA	A	835	X	-	-	-
16	CLA	A	836	X	-	-	-
16	CLA	A	838	X	-	-	-
16	CLA	A	845	X	-	-	-
16	CLA	A	853	X	-	-	-
16	CLA	A	854	X	-	-	-
16	CLA	B	801	X	-	-	-
16	CLA	B	802	X	-	-	-
16	CLA	B	803	X	-	-	-
16	CLA	B	804	X	-	-	-
16	CLA	B	805	X	-	-	-
16	CLA	B	806	X	-	-	-
16	CLA	B	807	X	-	-	-
16	CLA	B	808	X	-	-	-
16	CLA	B	809	X	-	-	-
16	CLA	B	812	X	-	-	-
16	CLA	B	815	X	-	-	-
16	CLA	B	816	X	-	-	-
16	CLA	B	820	X	-	-	-
16	CLA	B	821	X	-	-	-
16	CLA	B	822	X	-	-	-
16	CLA	B	823	X	-	-	-
16	CLA	B	827	X	-	-	-
16	CLA	B	829	X	-	-	-
16	CLA	B	830	X	-	-	-
16	CLA	B	831	X	-	-	-
16	CLA	B	832	X	-	-	-
16	CLA	B	833	X	-	-	-
16	CLA	B	836	X	-	-	-
16	CLA	B	844	X	-	-	-
16	CLA	B	845	X	-	-	-
16	CLA	B	847	X	-	-	-
16	CLA	B	848	X	-	-	-
16	CLA	B	849	X	-	-	-
16	CLA	F	802	X	-	-	-
16	CLA	F	803	X	-	-	-
16	CLA	F	804	X	-	-	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
16	CLA	G	302	X	-	-	-
16	CLA	G	303	X	-	-	-
16	CLA	G	305	X	-	-	-
16	CLA	G	306	X	-	-	-
16	CLA	G	310	X	-	-	-
16	CLA	G	315	X	-	-	-
16	CLA	H	301	X	-	-	-
16	CLA	H	302	X	-	-	-
16	CLA	H	303	X	-	-	-
16	CLA	H	304	X	-	-	-
16	CLA	H	305	X	-	-	-
16	CLA	H	307	X	-	-	-
16	CLA	H	308	X	-	-	-
16	CLA	H	309	X	-	-	-
16	CLA	H	312	X	-	-	-
16	CLA	I	102	X	-	-	-
16	CLA	J	104	X	-	-	-
16	CLA	K	203	X	-	-	-
16	CLA	K	204	X	-	-	-
16	CLA	K	205	X	-	-	-
16	CLA	K	206	X	-	-	-
16	CLA	K	207	X	-	-	-
16	CLA	L	204	X	-	-	-
16	CLA	U	204	X	-	-	-
16	CLA	U	206	X	-	-	-
16	CLA	U	207	X	-	-	-
16	CLA	U	208	X	-	-	-
16	CLA	U	209	X	-	-	-
16	CLA	U	211	X	-	-	-
16	CLA	k	201	X	-	-	-
16	CLA	k	202	X	-	-	-
22	CL0	A	850	X	-	-	-

2 Entry composition [i](#)

There are 28 unique types of molecules in this entry. The entry contains 31069 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Photosystem I P700 chlorophyll a apoprotein A1 (psaA).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	741	5813	3807	984	994	28	0	0

- Molecule 2 is a protein called Photosystem I P700 chlorophyll a apoprotein A2 (psaB).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	732	5805	3823	977	984	21	0	0

- Molecule 3 is a protein called Photosystem I iron-sulfur center (psaC).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	C	80	599	366	106	116	11	0	0

- Molecule 4 is a protein called Photosystem I reaction center subunit II (psaD).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	D	138	1092	697	188	204	3	0	0

- Molecule 5 is a protein called Photosystem I reaction center subunit IV (psaE).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	E	64	494	314	86	93	1	0	0

- Molecule 6 is a protein called Photosystem I reaction center subunit III (psaF).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	F	161	1246	802	209	229	6	0	0

- Molecule 7 is a protein called Photosystem I reaction center subunit VIII (psaI).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	I	34	266	183	35	46	2	0	0

- Molecule 8 is a protein called Photosystem I reaction center subunit IX (psaJ).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	J	39	305	204	45	54	2	0	0

- Molecule 9 is a protein called Photosystem I reaction center subunit XI (psaL).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	L	140	1056	693	168	194	1	0	0

- Molecule 10 is a protein called Photosystem I reaction center subunit XII (psaM).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	M	29	216	144	34	37	1	0	0

- Molecule 11 is a protein called Fucoxanthin chlorophyll a/c binding protein I (FCPI-1).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	U	141	1082	692	183	198	9	0	0

- Molecule 12 is a protein called Fucoxanthin chlorophyll a/c binding protein VII (FCPI-7).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	G	158	1201	769	194	229	9	0	0

- Molecule 13 is a protein called Fucoxanthin chlorophyll a/c binding protein VIII (FCPI-8).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	H	149	1128	725	185	206	12	0	0


- Molecule 14 is a protein called Fucoxanthin chlorophyll a/c binding protein IX (FCPI-9).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
14	K	95	737	488	119	123	7	0	0

- Molecule 15 is a protein called Photosystem I reaction center subunit psaK.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
15	k	54	375	245	61	66	3	0	0

- Molecule 16 is CHLOROPHYLL A (CCD ID: CLA) (formula: $C_{55}H_{72}MgN_4O_5$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf	
			Total	C	Mg	N	O		
16	A	1	Total	65	55	1	4	5	0
16	A	1	Total	55	45	1	4	5	0
16	A	1	Total	65	55	1	4	5	0
16	A	1	Total	65	55	1	4	5	0
16	A	1	Total	49	39	1	4	5	0
16	A	1	Total	65	55	1	4	5	0
16	A	1	Total	55	45	1	4	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
			Total	C	Mg	N	O	
16	A	1	56	46	1	4	5	0
16	A	1	62	52	1	4	5	0
16	A	1	54	44	1	4	5	0
16	A	1	65	55	1	4	5	0
16	A	1	45	35	1	4	5	0
16	A	1	50	40	1	4	5	0
16	A	1	45	35	1	4	5	0
16	A	1	65	55	1	4	5	0
16	A	1	65	55	1	4	5	0
16	A	1	45	35	1	4	5	0
16	A	1	65	55	1	4	5	0
16	A	1	43	35	1	4	3	0
16	A	1	51	41	1	4	5	0
16	A	1	65	55	1	4	5	0
16	A	1	65	55	1	4	5	0
16	A	1	65	55	1	4	5	0
16	A	1	62	52	1	4	5	0
16	A	1	65	55	1	4	5	0
16	A	1	65	55	1	4	5	0
16	A	1	50	40	1	4	5	0
16	A	1	65	55	1	4	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
			Total	C	Mg	N	O	
16	A	1	65	55	1	4	5	0
16	A	1	50	40	1	4	5	0
16	A	1	45	35	1	4	5	0
16	A	1	51	41	1	4	5	0
16	A	1	65	55	1	4	5	0
16	A	1	65	55	1	4	5	0
16	A	1	65	55	1	4	5	0
16	A	1	65	55	1	4	5	0
16	A	1	52	42	1	4	5	0
16	A	1	65	55	1	4	5	0
16	A	1	60	50	1	4	5	0
16	A	1	65	55	1	4	5	0
16	A	1	65	55	1	4	5	0
16	A	1	65	55	1	4	5	0
16	A	1	65	55	1	4	5	0
16	B	1	65	55	1	4	5	0
16	B	1	65	55	1	4	5	0
16	B	1	65	55	1	4	5	0
16	B	1	45	35	1	4	5	0
16	B	1	65	55	1	4	5	0
16	B	1	65	55	1	4	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
			Total	C	Mg	N	O	
16	B	1	65	55	1	4	5	0
16	B	1	65	55	1	4	5	0
16	B	1	65	55	1	4	5	0
16	B	1	54	44	1	4	5	0
16	B	1	55	45	1	4	5	0
16	B	1	54	44	1	4	5	0
16	B	1	59	49	1	4	5	0
16	B	1	55	45	1	4	5	0
16	B	1	59	49	1	4	5	0
16	B	1	60	50	1	4	5	0
16	B	1	65	55	1	4	5	0
16	B	1	46	36	1	4	5	0
16	B	1	53	43	1	4	5	0
16	B	1	63	53	1	4	5	0
16	B	1	55	45	1	4	5	0
16	B	1	65	55	1	4	5	0
16	B	1	65	55	1	4	5	0
16	B	1	65	55	1	4	5	0
16	B	1	65	55	1	4	5	0
16	B	1	50	40	1	4	5	0
16	B	1	49	39	1	4	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
			Total	C	Mg	N	O	
16	B	1	58	48	1	4	5	0
16	B	1	65	55	1	4	5	0
16	B	1	45	35	1	4	5	0
16	B	1	58	48	1	4	5	0
16	B	1	65	55	1	4	5	0
16	B	1	47	37	1	4	5	0
16	B	1	65	55	1	4	5	0
16	B	1	65	55	1	4	5	0
16	B	1	57	47	1	4	5	0
16	B	1	65	55	1	4	5	0
16	B	1	65	55	1	4	5	0
16	B	1	52	42	1	4	5	0
16	B	1	65	55	1	4	5	0
16	B	1	65	55	1	4	5	0
16	F	1	65	55	1	4	5	0
16	F	1	48	38	1	4	5	0
16	F	1	46	36	1	4	5	0
16	I	1	65	55	1	4	5	0
16	J	1	42	34	1	4	3	0
16	L	1	49	39	1	4	5	0
16	L	1	65	55	1	4	5	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					AltConf
			Total	C	Mg	N	O	
16	L	1	50	40	1	4	5	0
16	U	1	61	51	1	4	5	0
16	U	1	65	55	1	4	5	0
16	U	1	45	35	1	4	5	0
16	U	1	65	55	1	4	5	0
16	U	1	46	36	1	4	5	0
16	U	1	42	34	1	4	3	0
16	U	1	65	55	1	4	5	0
16	U	1	52	42	1	4	5	0
16	G	1	45	35	1	4	5	0
16	G	1	41	33	1	4	3	0
16	G	1	45	35	1	4	5	0
16	G	1	43	35	1	4	3	0
16	G	1	61	51	1	4	5	0
16	G	1	65	55	1	4	5	0
16	G	1	60	50	1	4	5	0
16	G	1	55	45	1	4	5	0
16	G	1	56	46	1	4	5	0
16	G	1	45	35	1	4	5	0
16	G	1	45	35	1	4	5	0
16	H	1	40	32	1	4	3	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					AltConf
16	H	1	Total	C	Mg	N	O	0
			60	50	1	4	5	
16	H	1	Total	C	Mg	N	O	0
			61	51	1	4	5	
16	H	1	Total	C	Mg	N	O	0
			44	35	1	4	4	
16	H	1	Total	C	Mg	N	O	0
			45	35	1	4	5	
16	H	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
16	H	1	Total	C	Mg	N	O	0
			58	48	1	4	5	
16	H	1	Total	C	Mg	N	O	0
			41	33	1	4	3	
16	H	1	Total	C	Mg	N	O	0
			45	35	1	4	5	
16	H	1	Total	C	Mg	N	O	0
			65	55	1	4	5	
16	K	1	Total	C	Mg	N	O	0
			42	34	1	4	3	
16	K	1	Total	C	Mg	N	O	0
			55	45	1	4	5	
16	K	1	Total	C	Mg	N	O	0
			45	35	1	4	5	
16	K	1	Total	C	Mg	N	O	0
			58	48	1	4	5	
16	K	1	Total	C	Mg	N	O	0
			40	32	1	4	3	
16	K	1	Total	C	Mg	N	O	0
			46	36	1	4	5	
16	k	1	Total	C	Mg	N	O	0
			42	34	1	4	3	
16	k	1	Total	C	Mg	N	O	0
			55	45	1	4	5	

- Molecule 17 is PHYLLOQUINONE (CCD ID: PQN) (formula: C₃₁H₄₆O₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			AltConf
17	A	1	Total	C	O	0
			33	31	2	
17	B	1	Total	C	O	0
			33	31	2	

- Molecule 18 is 1,2-DIPALMITOYL-PHOSPHATIDYL-GLYCEROLE (CCD ID: LHG) (formula: $C_{38}H_{75}O_{10}P$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				AltConf
18	A	1	Total	C	O	P	0
			48	37	10	1	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
			Total	C	O	P	
18	A	1	27	16	10	1	0
18	G	1	27	16	10	1	0

- Molecule 19 is BETA-CAROTENE (CCD ID: BCR) (formula: C₄₀H₅₆) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms		AltConf
19	A	1	Total	C	0
			40	40	
19	A	1	Total	C	0
			40	40	
19	A	1	Total	C	0
			40	40	
19	A	1	Total	C	0
			40	40	
19	B	1	Total	C	0
			40	40	
19	B	1	Total	C	0
			40	40	
19	B	1	Total	C	0
			40	40	
19	B	1	Total	C	0
			40	40	

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms	AltConf
19	B	1	Total C 39 39	0
19	F	1	Total C 40 40	0
19	F	1	Total C 40 40	0
19	I	1	Total C 40 40	0
19	I	1	Total C 40 40	0
19	J	1	Total C 40 40	0
19	L	1	Total C 40 40	0
19	L	1	Total C 40 40	0
19	M	1	Total C 40 40	0
19	k	1	Total C 40 40	0

- Molecule 20 is (3S,3'R,5R,6S,7cis)-7',8'-didehydro-5,6-dihydro-5,6-epoxy-beta,beta-carotene-3,3'-diol (CCD ID: DD6) (formula: $C_{40}H_{54}O_3$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			AltConf
20	A	1	Total	C	O	0
			43	40	3	
20	J	1	Total	C	O	0
			43	40	3	
20	U	1	Total	C	O	0
			43	40	3	
20	U	1	Total	C	O	0
			43	40	3	
20	U	1	Total	C	O	0
			26	25	1	
20	G	1	Total	C	O	0
			43	40	3	
20	G	1	Total	C	O	0
			27	25	2	
20	G	1	Total	C	O	0
			43	40	3	
20	G	1	Total	C	O	0
			43	40	3	
20	G	1	Total	C	O	0
			43	40	3	
20	H	1	Total	C	O	0
			43	40	3	
20	H	1	Total	C	O	0
			43	40	3	
20	K	1	Total	C	O	0
			43	40	3	

- Molecule 21 is DODECYL-ALPHA-D-MALTOSE (CCD ID: LMU) (formula: $C_{24}H_{46}O_{11}$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			AltConf
			Total	C	O	
21	A	1	35	24	11	0
21	A	1	35	24	11	0
21	F	1	35	24	11	0
21	J	1	35	24	11	0
21	K	1	35	24	11	0

- Molecule 22 is CHLOROPHYLL A ISOMER (CCD ID: CL0) (formula: $C_{55}H_{72}MgN_4O_5$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf	
			Total	C	Mg	N		O
22	A	1	65	55	1	4	5	0

- Molecule 23 is IRON/SULFUR CLUSTER (CCD ID: SF4) (formula: Fe_4S_4) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms		AltConf	
			Total	Fe		S
23	A	1	8	4	4	0
23	C	1	8	4	4	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			AltConf
			Total	Fe	S	
23	C	1	8	4	4	0

- Molecule 24 is DIGALACTOSYL DIACYL GLYCEROL (DGDG) (CCD ID: DGD) (formula: $C_{51}H_{96}O_{15}$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			AltConf
			Total	C	O	
24	B	1	60	45	15	0

- Molecule 25 is 1,2-DISTEAROYL-MONOGALACTOSYL-DIGLYCERIDE (CCD ID: LMG) (formula: $C_{45}H_{86}O_{10}$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			AltConf
			Total	C	O	
25	J	1	39	29	10	0
25	U	1	32	22	10	0

- Molecule 26 is (3S,3'S,5R,5'R,6S,6'R,8'R)-3,5'-dihydroxy-8-oxo-6',7'-didehydro-5,5',6,6',7,8-hexahydro-5,6-epoxy-beta,beta-caroten-3'-yl acetate (CCD ID: A86) (formula: C₄₂H₅₈O₆) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			AltConf
			Total	C	O	
26	U	1	48	42	6	0

- Molecule 27 is Chlorophyll c1 (CCD ID: KC1) (formula: $C_{35}H_{30}MgN_4O_5$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf	
			Total	C	Mg	N		O
27	U	1	45	35	1	4	5	0

- Molecule 28 is water.

Mol	Chain	Residues	Atoms		AltConf
			Total	O	
28	A	132	132	132	0
28	B	146	146	146	0
28	C	32	32	32	0
28	D	19	19	19	0
28	E	8	8	8	0
28	F	24	24	24	0
28	J	1	1	1	0
28	L	14	14	14	0
28	M	1	1	1	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
28	U	3	Total 3	O 3	0
28	G	5	Total 5	O 5	0
28	H	1	Total 1	O 1	0
28	K	7	Total 7	O 7	0
28	k	2	Total 2	O 2	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Photosystem I P700 chlorophyll a apoprotein A1 (psaA)




- Molecule 2: Photosystem I P700 chlorophyll a apoprotein A2 (psaB)



- Molecule 3: Photosystem I iron-sulfur center (psaC)




- Molecule 4: Photosystem I reaction center subunit II (psaD)




- Molecule 5: Photosystem I reaction center subunit IV (psaE)

Chain E:  90% 6%




- Molecule 6: Photosystem I reaction center subunit III (psaF)

Chain F:  81% 6% 12%




- Molecule 7: Photosystem I reaction center subunit VIII (psaI)

Chain I:  83% 14%



- Molecule 8: Photosystem I reaction center subunit IX (psaJ)

Chain J:  74% 26%




- Molecule 9: Photosystem I reaction center subunit XI (psaL)

Chain L:  87% 12%




- Molecule 10: Photosystem I reaction center subunit XII (psaM)

Chain M:  97%




- Molecule 11: Fucoxanthin chlorophyll a/c binding protein I (FCPI-1)



Chain U:  68% 6% 26%





• Molecule 12: Fucoxanthin chlorophyll a/c binding protein VII (FCPI-7)



• Molecule 13: Fucoxanthin chlorophyll a/c binding protein VIII (FCPI-8)



• Molecule 14: Fucoxanthin chlorophyll a/c binding protein IX (FCPI-9)



• Molecule 15: Photosystem I reaction center subunit psaK





4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	22619	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	1800	Depositor
Magnification	165000	Depositor
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	0.576	Depositor
Minimum map value	-0.256	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.014	Depositor
Recommended contour level	0.065	Depositor
Map size (Å)	436.2, 436.2, 436.2	wwPDB
Map dimensions	600, 600, 600	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.727, 0.727, 0.727	Depositor

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: LHG, DGD, PQN, CL0, A86, LMG, CLA, KC1, SF4, LMU, DD6, BCR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.29	0/6007	0.48	1/8185 (0.0%)
2	B	0.30	0/6015	0.50	0/8205
3	C	0.18	0/609	0.41	0/826
4	D	0.30	0/1116	0.52	1/1503 (0.1%)
5	E	0.21	0/505	0.48	0/689
6	F	0.21	0/1275	0.44	0/1728
7	I	0.38	0/273	0.65	0/373
8	J	0.45	0/313	0.82	1/427 (0.2%)
9	L	0.21	0/1081	0.42	0/1470
10	M	0.24	0/218	0.52	0/295
11	U	0.28	0/1109	0.57	1/1499 (0.1%)
12	G	0.33	0/1226	0.70	1/1655 (0.1%)
13	H	0.32	0/1149	0.59	0/1546
14	K	0.33	0/752	0.63	0/1012
15	k	0.17	0/379	0.39	0/514
All	All	0.29	0/22027	0.52	5/29927 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
13	H	0	1

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	J	42	ALA	N-CA-C	-6.01	106.56	114.31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	G	169	ALA	N-CA-C	-5.56	108.28	114.62
1	A	398	HIS	CA-CB-CG	-5.33	108.47	113.80
4	D	49	GLY	CA-C-O	-5.18	118.85	122.22
11	U	68	VAL	N-CA-C	-5.13	107.83	112.96

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
13	H	211	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5813	0	5695	47	0
2	B	5805	0	5634	45	0
3	C	599	0	577	2	0
4	D	1092	0	1093	6	0
5	E	494	0	488	2	0
6	F	1246	0	1256	11	0
7	I	266	0	278	3	0
8	J	305	0	310	10	0
9	L	1056	0	1068	17	0
10	M	216	0	234	0	0
11	U	1082	0	1055	8	0
12	G	1201	0	1185	24	0
13	H	1128	0	1131	20	0
14	K	737	0	764	7	0
15	k	375	0	403	5	0
16	A	2540	0	2556	68	0
16	B	2439	0	2456	68	0
16	F	159	0	141	3	0
16	G	561	0	486	16	0
16	H	524	0	475	22	0
16	I	65	0	72	2	0
16	J	42	0	31	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
16	K	286	0	229	8	0
16	L	164	0	150	4	0
16	U	441	0	417	12	0
16	k	97	0	80	3	0
17	A	33	0	46	3	0
17	B	33	0	46	1	0
18	A	75	0	93	2	0
18	G	27	0	24	2	0
19	A	160	0	224	6	0
19	B	239	0	333	16	0
19	F	80	0	112	0	0
19	I	80	0	112	3	0
19	J	40	0	56	2	0
19	L	80	0	112	3	0
19	M	40	0	56	3	0
19	k	40	0	56	3	0
20	A	43	0	0	0	0
20	G	199	0	0	1	0
20	H	86	0	0	0	0
20	J	43	0	0	0	0
20	K	43	0	0	0	0
20	U	112	0	0	0	0
21	A	70	0	92	2	0
21	F	35	0	46	0	0
21	J	35	0	46	3	0
21	K	35	0	46	0	0
22	A	65	0	72	2	0
23	A	8	0	0	0	0
23	C	16	0	0	0	0
24	B	60	0	81	2	0
25	J	39	0	48	2	0
25	U	32	0	34	2	0
26	U	48	0	0	1	0
27	U	45	0	0	0	0
28	A	132	0	0	2	0
28	B	146	0	0	0	0
28	C	32	0	0	0	0
28	D	19	0	0	0	0
28	E	8	0	0	0	0
28	F	24	0	0	0	0
28	G	5	0	0	0	0
28	H	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
28	J	1	0	0	0	0
28	K	7	0	0	0	0
28	L	14	0	0	0	0
28	M	1	0	0	0	0
28	U	3	0	0	1	0
28	k	2	0	0	0	0
All	All	31069	0	29999	335	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

The worst 5 of 335 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
13:H:122:THR:HA	13:H:220:MET:HE1	1.57	0.86
13:H:112:LEU:HD12	13:H:183:GLY:HA3	1.63	0.81
7:I:17:ILE:HD11	16:I:102:CLA:HAB	1.69	0.75
16:A:822:CLA:H91	19:A:844:BCR:H23C	1.70	0.74
16:A:803:CLA:H72	19:A:842:BCR:HC8	1.71	0.72

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	739/752 (98%)	723 (98%)	16 (2%)	0	100	100
2	B	730/734 (100%)	713 (98%)	17 (2%)	0	100	100
3	C	78/81 (96%)	77 (99%)	1 (1%)	0	100	100
4	D	136/142 (96%)	131 (96%)	4 (3%)	1 (1%)	19	15
5	E	62/67 (92%)	60 (97%)	2 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
6	F	159/184 (86%)	157 (99%)	2 (1%)	0	100	100
7	I	32/35 (91%)	30 (94%)	2 (6%)	0	100	100
8	J	37/39 (95%)	37 (100%)	0	0	100	100
9	L	138/141 (98%)	136 (99%)	2 (1%)	0	100	100
10	M	27/29 (93%)	27 (100%)	0	0	100	100
11	U	139/191 (73%)	135 (97%)	4 (3%)	0	100	100
12	G	152/209 (73%)	142 (93%)	10 (7%)	0	100	100
13	H	145/169 (86%)	143 (99%)	2 (1%)	0	100	100
14	K	87/200 (44%)	85 (98%)	2 (2%)	0	100	100
15	k	50/89 (56%)	50 (100%)	0	0	100	100
All	All	2711/3062 (88%)	2646 (98%)	64 (2%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
4	D	48	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	603/612 (98%)	601 (100%)	2 (0%)	91	94
2	B	590/591 (100%)	589 (100%)	1 (0%)	92	95
3	C	68/69 (99%)	68 (100%)	0	100	100
4	D	118/122 (97%)	118 (100%)	0	100	100
5	E	53/55 (96%)	52 (98%)	1 (2%)	52	58
6	F	133/152 (88%)	131 (98%)	2 (2%)	60	67
7	I	31/32 (97%)	30 (97%)	1 (3%)	34	36
8	J	32/32 (100%)	32 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
9	L	111/112 (99%)	109 (98%)	2 (2%)	54	60
10	M	21/21 (100%)	20 (95%)	1 (5%)	21	20
11	U	110/148 (74%)	108 (98%)	2 (2%)	54	60
12	G	130/167 (78%)	125 (96%)	5 (4%)	28	29
13	H	119/137 (87%)	112 (94%)	7 (6%)	16	14
14	K	77/153 (50%)	70 (91%)	7 (9%)	7	5
15	k	38/65 (58%)	38 (100%)	0	100	100
All	All	2234/2468 (90%)	2203 (99%)	31 (1%)	62	69

5 of 31 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
12	G	187	SER
14	K	72	GLU
13	H	74	SER
14	K	134	LYS
14	K	57	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 20 such sidechains are listed below:

Mol	Chain	Res	Type
9	L	32	ASN
12	G	178	ASN
13	H	229	ASN
13	H	172	GLN
2	B	227	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

180 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
16	CLA	B	808	2	65,73,73	1.33	7 (10%)	76,113,113	0.87	3 (3%)
23	SF4	C	102	3	0,12,12	-	-	-		
16	CLA	A	808	1	56,64,73	1.38	7 (12%)	65,102,113	1.03	4 (6%)
16	CLA	A	821	28	65,73,73	1.28	8 (12%)	76,113,113	1.05	6 (7%)
19	BCR	A	841	-	41,41,41	1.02	2 (4%)	56,56,56	1.23	3 (5%)
16	CLA	B	802	2	65,73,73	1.34	7 (10%)	76,113,113	0.80	3 (3%)
16	CLA	B	818	2	46,54,73	1.53	8 (17%)	53,90,113	1.15	4 (7%)
16	CLA	H	309	13	45,53,73	1.55	7 (15%)	52,89,113	1.16	4 (7%)
16	CLA	A	849	1	65,73,73	1.27	6 (9%)	76,113,113	1.07	4 (5%)
16	CLA	A	832	1	51,59,73	1.44	7 (13%)	59,96,113	1.15	5 (8%)
16	CLA	U	210	11	65,73,73	1.22	6 (9%)	76,113,113	1.04	5 (6%)
16	CLA	A	801	-	65,73,73	1.24	7 (10%)	76,113,113	0.98	6 (7%)
16	CLA	B	829	28	65,73,73	1.25	7 (10%)	76,113,113	0.99	4 (5%)
19	BCR	B	842	-	41,41,41	1.08	2 (4%)	56,56,56	1.16	4 (7%)
16	CLA	A	820	1	51,59,73	1.47	7 (13%)	59,96,113	1.15	4 (6%)
20	DD6	G	314	-	39,45,45	1.56	8 (20%)	52,67,67	1.57	9 (17%)
16	CLA	K	205	14	58,66,73	1.33	7 (12%)	67,104,113	1.27	7 (10%)
16	CLA	J	104	8	42,50,73	1.55	7 (16%)	48,85,113	1.20	5 (10%)
16	CLA	B	803	-	65,73,73	1.25	7 (10%)	76,113,113	1.03	5 (6%)
16	CLA	U	208	11	46,54,73	1.49	7 (15%)	53,90,113	1.17	5 (9%)
16	CLA	A	853	1	65,73,73	1.23	7 (10%)	76,113,113	1.01	5 (6%)
16	CLA	B	822	2	65,73,73	1.33	7 (10%)	76,113,113	0.93	4 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
16	CLA	K	207	-	46,54,73	1.48	7 (15%)	53,90,113	1.19	5 (9%)
20	DD6	H	310	-	39,45,45	1.64	6 (15%)	52,67,67	1.67	10 (19%)
22	CL0	A	850	1	65,73,73	1.48	9 (13%)	76,113,113	1.07	5 (6%)
16	CLA	B	811	2	55,63,73	1.36	7 (12%)	64,101,113	1.10	4 (6%)
16	CLA	A	825	1	65,73,73	1.30	7 (10%)	76,113,113	1.00	4 (5%)
16	CLA	L	203	9	65,73,73	1.22	7 (10%)	76,113,113	0.98	4 (5%)
18	LHG	A	840	16	26,26,48	0.83	0	29,32,54	1.33	3 (10%)
16	CLA	G	305	12	61,69,73	1.28	6 (9%)	71,108,113	1.15	6 (8%)
16	CLA	B	820	28	63,71,73	1.29	7 (11%)	73,110,113	1.09	6 (8%)
16	CLA	A	819	1	43,51,73	1.56	7 (16%)	49,86,113	1.20	5 (10%)
16	CLA	B	805	2	65,73,73	1.23	7 (10%)	76,113,113	1.01	5 (6%)
19	BCR	I	103	-	41,41,41	1.08	2 (4%)	56,56,56	1.21	4 (7%)
16	CLA	B	819	2	53,61,73	1.36	7 (13%)	61,98,113	1.11	5 (8%)
26	A86	U	202	-	44,50,50	1.65	6 (13%)	51,76,76	1.52	8 (15%)
16	CLA	H	301	-	39,48,73	1.60	6 (15%)	45,82,113	1.41	6 (13%)
19	BCR	A	842	-	41,41,41	1.08	2 (4%)	56,56,56	1.15	4 (7%)
16	CLA	B	832	2	65,73,73	1.26	7 (10%)	76,113,113	0.98	3 (3%)
19	BCR	B	840	-	41,41,41	1.05	2 (4%)	56,56,56	1.23	6 (10%)
18	LHG	A	839	-	47,47,48	0.63	1 (2%)	50,53,54	1.25	6 (12%)
16	CLA	G	309	-	56,64,73	1.36	7 (12%)	65,102,113	1.06	5 (7%)
19	BCR	M	101	-	41,41,41	1.05	2 (4%)	56,56,56	1.26	5 (8%)
18	LHG	G	316	-	26,26,48	0.35	0	29,32,54	0.43	0
20	DD6	G	317	-	39,45,45	1.58	8 (20%)	52,67,67	1.54	10 (19%)
16	CLA	G	302	-	41,49,73	1.61	7 (17%)	47,84,113	1.13	4 (8%)
16	CLA	B	831	2	58,66,73	1.40	8 (13%)	67,104,113	1.07	5 (7%)
16	CLA	F	804	6	46,54,73	1.50	7 (15%)	53,90,113	1.12	4 (7%)
20	DD6	G	311	-	39,45,45	1.55	8 (20%)	52,67,67	1.51	7 (13%)
16	CLA	A	847	1	60,68,73	1.38	7 (11%)	70,107,113	1.02	4 (5%)
16	CLA	B	824	2	65,73,73	1.28	7 (10%)	76,113,113	1.07	6 (7%)
19	BCR	B	839	-	41,41,41	1.06	2 (4%)	56,56,56	1.23	5 (8%)
16	CLA	U	204	28	61,69,73	1.29	7 (11%)	71,108,113	1.07	6 (8%)
16	CLA	B	844	2	65,73,73	1.29	7 (10%)	76,113,113	0.96	4 (5%)
16	CLA	A	827	1	50,58,73	1.50	7 (14%)	58,95,113	1.06	4 (6%)
16	CLA	B	835	2	65,73,73	1.32	7 (10%)	76,113,113	1.00	4 (5%)
17	PQN	A	837	-	34,34,34	0.39	0	42,45,45	0.41	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
24	DGD	B	843	-	61,61,67	0.92	2 (3%)	75,75,81	1.11	6 (8%)
16	CLA	B	825	2	65,73,73	1.33	7 (10%)	76,113,113	0.95	4 (5%)
16	CLA	A	814	28	45,53,73	1.54	7 (15%)	52,89,113	1.11	4 (7%)
16	CLA	B	813	2	59,67,73	1.33	7 (11%)	68,105,113	1.02	4 (5%)
20	DD6	A	846	-	39,45,45	1.55	8 (20%)	52,67,67	1.47	8 (15%)
19	BCR	I	101	-	41,41,41	1.07	2 (4%)	56,56,56	1.25	4 (7%)
16	CLA	K	204	14	45,53,73	1.65	7 (15%)	52,89,113	1.10	4 (7%)
16	CLA	G	308	-	55,63,73	1.36	7 (12%)	64,101,113	1.18	7 (10%)
16	CLA	H	306	13	65,73,73	1.28	8 (12%)	76,113,113	1.17	6 (7%)
16	CLA	A	824	1	62,70,73	1.29	8 (12%)	72,109,113	1.12	6 (8%)
25	LMG	U	201	-	32,32,55	0.95	0	40,40,63	1.21	5 (12%)
16	CLA	A	836	28	65,73,73	1.24	7 (10%)	76,113,113	1.05	4 (5%)
16	CLA	A	823	1	65,73,73	1.33	7 (10%)	76,113,113	0.94	5 (6%)
16	CLA	A	816	1	65,73,73	1.25	6 (9%)	76,113,113	1.05	5 (6%)
16	CLA	G	304	12	43,51,73	1.52	7 (16%)	49,86,113	1.26	4 (8%)
16	CLA	B	845	2	65,73,73	1.30	7 (10%)	76,113,113	0.94	3 (3%)
16	CLA	B	816	2	60,68,73	1.31	7 (11%)	70,107,113	1.03	5 (7%)
21	LMU	A	855	-	36,36,36	0.54	1 (2%)	47,47,47	0.96	1 (2%)
27	KC1	U	213	11	48,53,53	1.87	13 (27%)	55,89,89	1.03	4 (7%)
16	CLA	A	813	1	50,58,73	1.49	8 (16%)	58,95,113	1.08	4 (6%)
16	CLA	B	807	2	65,73,73	1.27	7 (10%)	76,113,113	1.01	4 (5%)
16	CLA	B	828	2	58,66,73	1.35	7 (12%)	67,104,113	1.10	6 (8%)
16	CLA	H	302	13	60,68,73	1.34	7 (11%)	70,107,113	1.07	4 (5%)
16	CLA	A	831	1	45,53,73	1.51	6 (13%)	52,89,113	1.20	4 (7%)
16	CLA	B	817	28	65,73,73	1.30	7 (10%)	76,113,113	0.98	4 (5%)
16	CLA	A	812	1	45,53,73	1.54	6 (13%)	52,89,113	1.34	7 (13%)
16	CLA	A	809	1	62,70,73	1.32	7 (11%)	72,109,113	0.97	4 (5%)
19	BCR	B	841	-	41,41,41	1.08	2 (4%)	56,56,56	1.27	5 (8%)
20	DD6	U	214	-	24,26,45	1.84	5 (20%)	30,35,67	1.58	5 (16%)
16	CLA	A	802	1	55,63,73	1.34	7 (12%)	64,101,113	1.07	5 (7%)
16	CLA	U	209	-	42,50,73	1.54	7 (16%)	48,85,113	1.16	5 (10%)
20	DD6	U	203	-	39,45,45	1.63	6 (15%)	52,67,67	1.74	13 (25%)
16	CLA	L	204	28	50,58,73	1.45	7 (14%)	58,95,113	1.21	5 (8%)
20	DD6	J	102	-	39,45,45	1.59	8 (20%)	52,67,67	1.67	9 (17%)
19	BCR	A	843	-	41,41,41	1.09	2 (4%)	56,56,56	1.21	4 (7%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
19	BCR	J	105	-	41,41,41	1.06	2 (4%)	56,56,56	1.21	4 (7%)
16	CLA	H	312	-	65,73,73	1.18	5 (7%)	76,113,113	1.03	5 (6%)
16	CLA	A	804	1	65,73,73	1.25	7 (10%)	76,113,113	1.01	5 (6%)
16	CLA	H	308	13	41,49,73	1.55	6 (14%)	47,84,113	1.31	5 (10%)
16	CLA	U	211	11	52,60,73	1.47	7 (13%)	60,97,113	1.09	5 (8%)
21	LMU	A	848	-	36,36,36	0.50	1 (2%)	47,47,47	0.98	2 (4%)
16	CLA	A	817	1	45,53,73	1.55	7 (15%)	52,89,113	1.20	5 (9%)
16	CLA	A	834	1	65,73,73	1.34	7 (10%)	76,113,113	1.01	4 (5%)
16	CLA	A	811	1	65,73,73	1.28	7 (10%)	76,113,113	0.98	4 (5%)
16	CLA	F	802	28	65,73,73	1.29	7 (10%)	76,113,113	0.97	4 (5%)
20	DD6	U	212	-	39,45,45	1.61	6 (15%)	52,67,67	1.80	14 (26%)
16	CLA	I	102	-	65,73,73	1.25	8 (12%)	76,113,113	1.07	5 (6%)
16	CLA	G	315	12	45,53,73	1.46	5 (11%)	52,89,113	1.42	8 (15%)
16	CLA	B	821	28	55,63,73	1.32	7 (12%)	64,101,113	1.06	5 (7%)
16	CLA	A	833	1	65,73,73	1.29	7 (10%)	76,113,113	1.04	5 (6%)
16	CLA	B	809	2	65,73,73	1.27	7 (10%)	76,113,113	0.98	4 (5%)
23	SF4	C	101	3	0,12,12	-	-	-	-	-
17	PQN	B	837	-	34,34,34	0.41	0	42,45,45	0.39	0
16	CLA	A	854	1	65,73,73	1.25	7 (10%)	76,113,113	0.99	6 (7%)
16	CLA	A	851	1	65,73,73	1.28	7 (10%)	76,113,113	0.99	4 (5%)
16	CLA	K	202	14	42,50,73	1.53	7 (16%)	48,85,113	1.16	5 (10%)
25	LMG	J	103	-	39,39,55	0.87	1 (2%)	47,47,63	1.27	3 (6%)
16	CLA	G	301	12	45,53,73	1.52	6 (13%)	52,89,113	1.10	4 (7%)
16	CLA	U	205	11	65,73,73	1.28	8 (12%)	76,113,113	1.08	5 (6%)
16	CLA	K	206	28	39,48,73	1.68	7 (17%)	45,82,113	1.18	4 (8%)
16	CLA	A	806	1	65,73,73	1.23	7 (10%)	76,113,113	1.11	6 (7%)
16	CLA	A	830	1	50,58,73	1.43	7 (14%)	58,95,113	1.09	3 (5%)
16	CLA	H	304	13	44,52,73	1.53	7 (15%)	49,87,113	1.15	4 (8%)
16	CLA	B	806	2	65,73,73	1.29	7 (10%)	76,113,113	0.99	4 (5%)
16	CLA	A	818	28	65,73,73	1.23	6 (9%)	76,113,113	0.98	5 (6%)
16	CLA	A	803	1	65,73,73	1.22	6 (9%)	76,113,113	1.05	5 (6%)
16	CLA	U	207	-	65,73,73	1.22	7 (10%)	76,113,113	1.17	8 (10%)
16	CLA	B	836	-	57,65,73	1.36	7 (12%)	66,103,113	1.16	6 (9%)
16	CLA	B	830	28	45,53,73	1.55	8 (17%)	52,89,113	1.17	4 (7%)
16	CLA	B	847	2	52,60,73	1.38	7 (13%)	60,97,113	1.14	5 (8%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
16	CLA	B	848	2	65,73,73	1.35	8 (12%)	76,113,113	1.02	4 (5%)
19	BCR	L	205	-	41,41,41	1.05	2 (4%)	56,56,56	1.24	6 (10%)
20	DD6	K	208	-	39,45,45	1.60	7 (17%)	52,67,67	1.63	9 (17%)
16	CLA	A	807	1	55,63,73	1.37	7 (12%)	64,101,113	1.17	7 (10%)
20	DD6	H	311	-	39,45,45	1.59	7 (17%)	52,67,67	1.56	9 (17%)
16	CLA	H	303	13	61,69,73	1.33	6 (9%)	71,108,113	1.08	4 (5%)
21	LMU	K	201	-	36,36,36	1.18	2 (5%)	47,47,47	1.37	6 (12%)
16	CLA	B	827	2	49,57,73	1.48	7 (14%)	55,93,113	1.10	4 (7%)
16	CLA	B	826	2	50,58,73	1.48	7 (14%)	58,95,113	1.09	4 (6%)
16	CLA	B	814	2	55,63,73	1.44	7 (12%)	64,101,113	1.17	5 (7%)
16	CLA	F	803	-	48,56,73	1.47	7 (14%)	55,92,113	1.27	6 (10%)
16	CLA	B	810	2	54,62,73	1.51	8 (14%)	67,100,113	1.01	4 (5%)
16	CLA	B	833	2	47,55,73	1.51	7 (14%)	54,91,113	1.14	5 (9%)
16	CLA	A	815	1	65,73,73	1.32	8 (12%)	76,113,113	0.95	3 (3%)
16	CLA	A	838	18	52,60,73	1.40	7 (13%)	60,97,113	1.20	6 (10%)
16	CLA	A	822	28	65,73,73	1.20	7 (10%)	76,113,113	1.04	5 (6%)
16	CLA	H	307	-	58,66,73	1.30	7 (12%)	67,104,113	1.06	4 (5%)
19	BCR	B	846	-	40,40,41	1.06	2 (5%)	54,54,56	1.31	8 (14%)
20	DD6	G	313	-	39,45,45	1.62	8 (20%)	52,67,67	1.58	8 (15%)
19	BCR	B	838	-	41,41,41	1.07	2 (4%)	56,56,56	1.17	6 (10%)
21	LMU	F	806	-	36,36,36	1.20	2 (5%)	47,47,47	0.96	2 (4%)
16	CLA	G	306	12	65,73,73	1.33	7 (10%)	76,113,113	0.95	4 (5%)
16	CLA	B	804	2	45,53,73	1.56	7 (15%)	52,89,113	1.18	5 (9%)
16	CLA	A	826	1	65,73,73	1.35	7 (10%)	76,113,113	0.89	4 (5%)
16	CLA	A	810	1	54,62,73	1.38	7 (12%)	62,99,113	1.13	6 (9%)
16	CLA	G	310	12	45,53,73	1.55	7 (15%)	52,89,113	1.22	5 (9%)
16	CLA	U	206	11	45,53,73	1.51	7 (15%)	52,89,113	1.15	4 (7%)
19	BCR	F	805	-	41,41,41	1.03	2 (4%)	56,56,56	1.23	6 (10%)
16	CLA	G	303	-	45,53,73	1.56	7 (15%)	52,89,113	1.18	4 (7%)
16	CLA	k	201	15	42,50,73	1.57	5 (11%)	48,85,113	1.23	5 (10%)
19	BCR	k	203	-	41,41,41	1.10	2 (4%)	56,56,56	1.34	9 (16%)
16	CLA	L	202	9	49,57,73	1.46	7 (14%)	55,93,113	1.23	5 (9%)
16	CLA	A	835	1	65,73,73	1.30	7 (10%)	76,113,113	0.95	3 (3%)
16	CLA	A	829	1	65,73,73	1.27	7 (10%)	76,113,113	1.00	3 (3%)
16	CLA	B	801	28	65,73,73	1.26	7 (10%)	76,113,113	1.01	3 (3%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
16	CLA	B	849	2	65,73,73	1.26	7 (10%)	76,113,113	1.00	5 (6%)
16	CLA	B	815	2	59,67,73	1.31	7 (11%)	68,105,113	1.05	4 (5%)
19	BCR	L	201	-	41,41,41	1.10	2 (4%)	56,56,56	1.18	4 (7%)
16	CLA	H	305	13	45,53,73	1.61	7 (15%)	52,89,113	1.08	4 (7%)
19	BCR	A	844	-	41,41,41	1.09	2 (4%)	56,56,56	1.23	5 (8%)
23	SF4	A	852	2,1	0,12,12	-	-	-		
16	CLA	B	812	2	54,62,73	1.38	7 (12%)	62,99,113	1.09	4 (6%)
16	CLA	B	834	28	65,73,73	1.28	7 (10%)	76,113,113	0.98	5 (6%)
16	CLA	K	203	14	55,63,73	1.38	7 (12%)	64,101,113	1.05	4 (6%)
16	CLA	G	307	12	60,68,73	1.25	7 (11%)	70,107,113	1.06	4 (5%)
16	CLA	A	805	1	49,57,73	1.49	7 (14%)	55,93,113	1.12	4 (7%)
16	CLA	B	823	2	65,73,73	1.31	7 (10%)	76,113,113	1.02	4 (5%)
16	CLA	k	202	28	55,63,73	1.41	7 (12%)	64,101,113	1.06	5 (7%)
16	CLA	A	828	1	65,73,73	1.30	7 (10%)	76,113,113	0.97	3 (3%)
20	DD6	G	312	-	24,28,45	1.78	6 (25%)	32,42,67	1.68	5 (15%)
16	CLA	A	845	28	65,73,73	1.25	8 (12%)	76,113,113	0.98	4 (5%)
21	LMU	J	101	-	36,36,36	0.41	0	47,47,47	0.96	2 (4%)
19	BCR	F	801	-	41,41,41	1.05	2 (4%)	56,56,56	1.21	3 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
16	CLA	B	808	2	1/1/15/20	5/37/115/115	-
23	SF4	C	102	3	-	-	0/6/5/5
16	CLA	A	808	1	-	0/27/105/115	-
16	CLA	A	821	28	1/1/15/20	7/37/115/115	-
19	BCR	A	841	-	-	7/29/63/63	0/2/2/2
16	CLA	B	802	2	1/1/15/20	3/37/115/115	-
16	CLA	B	818	2	-	1/15/93/115	-
16	CLA	H	309	13	1/1/11/20	4/13/91/115	-
16	CLA	A	849	1	-	9/37/115/115	-
16	CLA	A	832	1	1/1/12/20	1/21/99/115	-
16	CLA	U	210	11	-	2/37/115/115	-
16	CLA	B	829	28	1/1/15/20	1/37/115/115	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
16	CLA	A	801	-	-	1/37/115/115	-
19	BCR	B	842	-	-	7/29/63/63	0/2/2/2
16	CLA	A	820	1	1/1/12/20	3/21/99/115	-
20	DD6	G	314	-	-	12/26/80/80	0/3/3/3
16	CLA	K	205	14	1/1/13/20	5/29/107/115	-
16	CLA	J	104	8	1/1/10/20	4/10/88/115	-
16	CLA	U	208	11	1/1/11/20	4/15/93/115	-
16	CLA	B	803	-	1/1/15/20	3/37/115/115	-
16	CLA	A	853	1	1/1/15/20	10/37/115/115	-
16	CLA	B	822	2	1/1/15/20	2/37/115/115	-
16	CLA	K	207	-	1/1/11/20	3/15/93/115	-
20	DD6	H	310	-	-	15/26/80/80	0/3/3/3
22	CL0	A	850	1	2/2/20/25	7/37/135/135	-
16	CLA	B	811	2	-	6/25/103/115	-
16	CLA	A	825	1	1/1/15/20	5/37/115/115	-
16	CLA	L	203	9	-	1/37/115/115	-
18	LHG	A	840	16	-	6/31/31/53	-
16	CLA	G	305	12	1/1/14/20	11/33/111/115	-
16	CLA	B	820	28	1/1/14/20	5/35/113/115	-
16	CLA	A	819	1	-	1/11/89/115	-
16	CLA	B	805	2	1/1/15/20	6/37/115/115	-
19	BCR	I	103	-	-	10/29/63/63	0/2/2/2
16	CLA	B	819	2	-	4/23/101/115	-
26	A86	U	202	-	-	16/34/90/90	0/3/3/3
16	CLA	H	301	-	1/1/9/20	2/8/82/115	-
19	BCR	A	842	-	-	10/29/63/63	0/2/2/2
16	CLA	B	832	2	1/1/15/20	3/37/115/115	-
19	BCR	B	840	-	-	6/29/63/63	0/2/2/2
18	LHG	A	839	-	-	19/52/52/53	-
16	CLA	G	309	-	-	8/27/105/115	-
19	BCR	M	101	-	-	8/29/63/63	0/2/2/2
18	LHG	G	316	-	-	22/31/31/53	-
20	DD6	G	317	-	-	12/26/80/80	0/3/3/3
16	CLA	G	302	-	1/1/10/20	0/8/86/115	-
16	CLA	B	831	2	1/1/13/20	3/29/107/115	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
16	CLA	F	804	6	1/1/11/20	6/15/93/115	-
20	DD6	G	311	-	-	7/26/80/80	0/3/3/3
16	CLA	A	847	1	-	5/31/109/115	-
16	CLA	B	824	2	-	2/37/115/115	-
19	BCR	B	839	-	-	10/29/63/63	0/2/2/2
16	CLA	U	204	28	1/1/14/20	11/33/111/115	-
16	CLA	B	844	2	1/1/15/20	5/37/115/115	-
16	CLA	A	827	1	-	3/19/97/115	-
16	CLA	B	835	2	-	7/37/115/115	-
17	PQN	A	837	-	-	3/23/43/43	0/2/2/2
24	DGD	B	843	-	-	25/49/89/95	0/2/2/2
16	CLA	B	825	2	-	2/37/115/115	-
16	CLA	A	814	28	-	3/13/91/115	-
16	CLA	B	813	2	-	1/30/108/115	-
20	DD6	A	846	-	-	9/26/80/80	0/3/3/3
19	BCR	I	101	-	-	9/29/63/63	0/2/2/2
16	CLA	K	204	14	1/1/11/20	4/13/91/115	-
16	CLA	G	308	-	-	4/25/103/115	-
16	CLA	H	306	13	-	5/37/115/115	-
16	CLA	A	824	1	1/1/14/20	5/34/112/115	-
25	LMG	U	201	-	-	13/27/47/70	0/1/1/1
16	CLA	A	836	28	1/1/15/20	4/37/115/115	-
16	CLA	A	823	1	1/1/15/20	3/37/115/115	-
16	CLA	A	816	1	1/1/15/20	2/37/115/115	-
16	CLA	G	304	12	-	3/11/89/115	-
16	CLA	B	845	2	1/1/15/20	2/37/115/115	-
16	CLA	B	816	2	1/1/14/20	0/31/109/115	-
21	LMU	A	855	-	-	8/21/61/61	0/2/2/2
27	KC1	U	213	11	-	0/15/71/71	-
16	CLA	A	813	1	-	2/19/97/115	-
16	CLA	B	807	2	1/1/15/20	5/37/115/115	-
16	CLA	B	828	2	-	7/29/107/115	-
16	CLA	H	302	13	1/1/14/20	6/31/109/115	-
16	CLA	A	831	1	1/1/11/20	4/13/91/115	-
16	CLA	B	817	28	-	5/37/115/115	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
16	CLA	A	812	1	1/1/11/20	1/13/91/115	-
16	CLA	A	809	1	-	0/34/112/115	-
19	BCR	B	841	-	-	6/29/63/63	0/2/2/2
20	DD6	U	214	-	-	3/14/37/80	0/1/1/3
16	CLA	A	802	1	1/1/13/20	3/25/103/115	-
16	CLA	U	209	-	1/1/10/20	0/10/88/115	-
20	DD6	U	203	-	-	10/26/80/80	0/3/3/3
16	CLA	L	204	28	1/1/12/20	5/19/97/115	-
20	DD6	J	102	-	-	5/26/80/80	0/3/3/3
19	BCR	A	843	-	-	4/29/63/63	0/2/2/2
19	BCR	J	105	-	-	10/29/63/63	0/2/2/2
16	CLA	H	312	-	1/1/15/20	19/37/115/115	-
16	CLA	A	804	1	1/1/15/20	10/37/115/115	-
16	CLA	H	308	13	1/1/10/20	2/8/86/115	-
16	CLA	U	211	11	1/1/12/20	5/22/100/115	-
21	LMU	A	848	-	-	10/21/61/61	0/2/2/2
16	CLA	A	817	1	1/1/11/20	3/13/91/115	-
16	CLA	A	834	1	1/1/15/20	8/37/115/115	-
16	CLA	A	811	1	1/1/15/20	3/37/115/115	-
16	CLA	F	802	28	1/1/15/20	1/37/115/115	-
20	DD6	U	212	-	-	14/26/80/80	0/3/3/3
16	CLA	I	102	-	1/1/15/20	4/37/115/115	-
16	CLA	G	315	12	1/1/11/20	4/13/91/115	-
16	CLA	B	821	28	1/1/13/20	3/25/103/115	-
16	CLA	A	833	1	1/1/15/20	1/37/115/115	-
16	CLA	B	809	2	1/1/15/20	6/37/115/115	-
23	SF4	C	101	3	-	-	0/6/5/5
17	PQN	B	837	-	-	1/23/43/43	0/2/2/2
16	CLA	A	854	1	1/1/15/20	5/37/115/115	-
16	CLA	A	851	1	-	5/37/115/115	-
16	CLA	K	202	14	-	0/10/88/115	-
25	LMG	J	103	-	-	22/34/54/70	0/1/1/1
16	CLA	G	301	12	-	3/13/91/115	-
16	CLA	U	205	11	-	3/37/115/115	-
16	CLA	K	206	28	1/1/9/20	1/8/82/115	-
16	CLA	A	806	1	-	8/37/115/115	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
16	CLA	A	830	1	-	0/19/97/115	-
16	CLA	H	304	13	1/1/10/20	1/11/90/115	-
16	CLA	B	806	2	1/1/15/20	4/37/115/115	-
16	CLA	A	818	28	1/1/15/20	3/37/115/115	-
16	CLA	A	803	1	1/1/15/20	5/37/115/115	-
16	CLA	U	207	-	1/1/15/20	3/37/115/115	-
16	CLA	B	836	-	1/1/13/20	3/28/106/115	-
16	CLA	B	847	2	1/1/12/20	6/22/100/115	-
16	CLA	B	848	2	1/1/15/20	4/37/115/115	-
16	CLA	B	830	28	1/1/11/20	0/13/91/115	-
19	BCR	L	205	-	-	8/29/63/63	0/2/2/2
20	DD6	K	208	-	-	11/26/80/80	0/3/3/3
16	CLA	A	807	1	-	3/25/103/115	-
20	DD6	H	311	-	-	11/26/80/80	0/3/3/3
16	CLA	H	303	13	1/1/14/20	4/33/111/115	-
21	LMU	K	201	-	-	12/21/61/61	0/2/2/2
16	CLA	B	827	2	1/1/11/20	2/18/96/115	-
16	CLA	B	826	2	-	1/19/97/115	-
16	CLA	B	814	2	-	8/25/103/115	-
16	CLA	F	803	-	1/1/11/20	2/17/95/115	-
16	CLA	B	810	2	-	0/25/101/115	-
16	CLA	B	833	2	1/1/11/20	1/16/94/115	-
16	CLA	A	815	1	1/1/15/20	4/37/115/115	-
16	CLA	A	838	18	1/1/12/20	2/22/100/115	-
16	CLA	A	822	28	1/1/15/20	2/37/115/115	-
16	CLA	H	307	-	1/1/13/20	7/29/107/115	-
19	BCR	B	846	-	-	17/27/61/63	0/2/2/2
20	DD6	G	313	-	-	6/26/80/80	0/3/3/3
19	BCR	B	838	-	-	9/29/63/63	0/2/2/2
21	LMU	F	806	-	-	7/21/61/61	0/2/2/2
16	CLA	G	306	12	1/1/15/20	10/37/115/115	-
16	CLA	B	804	2	1/1/11/20	4/13/91/115	-
16	CLA	A	826	1	-	2/37/115/115	-
16	CLA	A	810	1	1/1/12/20	3/24/102/115	-
16	CLA	G	310	12	1/1/11/20	6/13/91/115	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
16	CLA	U	206	11	1/1/11/20	2/13/91/115	-
19	BCR	F	805	-	-	12/29/63/63	0/2/2/2
16	CLA	G	303	-	1/1/11/20	5/13/91/115	-
16	CLA	k	201	15	1/1/10/20	1/10/88/115	-
19	BCR	k	203	-	-	10/29/63/63	0/2/2/2
16	CLA	L	202	9	-	5/18/96/115	-
16	CLA	A	835	1	1/1/15/20	1/37/115/115	-
16	CLA	A	829	1	1/1/15/20	1/37/115/115	-
16	CLA	B	801	28	1/1/15/20	2/37/115/115	-
16	CLA	B	849	2	1/1/15/20	5/37/115/115	-
16	CLA	B	815	2	1/1/13/20	2/30/108/115	-
19	BCR	L	201	-	-	10/29/63/63	0/2/2/2
16	CLA	H	305	13	1/1/11/20	2/13/91/115	-
19	BCR	A	844	-	-	9/29/63/63	0/2/2/2
23	SF4	A	852	2,1	-	-	0/6/5/5
16	CLA	B	812	2	1/1/12/20	2/24/102/115	-
16	CLA	B	834	28	-	6/37/115/115	-
16	CLA	K	203	14	1/1/13/20	3/25/103/115	-
16	CLA	G	307	12	-	7/31/109/115	-
16	CLA	A	805	1	1/1/11/20	2/18/96/115	-
16	CLA	B	823	2	1/1/15/20	5/37/115/115	-
16	CLA	k	202	28	1/1/13/20	4/25/103/115	-
16	CLA	A	828	1	1/1/15/20	3/37/115/115	-
20	DD6	G	312	-	-	6/19/50/80	0/2/2/3
16	CLA	A	845	28	1/1/15/20	6/37/115/115	-
21	LMU	J	101	-	-	9/21/61/61	0/2/2/2
19	BCR	F	801	-	-	10/29/63/63	0/2/2/2

The worst 5 of 1065 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	U	202	A86	C13-C11	-6.10	1.37	1.49
16	K	204	CLA	MG-NA	5.17	2.18	2.06
16	B	848	CLA	MG-NA	5.05	2.18	2.06
16	A	826	CLA	MG-NA	5.04	2.18	2.06
16	H	305	CLA	MG-NA	5.03	2.18	2.06

The worst 5 of 863 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
20	U	212	DD6	C3-C4-C5	5.24	134.21	123.47
16	G	315	CLA	CHD-C1D-ND	-4.92	119.93	124.45
16	H	306	CLA	O2A-C1-C2	4.51	120.47	108.64
20	J	102	DD6	C12-C11-C10	-4.46	116.67	122.92
16	K	205	CLA	O2A-C1-C2	4.40	120.21	108.64

5 of 93 chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
16	A	802	CLA	ND
16	A	803	CLA	ND
16	A	804	CLA	ND
16	A	805	CLA	ND
16	A	810	CLA	ND

5 of 959 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
16	A	804	CLA	C1A-C2A-CAA-CBA
16	A	806	CLA	CBA-CGA-O2A-C1
16	A	806	CLA	O1A-CGA-O2A-C1
16	A	815	CLA	C3A-C2A-CAA-CBA
16	A	820	CLA	CBD-CGD-O2D-CED

There are no ring outliers.

138 monomers are involved in 235 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
16	B	808	CLA	2	0
16	A	808	CLA	2	0
16	B	802	CLA	3	0
16	B	818	CLA	2	0
16	H	309	CLA	2	0
16	A	849	CLA	6	0
16	U	210	CLA	1	0
16	A	801	CLA	2	0
16	B	829	CLA	1	0
19	B	842	BCR	3	0
16	A	820	CLA	2	0
16	K	205	CLA	3	0
16	J	104	CLA	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
16	B	803	CLA	2	0
16	U	208	CLA	1	0
16	A	853	CLA	2	0
16	B	822	CLA	2	0
22	A	850	CL0	2	0
16	B	811	CLA	1	0
16	A	825	CLA	1	0
16	L	203	CLA	1	0
16	B	820	CLA	1	0
16	A	819	CLA	1	0
16	B	805	CLA	2	0
19	I	103	BCR	1	0
16	B	819	CLA	3	0
26	U	202	A86	1	0
19	A	842	BCR	1	0
16	B	832	CLA	1	0
19	B	840	BCR	1	0
18	A	839	LHG	2	0
16	G	309	CLA	4	0
19	M	101	BCR	3	0
18	G	316	LHG	2	0
16	G	302	CLA	1	0
16	B	831	CLA	2	0
16	F	804	CLA	1	0
20	G	311	DD6	1	0
16	A	847	CLA	1	0
16	B	824	CLA	2	0
19	B	839	BCR	4	0
16	U	204	CLA	1	0
16	B	844	CLA	2	0
16	B	835	CLA	4	0
17	A	837	PQN	3	0
24	B	843	DGD	2	0
16	B	825	CLA	3	0
16	A	814	CLA	2	0
16	B	813	CLA	2	0
19	I	101	BCR	2	0
16	G	308	CLA	2	0
16	H	306	CLA	7	0
16	A	824	CLA	4	0
25	U	201	LMG	2	0
16	A	836	CLA	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
16	A	823	CLA	1	0
16	A	816	CLA	4	0
16	G	304	CLA	1	0
16	B	845	CLA	1	0
16	B	816	CLA	1	0
21	A	855	LMU	1	0
16	A	813	CLA	1	0
16	B	807	CLA	5	0
16	B	828	CLA	1	0
16	H	302	CLA	3	0
16	A	831	CLA	3	0
16	B	817	CLA	2	0
16	A	812	CLA	2	0
16	A	809	CLA	2	0
19	B	841	BCR	3	0
16	U	209	CLA	1	0
16	L	204	CLA	1	0
19	A	843	BCR	2	0
19	J	105	BCR	2	0
16	H	312	CLA	5	0
16	H	308	CLA	3	0
16	U	211	CLA	3	0
21	A	848	LMU	1	0
16	A	817	CLA	2	0
16	A	811	CLA	2	0
16	F	802	CLA	2	0
16	I	102	CLA	2	0
16	A	833	CLA	3	0
16	B	809	CLA	1	0
17	B	837	PQN	1	0
16	A	854	CLA	5	0
16	A	851	CLA	5	0
16	K	202	CLA	1	0
25	J	103	LMG	2	0
16	G	301	CLA	1	0
16	U	205	CLA	2	0
16	K	206	CLA	2	0
16	A	806	CLA	1	0
16	A	830	CLA	1	0
16	H	304	CLA	1	0
16	B	806	CLA	2	0
16	A	818	CLA	1	0


Continued on next page...



Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
16	A	803	CLA	2	0
16	U	207	CLA	5	0
16	B	836	CLA	4	0
16	B	830	CLA	1	0
16	B	847	CLA	1	0
16	B	848	CLA	3	0
19	L	205	BCR	2	0
16	A	807	CLA	1	0
16	H	303	CLA	1	0
16	B	827	CLA	1	0
16	B	826	CLA	1	0
16	B	814	CLA	1	0
16	A	815	CLA	2	0
16	A	822	CLA	1	0
19	B	846	BCR	3	0
19	B	838	BCR	2	0
16	G	306	CLA	2	0
16	A	826	CLA	2	0
16	A	810	CLA	1	0
16	G	310	CLA	2	0
16	U	206	CLA	1	0
16	G	303	CLA	3	0
16	k	201	CLA	1	0
19	k	203	BCR	3	0
16	L	202	CLA	2	0
16	A	835	CLA	3	0
16	A	829	CLA	2	0
16	B	801	CLA	2	0
16	B	849	CLA	6	0
16	B	815	CLA	2	0
19	L	201	BCR	1	0
16	H	305	CLA	3	0
19	A	844	BCR	3	0
16	B	834	CLA	4	0
16	K	203	CLA	2	0
16	G	307	CLA	1	0
16	B	823	CLA	1	0
16	k	202	CLA	2	0
16	A	828	CLA	4	0
16	A	845	CLA	3	0
21	J	101	LMU	3	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths,



bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.








































































































































































































































Ligand CLA F 803





Ligand CLA B 810


































































5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-64154. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)

6.1.1 Primary map




6.1.2 Raw map




The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 300




Y Index: 300




Z Index: 300


6.2.2 Raw map



X Index: 300



Y Index: 300




Z Index: 300


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 316




Y Index: 301




Z Index: 316


6.3.2 Raw map



X Index: 316



Y Index: 0




Z Index: 599


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)

6.4.1 Primary map




6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.065. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_64154_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 203 nm^3 ; this corresponds to an approximate mass of 183 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.472 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.472 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.12	-	-
Author-provided FSC curve	2.12	2.68	2.17
Unmasked-calculated*	3.87	10.04	4.03

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.87 differs from the reported value 2.12 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-64154 and PDB model 9UH4. Per-residue inclusion information can be found in section 3 on page 25.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.065 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [\(i\)](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [\(i\)](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.065).

9.4 Atom inclusion [i](#)



At the recommended contour level, 91% of all backbone atoms, 89% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.065) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8940	 0.6550
A	 0.9570	 0.7000
B	 0.9570	 0.7010
C	 0.9900	 0.7210
D	 0.9360	 0.6750
E	 0.9000	 0.6590
F	 0.9220	 0.6710
G	 0.7640	 0.5610
H	 0.6770	 0.4970
I	 0.8820	 0.6410
J	 0.9190	 0.6580
K	 0.4990	 0.4400
L	 0.9070	 0.6540
M	 0.9130	 0.6530
U	 0.7940	 0.5820
k	 0.7610	 0.5750

