



wwPDB EM Validation Summary Report ⓘ

Jul 3, 2025 – 08:51 AM EDT

PDB ID : 8UTJ / pdb_00008utj
EMDB ID : EMD-42541
Title : E. coli 70S ribosome with unmodified lys-tRNA^{Pro}(GGG) bound to slippery P-site CCC-C codon in the 0 frame
Authors : Kimbrough, E.M.; Dunham, C.M.; Nguyen, H.A.
Deposited on : 2023-10-31
Resolution : 3.50 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev118
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0rc1
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.44


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415
RNA backbone	6643	2191

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1	2904	
2	2	1540	
3	3	120	
4	4	18	
5	5	77	
6	A	232	
7	B	273	
























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
8	C	209	
9	D	201	
10	E	179	
11	F	177	
12	G	149	
13	J	142	
14	K	123	
15	L	144	
16	M	136	
17	N	127	
18	O	117	
19	P	115	
20	Q	118	
21	R	103	
22	S	110	
23	T	100	
24	U	104	
25	V	94	
26	W	84	
27	X	78	
28	Y	63	
29	Z	59	
30	a	70	
31	b	57	
32	c	55	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
33	d	46	 80% 20%
34	e	65	 83% 15% .
35	f	38	 89% 11%
36	g	241	 6% 75% 18% 7%
37	h	233	 67% 23% 11%
38	i	206	 75% 25%
39	j	167	 79% 14% 7%
40	k	135	 64% 13% 23%
41	l	179	 71% 13% 16%
42	m	130	 80% 19% .
43	n	130	 66% 32% .
44	o	103	 68% 28% .
45	p	129	 77% 14% 9%
46	q	124	 69% 29% ..
47	r	118	 76% 22% .
48	s	101	 70% 29% .
49	t	89	 69% 30% .
50	u	82	 73% 27%
51	v	84	 79% 17% 5%
52	w	75	 61% 27% 12%
53	x	92	 72% 18% 10%
54	y	87	 84% 15% .
55	z	71	 86% 13% .

2 Entry composition [i](#)

There are 58 unique types of molecules in this entry. The entry contains 146133 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	1	2903	Total	C	N	O	P	0	0
			62334	27814	11470	20147	2903		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
1	887	A	U	conflict	GB 2577360273

- Molecule 2 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	2	1534	Total	C	N	O	P	0	0
			32929	14693	6041	10661	1534		

- Molecule 3 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	3	120	Total	C	N	O	P	0	0
			2569	1144	468	837	120		

- Molecule 4 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	4	8	Total	C	N	O	P	0	0
			168	75	29	56	8		

- Molecule 5 is a RNA chain called Lys-tRNA^{pro}L.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	5	77	Total	C	N	O	P	0	0
			1648	733	297	541	77		

- Molecule 6 is a protein called Large ribosomal subunit protein uL1.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	A	67	Total	C	N	O	S	0	0
			507	321	90	95	1		

- Molecule 7 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	B	271	Total	C	N	O	S	0	0
			2082	1288	423	364	7		

- Molecule 8 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	C	209	Total	C	N	O	S	0	0
			1565	979	288	294	4		

- Molecule 9 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	D	201	Total	C	N	O	S	0	0
			1552	974	283	290	5		

- Molecule 10 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	E	177	Total	C	N	O	S	0	0
			1410	899	249	256	6		

- Molecule 11 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	F	175	Total	C	N	O	S	0	0
			1313	826	241	244	2		

- Molecule 12 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	G	149	Total	C	N	O	S	0	0
			1111	699	197	214	1		

- Molecule 13 is a protein called Large ribosomal subunit protein uL13.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	J	142	Total	C	N	O	S	0	0
			1129	714	212	199	4		

- Molecule 14 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	K	123	Total	C	N	O	S	0	0
			946	593	181	166	6		

- Molecule 15 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	L	144	Total	C	N	O	S	0	0
			1053	654	207	190	2		

- Molecule 16 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	M	136	Total	C	N	O	S	0	0
			1074	686	205	177	6		

- Molecule 17 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	N	119	Total	C	N	O	S	0	0
			951	588	195	163	5		

- Molecule 18 is a protein called Large ribosomal subunit protein uL18.

Mol	Chain	Residues	Atoms				AltConf	Trace
18	O	116	Total	C	N	O	0	0
			892	552	178	162		

- Molecule 19 is a protein called Large ribosomal subunit protein bL19.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	P	114	Total	C	N	O	S	0	0
			917	574	179	163	1		

- Molecule 20 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms				AltConf	Trace
20	Q	117	Total	C	N	O	0	0
			947	604	192	151		

- Molecule 21 is a protein called Ribosomal protein L21.

Mol	Chain	Residues	Atoms				AltConf	Trace
21	R	103	Total	C	N	O	S	0
			816	516	153	145	2	0

- Molecule 22 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms				AltConf	Trace
22	S	110	Total	C	N	O	S	0
			857	532	166	156	3	0

- Molecule 23 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms				AltConf	Trace
23	T	94	Total	C	N	O	S	0
			746	470	140	134	2	0

- Molecule 24 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms				AltConf	Trace
24	U	103	Total	C	N	O	0	0
			788	498	148	142		

- Molecule 25 is a protein called Large ribosomal subunit protein bL25.

Mol	Chain	Residues	Atoms				AltConf	Trace
25	V	94	Total	C	N	O	S	0
			753	479	137	134	3	0

- Molecule 26 is a protein called Large ribosomal subunit protein bL27.

Mol	Chain	Residues	Atoms				AltConf	Trace
26	W	78	Total	C	N	O	S	0
			592	365	119	107	1	0

- Molecule 27 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	X	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

- Molecule 28 is a protein called Large ribosomal subunit protein uL29.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	Y	62	Total	C	N	O	S	0	0
			501	308	98	94	1		

- Molecule 29 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	Z	58	Total	C	N	O	S	0	0
			448	281	87	78	2		

- Molecule 30 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	a	66	Total	C	N	O	S	0	0
			522	323	99	94	6		

- Molecule 31 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	b	56	Total	C	N	O	S	0	0
			444	269	94	80	1		

- Molecule 32 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
32	c	52	Total	C	N	O	0	0
			426	275	78	73		

- Molecule 33 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	d	46	Total	C	N	O	S	0	0
			377	228	90	57	2		

- Molecule 34 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	e	64	Total	C	N	O	S	0	0
			504	323	105	74	2		

- Molecule 35 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	f	38	Total	C	N	O	S	0	0
			302	185	65	48	4		

- Molecule 36 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	g	225	Total	C	N	O	S	0	0
			1760	1113	316	323	8		

- Molecule 37 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	h	208	Total	C	N	O	S	0	0
			1636	1036	307	290	3		

- Molecule 38 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	i	205	Total	C	N	O	S	0	0
			1643	1026	315	298	4		

- Molecule 39 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	j	156	Total	C	N	O	S	0	0
			1152	717	217	212	6		

- Molecule 40 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	k	104	Total	C	N	O	S	0	0
			848	536	153	152	7		

- Molecule 41 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	l	151	Total	C	N	O	S	0	0
			1181	735	227	215	4		

- Molecule 42 is a protein called Small ribosomal subunit protein uS8.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	m	129	Total	C	N	O	S	0	0
			979	616	173	184	6		

- Molecule 43 is a protein called Small ribosomal subunit protein uS9.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	n	127	Total	C	N	O	S	0	0
			1022	634	206	179	3		

- Molecule 44 is a protein called Small ribosomal subunit protein uS10.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	o	99	Total	C	N	O	S	0	0
			790	495	151	143	1		

- Molecule 45 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	p	117	Total	C	N	O	S	0	0
			877	540	174	160	3		

- Molecule 46 is a protein called Small ribosomal subunit protein uS12.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	q	123	Total	C	N	O	S	0	0
			957	591	196	165	5		

- Molecule 47 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	r	116	Total	C	N	O	S	0	0
			900	558	181	158	3		

- Molecule 48 is a protein called Small ribosomal subunit protein uS14.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	s	100	Total	C	N	O	S	0	0
			805	499	164	139	3		

- Molecule 49 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	t	88	Total	C	N	O	S	0	0
			714	439	144	130	1		

- Molecule 50 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	u	82	Total	C	N	O	S	0	0
			649	406	128	114	1		

- Molecule 51 is a protein called Small ribosomal subunit protein uS17.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	v	80	Total	C	N	O	S	0	0
			648	411	121	113	3		

- Molecule 52 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	w	66	Total	C	N	O	S	0	0
			544	344	102	97	1		

- Molecule 53 is a protein called Small ribosomal subunit protein uS19.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	x	83	Total	C	N	O	S	0	0
			663	424	126	111	2		

- Molecule 54 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	y	86	Total	C	N	O	S	0	0
			669	414	138	114	3		

- Molecule 55 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	z	70	Total	C	N	O	S	0	0
			589	366	125	97	1		

- Molecule 56 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		AltConf
56	1	355	Total	Mg	0
			355	355	
56	2	145	Total	Mg	0
			145	145	
56	3	7	Total	Mg	0
			7	7	
56	B	1	Total	Mg	0
			1	1	
56	D	2	Total	Mg	0
			2	2	
56	L	1	Total	Mg	0
			1	1	
56	O	1	Total	Mg	0
			1	1	
56	P	2	Total	Mg	0
			2	2	
56	Q	2	Total	Mg	0
			2	2	
56	S	1	Total	Mg	0
			1	1	
56	U	1	Total	Mg	0
			1	1	
56	V	1	Total	Mg	0
			1	1	
56	X	1	Total	Mg	0
			1	1	
56	b	1	Total	Mg	0
			1	1	
56	e	1	Total	Mg	0
			1	1	
56	f	3	Total	Mg	0
			3	3	
56	i	1	Total	Mg	0
			1	1	
56	l	1	Total	Mg	0
			1	1	
56	m	1	Total	Mg	0
			1	1	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
56	n	1	Total	Mg	0
			1	1	
56	y	1	Total	Mg	0
			1	1	

- Molecule 57 is LYSINE (CCD ID: LYS) (formula: $C_6H_{15}N_2O_2$).



Mol	Chain	Residues	Atoms				AltConf
57	5	1	Total	C	N	O	0
			9	6	2	1	

- Molecule 58 is water.

Mol	Chain	Residues	Atoms		AltConf
58	1	498	Total	O	0
			498	498	
58	2	203	Total	O	0
			203	203	
58	3	3	Total	O	0
			3	3	
58	5	1	Total	O	0
			1	1	
58	A	13	Total	O	0
			13	13	
58	B	1	Total	O	0
			1	1	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
58	C	2	Total 2	O 2	0
58	D	2	Total 2	O 2	0
58	E	2	Total 2	O 2	0
58	F	2	Total 2	O 2	0
58	G	1	Total 1	O 1	0
58	K	1	Total 1	O 1	0
58	L	2	Total 2	O 2	0
58	M	1	Total 1	O 1	0
58	O	1	Total 1	O 1	0
58	Q	1	Total 1	O 1	0
58	S	1	Total 1	O 1	0
58	T	1	Total 1	O 1	0
58	V	1	Total 1	O 1	0
58	W	1	Total 1	O 1	0
58	Y	1	Total 1	O 1	0
58	a	1	Total 1	O 1	0
58	b	1	Total 1	O 1	0
58	d	1	Total 1	O 1	0
58	g	4	Total 4	O 4	0
58	h	4	Total 4	O 4	0
58	i	1	Total 1	O 1	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
58	k	2	Total 2	O 2	0
58	l	4	Total 4	O 4	0
58	n	1	Total 1	O 1	0
58	o	1	Total 1	O 1	0
58	q	1	Total 1	O 1	0
58	r	1	Total 1	O 1	0
58	t	2	Total 2	O 2	0
58	u	3	Total 3	O 3	0
58	v	2	Total 2	O 2	0
58	w	1	Total 1	O 1	0
58	z	1	Total 1	O 1	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: 23S ribosomal RNA





G2413	G2414	G2415	U2305	A2191	G2121	U2022	A1927	G1835	G1721	A1586	G1482	A1359	G1237	C1064
G2416	G2417	G2418	G2306	U2192	U2122	C2023	A1928	G1836	A1722	G1587	G1483	G1360	G1238	U1065
G2419	G2420	G2421	A2307	U2193	G2123	G2024	G1929	G1837	G1723	G1588	A1490	G1361	G1135	U1066
U2418	U2419	U2420	C2313	U2194	G2124	C2025	G1930	G1838	G1724	U1589	A1491	A1364	U1141	A1067
U2421	U2422	U2423	A2314	A2198	G2125	U2028	U1931	G1839	U1729	A1590	C1493	G1365	A1142	G1068
U2424	U2425	U2426	G2316	G2204	G2127	G2029	A1936	G1840	C1730	A1593	G1501	A1370	A1144	A1069
U2427	U2428	U2429	A2322	G2205	G2128	A2030	A1937	G1844	G1731	G1600	A1502	G1371	C1163	G1070
U2430	U2431	U2432	G2325	C2208	U2131	G2032	A1938	A1848	G1732	C1603	A1503	G1376	C1164	G1071
U2433	U2434	U2435	C2326	A2211	G2132	U2033	U1939	G1856	G1733	C1604	C1507	A1377	A1155	A1072
U2436	U2437	U2438	A2327	U2220	G2133	U2034	G1942	U1857	G1734	G1608	A1508	A1378	G1174	G1073
U2439	U2440	U2441	G2330	U2221	G2134	C2043	G1949	A1858	U1736	A1609	A1509	U1379	G1175	G1074
U2442	U2443	U2444	A2333	A2225	A2135	C2044	G1950	U1859	G1737	A1610	G1510	G1380	G1176	G1075
U2445	U2446	U2447	G2334	C2226	G2138	C2045	U1951	A1866	G1743	A1614	G1514	A1383	A1169	C1076
U2448	U2449	U2450	U2344	G2238	G2141	G2049	A1952	G1869	C1752	A1618	A1515	A1384	C1170	G1079
U2451	U2452	U2453	G2345	U2239	A2142	C2050	G1954	U1870	G1753	G1638	A1516	A1385	G1171	A1080
U2454	U2455	U2456	A2346	U2240	C2143	A2051	U1955	G1871	A1754	G1644	G1521	A1386	G1172	A1081
U2457	U2458	U2459	U2347	A2241	G2144	A2052	U1956	A1872	G1755	G1645	G1522	C1387	U1173	U1082
U2460	U2461	U2462	G2348	G2349	C2145	C2055	C1957	G1875	G1756	G1646	U1523	U1397	U1174	U1083
U2463	U2464	U2465	C2350	U2249	G2146	G2056	C1958	G1876	A1762	G1647	G1524	U1398	A1175	A1084
U2466	U2467	U2468	G2353	G2250	A2147	A2060	C1962	G1878	G1763	U1647	G1528	C1399	G1176	A1085
U2469	U2470	U2471	A2357	U2251	C2150	G2061	U1963	U1879	C1764	U1648	A1529	U1400	G1177	A1086
U2472	U2473	U2474	G2360	G2252	G2155	C2065	G1964	U1880	A1773	G1649	C1533	G1408	G1178	A1087
U2475	U2476	U2477	U2361	U2253	A2156	G2069	G1965	G1881	U1775	A1652	C1534	U1409	G1179	A1088
U2478	U2479	U2480	C2362	U2254	G2157	A2070	U1966	U1882	C1774	G1653	C1535	U1410	U1180	A1089
U2481	U2482	U2483	G2363	A2266	A2158	C2072	G1967	G1883	U1779	G1654	C1536	G1416	C1187	A1090
U2484	U2485	U2486	A2364	U2267	G2159	G2079	U1968	U1884	A1784	A1655	G1543	C1417	C1188	U1094
U2487	U2488	U2489	U2365	A2268	C2160	U2079	U1969	U1885	A1785	G1656	C1544	C1418	U1189	U1095
U2490	U2491	U2492	G2366	U2269	G2161	C2091	G1970	U1886	A1786	U1659	C1545	C1419	G1190	A1096
U2493	U2494	U2495	A2367	U2270	A2162	U2092	U1981	G1887	A1787	A1668	C1546	C1420	C1196	C1100
U2496	U2497	U2498	U2368	U2271	C2163	G2093	U1982	U1888	C1790	U1670	C1547	C1421	U1197	U1101
U2499	U2500	U2501	G2369	U2272	G2164	U2099	C1990	U1889	U1798	G1674	C1548	C1422	U1198	C1102
U2502	U2503	U2504	A2370	U2273	C2165	G2100	U1991	A1890	G1799	A1427	C1549	C1423	U1199	G1107
U2505	U2506	U2507	U2371	U2274	G2166	A2101	G1992	U1900	C1800	C1428	C1550	C1424	C1200	U1108
U2508	U2509	U2510	A2372	U2275	U2167	U2099	U1993	A1901	A1801	U1460	C1551	C1425	C1201	U1109
U2511	U2512	U2513	G2373	U2276	G2168	G2107	C1996	G1906	G1807	U1461	C1552	C1426	C1202	G1110
U2514	U2515	U2516	U2374	U2277	A2169	A2108	U1997	G1907	U1808	C1462	C1553	C1427	C1203	G1111
U2517	U2518	U2519	C2375	U2278	G2170	U2109	A1998	C1908	A1809	C1463	C1554	C1428	C1204	G1112
U2520	U2521	U2522	G2376	U2279	C2171	G2110	C1999	C1909	G1814	U1464	C1555	C1429	C1205	U1113
U2523	U2524	U2525	A2377	U2280	G2172	G2111	U2000	G1910	A1815	U1465	C1556	C1430	C1206	U1114
U2526	U2527	U2528	U2378	U2281	A2173	U2112	C2001	U1911	C1816	U1466	C1557	C1431	C1207	G1115
U2529	U2530	U2531	G2379	U2282	G2174	G2113	U2002	U1912	U1817	U1467	C1558	C1432	C1208	G1116
U2532	U2533	U2534	A2380	U2283	C2175	U2114	C2003	U1913	U1818	C1468	C1559	C1433	C1209	G1117
U2535	U2536	U2537	U2381	U2284	G2176	G2115	U2004	U1914	U1819	U1469	C1560	C1434	C1210	U1118
U2538	U2539	U2540	G2382	U2285	A2177	U2116	C2005	U1915	A1820	U1470	C1561	C1435	C1211	G1119
U2541	U2542	U2543	A2383	U2286	U2178	U2117	U2006	U1916	C1819	U1471	C1562	C1436	C1212	U1120
U2544	U2545	U2546	U2384	U2287	G2179	G2118	U2007	U1917	U1821	U1472	C1563	C1437	C1213	G1121
U2547	U2548	U2549	C2385	U2288	A2180	U2119	C2008	U1918	U1822	U1473	C1564	C1438	C1214	G1122
U2550	U2551	U2552	G2386	U2289	U2181	G2120	U2009	U1919	U1823	U1474	C1565	C1439	C1215	U1123
U2553	U2554	U2555	A2387	U2290	G2182	G2121	U2010	U1920	U1824	U1475	C1566	C1440	C1216	G1124
U2556	U2557	U2558	U2388	U2291	A2183	U2122	U2011	U1921	U1825	U1476	C1567	C1441	C1217	U1125
U2559	U2560	U2561	G2389	U2292	G2184	U2123	U2012	U1922	A1826	U1477	C1568	C1442	C1218	U1126
U2562	U2563	U2564	U2390	U2293	A2185	U2124	U2013	U1923	U1827	U1478	C1569	C1443	C1219	G1127
U2565	U2566	U2567	A2391	U2294	G2186	U2125	U2014	U1924	U1828	U1479	C1570	C1444	C1220	U1128
U2568	U2569	U2570	G2392	U2295	U2187	U2126	U2015	U1925	U1829	U1480	C1571	C1445	C1221	G1129
U2571	U2572	U2573	U2393	U2296	G2188	U2127	U2016	U1926	U1830	U1481	C1572	C1446	C1222	U1130
U2574	U2575	U2576	A2394	U2297	U2189	U2128	U2017	U1927	U1831	U1482	C1573	C1447	C1223	G1131
U2577	U2578	U2579	G2395	U2298	G2190	U2129	U2018	U1928	U1832	U1483	C1574	C1448	C1224	U1132
U2580	U2581	U2582	A2396	U2299	U2191	U2130	U2019	U1929	U1833	U1484	C1575	C1449	C1225	U1133
U2583	U2584	U2585	U2397	U2300	G2192	U2131	U2020	U1930	U1834	U1485	C1576	C1450	C1226	A1134
U2586	U2587	U2588	G2398	U2301	U2193	U2132	U2021	U1931	U1835	U1486	C1577	C1451	C1227	
U2589	U2590	U2591	A2399	U2302	G2194	U2133	U2022	U1932	U1836	U1487	C1578	C1452	C1228	
U2592	U2593	U2594	U2399	U2303	U2195	U2134	U2023	U1933	U1837	U1488	C1579	C1453	C1229	
U2595	U2596	U2597	G2400	U2304	U2196	U2135	U2024	U1934	U1838	U1489	C1580	C1454	C1230	
U2598	U2599	U2600	A2401	U2305	G2197	U2136	U2025	U1935	U1839	U1490	C1581	C1455	C1231	
U2601	U2602	U2603	U2402	U2306	U2198	U2137	U2026	U1936	U1840	U1491	C1582	C1456	C1232	
U2604	U2605	U2606	G2403	U2307	U2199	U2138	U2027	U1937	U1841	U1492	C1583	C1457	C1233	
U2607	U2608	U2609	A2404	U2308	U2200	U2139	U2028	U1938	U1842	U1493	C1584	C1458	C1234	
U2610	U2611	U2612	U2405	U2309	U2201	U2140	U2029	U1939	U1843	U1494	C1585	C1459	C1235	
U2613	U2614	U2615	A2406	U2310	U2202	U2141	U2030	U1940	U1844	U1495	C1586	C1460	C1236	
U2616	U2617	U2618	G2407	U2311	U2203	U2142	U2031	U1941	U1845	U1496	C1587	C1461	C1237	
U2619	U2620	U2621	U2408	U2312	U2204	U2143	U2032	U1942	U1846	U1497	C1588	C1462	C1238	
U2622	U2623	U2624	A2409	U2313	U2205	U2144	U2033	U1943	U1847	U1498	C1589	C1463	C1239	
U2625	U2626	U2627	G2410	U2314	U2206	U2145	U2034	U1944	U1848	U1499	C1590	C1464	C1240	
U2628	U2629	U2630	U2409	U2315	U2207	U2146	U2035	U1945	U1849	U1500	C1591	C1465	C1241	
U2631	U2632	U2633	A2411	U2316	U2208	U2147	U2036	U1946	U1850	U1501	C1592	C1466	C1242	
U2634	U2635	U2636	G2412	U2317	U2209	U2148	U2037	U1947	U1851	U1502	C1593	C1467	C1243	
U2637	U2638	U2639	U2410	U2318	U2210	U2149	U2038	U1948	U1852	U1503	C1594	C1468	C1244	
U2640	U2641	U2642	A2412	U2319	U2211	U2150	U2039	U1949	U1853	U1504	C1595	C1469	C1245	
U2643	U2644	U2645	G2413	U2320	U2212	U2151	U2040	U1950	U1854	U1505	C1596	C1470	C1246	
U2646	U2647	U2648	U2411	U2321	U2213	U2152	U2041	U1951	U1855	U1506	C1597	C1471	C1247	
U2649	U2650	U2651	A2413	U2322	U2214	U2153	U2042	U1952	U1856	U1507	C1598	C1472	C1248	
U2652	U2653	U2654	G2414	U2323	U2215	U2154	U2043	U1953	U1857	U1508	C1599	C1473	C1249	
U2655	U2656	U2657	U2412	U2324	U2216	U2155	U2044	U1954	U1858	U1509	C1600	C1474	C1250	
U2658	U2659	U2660	A2414	U2325	U2217	U2156	U2045	U1955	U1859	U1510	C1601	C1475	C1251	
U2661	U2662	U2663	G											







• Molecule 2: 16S ribosomal RNA








C	A	U	A	A	A	A	A13	U14	G15	C16	C17	C18	C19	G20	U	U	A
---	---	---	---	---	---	---	-----	-----	-----	-----	-----	-----	-----	-----	---	---	---

C64	C1	C2	C3	C4	C5	C6	G7	U8	A9	G10	C11	G12	C13	A14	G15	C16	C17	U17A	G18	G19	U20	A21	G22	C23	G24	C25	A26	C27	C28	G29	U30	U33	G34	G35	G36	G37	U38	C41	A42	G43	G44	G45	G46	U47	C48	G49	G50	A51	G52	G53	U54	U55	C56	A57	A58	G62	U63
-----	----	----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----








- Molecule 11: 50S ribosomal protein L6





- Molecule 12: 50S ribosomal protein L9





- Molecule 13: Large ribosomal subunit protein uL13



- Molecule 14: 50S ribosomal protein L14




- Molecule 15: 50S ribosomal protein L15




- Molecule 16: 50S ribosomal protein L16

Chain M:  76% 24%



- Molecule 17: 50S ribosomal protein L17

Chain N:  78% 16% 6%




- Molecule 18: Large ribosomal subunit protein uL18

Chain O:  74% 25%





- Molecule 19: Large ribosomal subunit protein bL19

Chain P:  80% 19%




- Molecule 20: 50S ribosomal protein L20

Chain Q:  81% 19%





- Molecule 21: Ribosomal protein L21

Chain R:  81% 19%




- Molecule 22: 50S ribosomal protein L22

Chain S:  81% 19%




- Molecule 23: 50S ribosomal protein L23

Chain T:  79% 15% 6%




- Molecule 24: 50S ribosomal protein L24

Chain U:  81% 18% 1%



- Molecule 25: Large ribosomal subunit protein bL25

Chain V:  78% 22% 0%





- Molecule 26: Large ribosomal subunit protein bL27

Chain W:  65% 27% 7%





- Molecule 27: 50S ribosomal protein L28

Chain X:  76% 23% 1%




- Molecule 28: Large ribosomal subunit protein uL29

Chain Y:  84% 14% 2%





- Molecule 29: 50S ribosomal protein L30


Chain Z:  80% 19% 1%



- Molecule 30: 50S ribosomal protein L31





- Molecule 31: 50S ribosomal protein L32




- Molecule 32: 50S ribosomal protein L33




- Molecule 33: 50S ribosomal protein L34




- Molecule 34: 50S ribosomal protein L35




- Molecule 35: 50S ribosomal protein L36




- Molecule 36: 30S ribosomal protein S2







• Molecule 37: 30S ribosomal protein S3




• Molecule 38: 30S ribosomal protein S4



• Molecule 39: 30S ribosomal protein S5




• Molecule 40: 30S ribosomal protein S6



• Molecule 41: 30S ribosomal protein S7






- Molecule 42: Small ribosomal subunit protein uS8

Chain m: 80% 19% .




- Molecule 43: Small ribosomal subunit protein uS9

Chain n: 66% 32% .



- Molecule 44: Small ribosomal subunit protein uS10

Chain o: 68% 28% .




- Molecule 45: 30S ribosomal protein S11

Chain p: 77% 14% 9%




- Molecule 46: Small ribosomal subunit protein uS12

Chain q: 69% 29% .




- Molecule 47: 30S ribosomal protein S13

Chain r:  76% 22%



- Molecule 48: Small ribosomal subunit protein uS14

Chain s:  70% 29%




- Molecule 49: 30S ribosomal protein S15

Chain t:  69% 30%





- Molecule 50: 30S ribosomal protein S16

Chain u:  73% 27%



- Molecule 51: Small ribosomal subunit protein uS17

Chain v:  79% 17% 5%




- Molecule 52: 30S ribosomal protein S18

Chain w:  61% 27% 12%




- Molecule 53: Small ribosomal subunit protein uS19



Chain x:  72% 18% 10%



- Molecule 54: 30S ribosomal protein S20



• Molecule 55: 30S ribosomal protein S21



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	70298	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TALOS ARCTICA	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	61.23	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	2700	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.057	Depositor
Minimum map value	-0.009	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.004	Depositor
Recommended contour level	0.014	Depositor
Map size (Å)	547.3792, 547.3792, 547.3792	wwPDB
Map dimensions	512, 512, 512	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.0691, 1.0691, 1.0691	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 6MZ, OMG, 5MC, 2MA, OMU, PSU, G7M, UR3, MG, 1MG, 5MU, OMC, 7MG, MA6, 4OC, 0TD, 2MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	1	0.13	0/69335	0.25	0/108168
2	2	0.12	0/36590	0.24	0/57074
3	3	0.11	0/2872	0.22	0/4478
4	4	0.39	0/186	0.68	0/287
5	5	0.22	0/1841	0.42	2/2870 (0.1%)
6	A	0.13	0/511	0.30	0/685
7	B	0.20	0/2121	0.34	0/2852
8	C	0.19	0/1586	0.34	0/2134
9	D	0.17	0/1571	0.31	0/2113
10	E	0.16	0/1434	0.35	0/1926
11	F	0.15	0/1333	0.32	0/1805
12	G	0.16	0/1122	0.36	0/1515
13	J	0.18	0/1152	0.30	0/1551
14	K	0.18	0/955	0.30	0/1279
15	L	0.20	0/1062	0.33	0/1413
16	M	0.18	0/1093	0.31	0/1460
17	N	0.20	0/964	0.35	0/1289
18	O	0.16	0/902	0.33	0/1209
19	P	0.18	0/929	0.32	0/1242
20	Q	0.17	0/960	0.29	0/1278
21	R	0.18	0/829	0.38	0/1107
22	S	0.19	0/864	0.32	0/1156
23	T	0.17	0/752	0.30	0/1005
24	U	0.15	0/796	0.32	0/1062
25	V	0.17	0/766	0.33	0/1025
26	W	0.18	0/599	0.33	0/792
27	X	0.18	0/635	0.34	0/848
28	Y	0.15	0/502	0.27	0/667
29	Z	0.17	0/452	0.32	0/605
30	a	0.16	0/531	0.32	0/709
31	b	0.17	0/450	0.30	0/599

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
32	c	0.18	0/433	0.28	0/576
33	d	0.19	0/380	0.32	0/498
34	e	0.40	0/513	0.48	0/676
35	f	0.20	0/303	0.33	0/397
36	g	0.15	0/1791	0.35	0/2413
37	h	0.17	0/1663	0.34	0/2241
38	i	0.15	0/1665	0.31	0/2227
39	j	0.17	0/1165	0.34	0/1568
40	k	0.16	0/867	0.35	0/1171
41	l	0.14	0/1195	0.33	0/1602
42	m	0.17	0/989	0.29	0/1326
43	n	0.17	0/1034	0.36	0/1375
44	o	0.16	0/800	0.35	0/1082
45	p	0.16	0/893	0.32	0/1205
46	q	0.17	0/960	0.34	0/1286
47	r	0.15	0/909	0.34	0/1215
48	s	0.15	0/817	0.30	0/1088
49	t	0.14	0/722	0.29	0/964
50	u	0.18	0/659	0.34	0/884
51	v	0.16	0/657	0.36	0/881
52	w	0.16	0/553	0.33	0/743
53	x	0.14	0/680	0.31	0/915
54	y	0.15	0/675	0.28	0/895
55	z	0.15	0/597	0.31	0/792
All	All	0.14	0/156615	0.27	2/234223 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	5	76	A	C2'-C3'-O3'	6.79	119.68	109.50
5	5	76	A	C1'-C2'-O2'	5.74	120.40	111.80

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	1	62334	0	31368	712	0
2	2	32929	0	16587	409	0
3	3	2569	0	1301	41	0
4	4	168	0	88	6	0
5	5	1648	0	833	65	0
6	A	507	0	542	10	0
7	B	2082	0	2154	32	0
8	C	1565	0	1616	41	0
9	D	1552	0	1619	32	0
10	E	1410	0	1444	39	0
11	F	1313	0	1358	19	0
12	G	1111	0	1148	24	0
13	J	1129	0	1162	26	0
14	K	946	0	1023	18	0
15	L	1053	0	1129	23	0
16	M	1074	0	1157	24	0
17	N	951	0	994	17	0
18	O	892	0	923	23	0
19	P	917	0	962	22	0
20	Q	947	0	1019	20	0
21	R	816	0	839	17	0
22	S	857	0	922	13	0
23	T	746	0	811	11	0
24	U	788	0	844	15	0
25	V	753	0	780	15	0
26	W	592	0	607	17	0
27	X	625	0	652	15	0
28	Y	501	0	531	8	0
29	Z	448	0	488	9	0
30	a	522	0	524	12	0
31	b	444	0	458	6	0
32	c	426	0	464	13	0
33	d	377	0	418	8	0
34	e	504	0	572	10	0
35	f	302	0	343	4	0
36	g	1760	0	1787	30	0
37	h	1636	0	1710	41	0
38	i	1643	0	1707	39	0
39	j	1152	0	1196	25	0
40	k	848	0	846	15	0
41	l	1181	0	1238	19	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
42	m	979	0	1031	19	0
43	n	1022	0	1070	35	0
44	o	790	0	831	26	0
45	p	877	0	887	17	0
46	q	957	0	1017	28	0
47	r	900	0	965	21	0
48	s	805	0	844	30	0
49	t	714	0	734	20	0
50	u	649	0	666	19	0
51	v	648	0	691	11	0
52	w	544	0	560	16	0
53	x	663	0	688	10	0
54	y	669	0	719	12	0
55	z	589	0	629	7	0
56	1	355	0	0	0	0
56	2	145	0	0	0	0
56	3	7	0	0	0	0
56	B	1	0	0	0	0
56	D	2	0	0	0	0
56	L	1	0	0	0	0
56	O	1	0	0	0	0
56	P	2	0	0	0	0
56	Q	2	0	0	0	0
56	S	1	0	0	0	0
56	U	1	0	0	0	0
56	V	1	0	0	0	0
56	X	1	0	0	0	0
56	b	1	0	0	0	0
56	e	1	0	0	0	0
56	f	3	0	0	0	0
56	i	1	0	0	0	0
56	l	1	0	0	0	0
56	m	1	0	0	0	0
56	n	1	0	0	0	0
56	y	1	0	0	0	0
57	5	9	0	12	3	0
58	1	498	0	0	43	0
58	2	203	0	0	24	0
58	3	3	0	0	0	0
58	5	1	0	0	1	0
58	A	13	0	0	2	0
58	B	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
58	C	2	0	0	0	0
58	D	2	0	0	1	0
58	E	2	0	0	2	0
58	F	2	0	0	1	0
58	G	1	0	0	0	0
58	K	1	0	0	0	0
58	L	2	0	0	0	0
58	M	1	0	0	0	0
58	O	1	0	0	0	0
58	Q	1	0	0	2	0
58	S	1	0	0	0	0
58	T	1	0	0	0	0
58	V	1	0	0	0	0
58	W	1	0	0	0	0
58	Y	1	0	0	0	0
58	a	1	0	0	0	0
58	b	1	0	0	0	0
58	d	1	0	0	0	0
58	g	4	0	0	0	0
58	h	4	0	0	1	0
58	i	1	0	0	0	0
58	k	2	0	0	0	0
58	l	4	0	0	0	0
58	n	1	0	0	0	0
58	o	1	0	0	0	0
58	q	1	0	0	0	0
58	r	1	0	0	0	0
58	t	2	0	0	0	0
58	u	3	0	0	1	0
58	v	2	0	0	0	0
58	w	1	0	0	0	0
58	z	1	0	0	0	0
All	All	146133	0	97508	1866	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

The worst 5 of 1866 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:2:493:A:O2'	2:2:494:G:O4'	1.79	0.99

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:1:1779:U:OP2	1:1:1784:A:N6	2.02	0.92
1:1:2585:U:H3	57:5:101:LYS:C	1.78	0.92
2:2:1032:G:N2	2:2:1033:G:O4'	2.03	0.91
2:2:1147:C:HO2'	43:n:7:TYR:HH	1.19	0.90

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
6	A	65/232 (28%)	62 (95%)	3 (5%)	0	100	100
7	B	269/273 (98%)	255 (95%)	14 (5%)	0	100	100
8	C	207/209 (99%)	195 (94%)	12 (6%)	0	100	100
9	D	199/201 (99%)	194 (98%)	5 (2%)	0	100	100
10	E	175/179 (98%)	168 (96%)	7 (4%)	0	100	100
11	F	173/177 (98%)	161 (93%)	12 (7%)	0	100	100
12	G	147/149 (99%)	137 (93%)	10 (7%)	0	100	100
13	J	140/142 (99%)	138 (99%)	2 (1%)	0	100	100
14	K	121/123 (98%)	117 (97%)	4 (3%)	0	100	100
15	L	142/144 (99%)	134 (94%)	8 (6%)	0	100	100
16	M	134/136 (98%)	128 (96%)	6 (4%)	0	100	100
17	N	117/127 (92%)	112 (96%)	5 (4%)	0	100	100
18	O	114/117 (97%)	110 (96%)	4 (4%)	0	100	100
19	P	112/115 (97%)	108 (96%)	4 (4%)	0	100	100
20	Q	115/118 (98%)	113 (98%)	2 (2%)	0	100	100
21	R	101/103 (98%)	97 (96%)	4 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
22	S	108/110 (98%)	105 (97%)	3 (3%)	0	100	100
23	T	92/100 (92%)	91 (99%)	1 (1%)	0	100	100
24	U	101/104 (97%)	97 (96%)	4 (4%)	0	100	100
25	V	92/94 (98%)	87 (95%)	5 (5%)	0	100	100
26	W	76/84 (90%)	71 (93%)	5 (7%)	0	100	100
27	X	75/78 (96%)	72 (96%)	3 (4%)	0	100	100
28	Y	60/63 (95%)	60 (100%)	0	0	100	100
29	Z	56/59 (95%)	54 (96%)	2 (4%)	0	100	100
30	a	64/70 (91%)	59 (92%)	5 (8%)	0	100	100
31	b	54/57 (95%)	52 (96%)	2 (4%)	0	100	100
32	c	50/55 (91%)	47 (94%)	3 (6%)	0	100	100
33	d	44/46 (96%)	44 (100%)	0	0	100	100
34	e	62/65 (95%)	60 (97%)	2 (3%)	0	100	100
35	f	36/38 (95%)	34 (94%)	2 (6%)	0	100	100
36	g	223/241 (92%)	215 (96%)	8 (4%)	0	100	100
37	h	206/233 (88%)	195 (95%)	11 (5%)	0	100	100
38	i	203/206 (98%)	197 (97%)	6 (3%)	0	100	100
39	j	154/167 (92%)	147 (96%)	7 (4%)	0	100	100
40	k	102/135 (76%)	97 (95%)	5 (5%)	0	100	100
41	l	149/179 (83%)	135 (91%)	14 (9%)	0	100	100
42	m	127/130 (98%)	119 (94%)	8 (6%)	0	100	100
43	n	125/130 (96%)	116 (93%)	9 (7%)	0	100	100
44	o	97/103 (94%)	86 (89%)	11 (11%)	0	100	100
45	p	115/129 (89%)	109 (95%)	6 (5%)	0	100	100
46	q	120/124 (97%)	107 (89%)	13 (11%)	0	100	100
47	r	114/118 (97%)	108 (95%)	6 (5%)	0	100	100
48	s	98/101 (97%)	96 (98%)	2 (2%)	0	100	100
49	t	86/89 (97%)	82 (95%)	4 (5%)	0	100	100
50	u	80/82 (98%)	78 (98%)	2 (2%)	0	100	100
51	v	78/84 (93%)	69 (88%)	9 (12%)	0	100	100
52	w	64/75 (85%)	61 (95%)	3 (5%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
53	x	81/92 (88%)	79 (98%)	2 (2%)	0	100	100
54	y	84/87 (97%)	82 (98%)	2 (2%)	0	100	100
55	z	68/71 (96%)	67 (98%)	1 (2%)	0	100	100
All	All	5675/6144 (92%)	5407 (95%)	268 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
6	A	54/179 (30%)	54 (100%)	0	100	100
7	B	216/218 (99%)	216 (100%)	0	100	100
8	C	164/164 (100%)	164 (100%)	0	100	100
9	D	165/165 (100%)	165 (100%)	0	100	100
10	E	148/150 (99%)	148 (100%)	0	100	100
11	F	136/138 (99%)	136 (100%)	0	100	100
12	G	114/114 (100%)	114 (100%)	0	100	100
13	J	116/116 (100%)	116 (100%)	0	100	100
14	K	104/104 (100%)	104 (100%)	0	100	100
15	L	103/103 (100%)	103 (100%)	0	100	100
16	M	109/109 (100%)	109 (100%)	0	100	100
17	N	99/103 (96%)	99 (100%)	0	100	100
18	O	86/87 (99%)	86 (100%)	0	100	100
19	P	99/100 (99%)	99 (100%)	0	100	100
20	Q	89/90 (99%)	89 (100%)	0	100	100
21	R	84/84 (100%)	84 (100%)	0	100	100
22	S	93/93 (100%)	93 (100%)	0	100	100
23	T	81/84 (96%)	81 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
24	U	84/85 (99%)	84 (100%)	0	100	100
25	V	78/78 (100%)	78 (100%)	0	100	100
26	W	59/62 (95%)	59 (100%)	0	100	100
27	X	67/68 (98%)	67 (100%)	0	100	100
28	Y	54/55 (98%)	54 (100%)	0	100	100
29	Z	48/49 (98%)	48 (100%)	0	100	100
30	a	59/62 (95%)	59 (100%)	0	100	100
31	b	47/48 (98%)	47 (100%)	0	100	100
32	c	47/49 (96%)	47 (100%)	0	100	100
33	d	38/38 (100%)	38 (100%)	0	100	100
34	e	51/52 (98%)	51 (100%)	0	100	100
35	f	34/34 (100%)	34 (100%)	0	100	100
36	g	187/199 (94%)	187 (100%)	0	100	100
37	h	171/190 (90%)	171 (100%)	0	100	100
38	i	172/173 (99%)	172 (100%)	0	100	100
39	j	119/126 (94%)	119 (100%)	0	100	100
40	k	91/116 (78%)	91 (100%)	0	100	100
41	l	124/147 (84%)	124 (100%)	0	100	100
42	m	104/105 (99%)	104 (100%)	0	100	100
43	n	105/107 (98%)	105 (100%)	0	100	100
44	o	86/90 (96%)	86 (100%)	0	100	100
45	p	90/99 (91%)	90 (100%)	0	100	100
46	q	102/103 (99%)	102 (100%)	0	100	100
47	r	94/96 (98%)	94 (100%)	0	100	100
48	s	83/84 (99%)	83 (100%)	0	100	100
49	t	76/77 (99%)	76 (100%)	0	100	100
50	u	65/65 (100%)	65 (100%)	0	100	100
51	v	74/78 (95%)	74 (100%)	0	100	100
52	w	57/65 (88%)	57 (100%)	0	100	100
53	x	72/79 (91%)	72 (100%)	0	100	100
54	y	65/66 (98%)	65 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
55	z	60/61 (98%)	60 (100%)	0	100	100
All	All	4723/5007 (94%)	4723 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 36 such sidechains are listed below:

Mol	Chain	Res	Type
43	n	50	GLN
55	z	9	ASN
43	n	75	GLN
50	u	40	ASN
28	Y	36	GLN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	1	2902/2904 (99%)	478 (16%)	19 (0%)
2	2	1532/1540 (99%)	236 (15%)	6 (0%)
3	3	119/120 (99%)	23 (19%)	1 (0%)
4	4	7/18 (38%)	4 (57%)	1 (14%)
5	5	76/77 (98%)	27 (35%)	1 (1%)
All	All	4636/4659 (99%)	768 (16%)	28 (0%)

5 of 768 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	1	10	A
1	1	27	G
1	1	34	U
1	1	46	G
1	1	63	A

5 of 28 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	1	2188	U
5	5	72	G
1	1	2425	A
2	2	1493	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	1	2308	G

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

32 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	OMU	1	2552	1	19,22,23	3.11	8 (42%)	25,31,34	1.79	5 (20%)
46	0TD	q	89	46	8,9,10	2.09	2 (25%)	6,11,13	1.32	0
1	5MU	1	1939	1	19,22,23	4.84	7 (36%)	27,32,35	3.59	9 (33%)
2	5MC	2	967	2	19,22,23	3.88	8 (42%)	26,32,35	0.97	2 (7%)
1	6MZ	1	1618	1	17,25,26	1.53	2 (11%)	15,36,39	2.27	4 (26%)
2	5MC	2	1407	2	19,22,23	3.86	8 (42%)	26,32,35	0.96	2 (7%)
1	PSU	1	1917	1	18,21,22	1.10	1 (5%)	21,30,33	1.99	5 (23%)
1	OMG	1	2251	1,5	19,26,27	2.52	7 (36%)	21,38,41	1.45	4 (19%)
1	2MA	1	2503	56,1	18,25,26	3.56	6 (33%)	20,37,40	3.87	4 (20%)
2	UR3	2	1498	2	19,22,23	2.97	8 (42%)	26,32,35	1.52	2 (7%)
2	MA6	2	1518	2	19,26,27	1.66	3 (15%)	18,38,41	2.94	3 (16%)
1	1MG	1	745	1	19,26,27	3.12	7 (36%)	18,39,42	1.59	4 (22%)
1	PSU	1	1911	1	18,21,22	1.10	1 (5%)	21,30,33	2.07	5 (23%)
2	PSU	2	516	2,56	18,21,22	1.08	1 (5%)	21,30,33	2.14	6 (28%)
2	2MG	2	1516	2	18,26,27	2.59	7 (38%)	16,38,41	1.55	4 (25%)
1	PSU	1	746	56,1	18,21,22	1.10	1 (5%)	21,30,33	1.86	4 (19%)
2	MA6	2	1519	2	19,26,27	1.67	4 (21%)	18,38,41	2.94	3 (16%)
1	PSU	1	955	1	18,21,22	1.09	1 (5%)	21,30,33	2.02	5 (23%)
1	5MC	1	1962	1	19,22,23	3.85	8 (42%)	26,32,35	0.98	2 (7%)
1	2MG	1	1835	1	18,26,27	2.55	7 (38%)	16,38,41	1.70	5 (31%)
1	PSU	1	2580	1	18,21,22	1.11	1 (5%)	21,30,33	2.13	6 (28%)
2	2MG	2	1207	2	18,26,27	2.57	7 (38%)	16,38,41	1.59	4 (25%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	OMC	1	2498	1	19,22,23	2.99	8 (42%)	25,31,34	0.75	0
2	2MG	2	966	2	18,26,27	2.57	7 (38%)	16,38,41	1.86	5 (31%)
2	4OC	2	1402	2	20,23,24	3.17	8 (40%)	25,32,35	0.90	1 (4%)
1	PSU	1	2504	1	18,21,22	1.10	1 (5%)	21,30,33	1.98	5 (23%)
1	5MU	1	747	1	19,22,23	4.82	7 (36%)	27,32,35	3.60	9 (33%)
1	2MG	1	2445	1	18,26,27	2.54	6 (33%)	16,38,41	1.67	5 (31%)
2	7MG	2	527	2	23,26,27	3.94	11 (47%)	27,39,42	2.22	9 (33%)
1	G7M	1	2069	1	20,26,27	2.44	6 (30%)	16,39,42	1.07	1 (6%)
1	PSU	1	2605	1	18,21,22	1.07	1 (5%)	21,30,33	2.03	5 (23%)
1	PSU	1	2457	1	18,21,22	1.07	1 (5%)	21,30,33	2.07	6 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	OMU	1	2552	1	-	0/9/27/28	0/2/2/2
46	0TD	q	89	46	-	1/7/12/14	-
1	5MU	1	1939	1	-	0/7/25/26	0/2/2/2
2	5MC	2	967	2	-	0/7/25/26	0/2/2/2
1	6MZ	1	1618	1	-	4/5/27/28	0/3/3/3
2	5MC	2	1407	2	-	0/7/25/26	0/2/2/2
1	PSU	1	1917	1	-	0/7/25/26	0/2/2/2
1	OMG	1	2251	1,5	-	0/5/27/28	0/3/3/3
1	2MA	1	2503	56,1	-	0/3/25/26	0/3/3/3
2	UR3	2	1498	2	-	2/7/25/26	0/2/2/2
2	MA6	2	1518	2	-	2/7/29/30	0/3/3/3
1	1MG	1	745	1	-	0/3/25/26	0/3/3/3
1	PSU	1	1911	1	-	0/7/25/26	0/2/2/2
2	PSU	2	516	2,56	-	2/7/25/26	0/2/2/2
2	2MG	2	1516	2	-	0/5/27/28	0/3/3/3
1	PSU	1	746	56,1	-	1/7/25/26	0/2/2/2
2	MA6	2	1519	2	-	5/7/29/30	0/3/3/3
1	PSU	1	955	1	-	0/7/25/26	0/2/2/2
1	5MC	1	1962	1	-	0/7/25/26	0/2/2/2
1	2MG	1	1835	1	-	2/5/27/28	0/3/3/3
1	PSU	1	2580	1	-	0/7/25/26	0/2/2/2
2	2MG	2	1207	2	-	0/5/27/28	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	OMC	1	2498	1	-	0/9/27/28	0/2/2/2
2	2MG	2	966	2	-	3/5/27/28	0/3/3/3
2	4OC	2	1402	2	-	0/9/29/30	0/2/2/2
1	PSU	1	2504	1	-	2/7/25/26	0/2/2/2
1	5MU	1	747	1	-	1/7/25/26	0/2/2/2
1	2MG	1	2445	1	-	2/5/27/28	0/3/3/3
2	7MG	2	527	2	-	3/7/37/38	0/3/3/3
1	G7M	1	2069	1	-	1/3/25/26	0/3/3/3
1	PSU	1	2605	1	-	0/7/25/26	0/2/2/2
1	PSU	1	2457	1	-	0/7/25/26	0/2/2/2

The worst 5 of 161 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	1	747	5MU	C2-N1	11.23	1.56	1.38
1	1	1939	5MU	C2-N1	11.18	1.56	1.38
1	1	1939	5MU	C4-C5	10.33	1.61	1.44
1	1	747	5MU	C6-N1	10.30	1.55	1.38
1	1	1939	5MU	C6-N1	10.29	1.55	1.38

The worst 5 of 134 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	1	2503	2MA	C1'-N9-C4	15.64	154.12	126.64
1	1	747	5MU	C5-C4-N3	12.03	125.78	115.32
1	1	1939	5MU	C5-C4-N3	11.94	125.70	115.32
2	2	1519	MA6	N1-C6-N6	-10.22	105.02	116.83
2	2	1518	MA6	N1-C6-N6	-10.22	105.02	116.83

There are no chirality outliers.

5 of 31 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	1	1618	6MZ	C5-C6-N6-C9
1	1	1618	6MZ	N1-C6-N6-C9
1	1	1618	6MZ	O4'-C4'-C5'-O5'
1	1	2504	PSU	O4'-C4'-C5'-O5'
2	2	516	PSU	O4'-C1'-C5-C4

There are no ring outliers.

14 monomers are involved in 17 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	1	2552	OMU	2	0
46	q	89	0TD	1	0
2	2	967	5MC	1	0
1	1	2503	2MA	1	0
2	2	1498	UR3	1	0
2	2	1518	MA6	2	0
1	1	745	1MG	1	0
2	2	516	PSU	2	0
2	2	1516	2MG	1	0
2	2	1519	MA6	2	0
1	1	955	PSU	1	0
1	1	1962	5MC	1	0
2	2	1402	4OC	2	0
1	1	2504	PSU	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 531 ligands modelled in this entry, 530 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
57	LYS	5	101	5	7,8,9	0.51	0	3,8,10	0.30	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
57	LYS	5	101	5	-	2/6/7/9	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
57	5	101	LYS	C-CA-CB-CG
57	5	101	LYS	CE-CD-CG-CB

There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
57	5	101	LYS	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-42541. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 256




Y Index: 256




Z Index: 256


6.2.2 Raw map



X Index: 256



Y Index: 256




Z Index: 256


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 265




Y Index: 251




Z Index: 276


6.3.2 Raw map



X Index: 265



Y Index: 251




Z Index: 276


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.014. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 2637 nm^3 ; this corresponds to an approximate mass of 2382 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.286 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.286 \AA^{-1}

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.50	-	-
Author-provided FSC curve	3.44	4.09	3.50
Unmasked-calculated*	4.52	7.07	4.78

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.52 differs from the reported value 3.5 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-42541 and PDB model 8UTJ. Per-residue inclusion information can be found in section [3](#) on page [17](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.014 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.014).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 96% of all backbone atoms, 97% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ











































The table lists the average atom inclusion at the recommended contour level (0.014) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9700	 0.4300
1	 0.9920	 0.4340
2	 0.9890	 0.4290
3	 0.9920	 0.4260
4	 1.0000	 0.3760
5	 0.9790	 0.3480
A	 0.7920	 0.2380
B	 0.9940	 0.4910
C	 0.9690	 0.4720
D	 0.9220	 0.4460
E	 0.9180	 0.3880
F	 0.8790	 0.4130
G	 0.6690	 0.3360
J	 0.9740	 0.4550
K	 0.9880	 0.4790
L	 0.9400	 0.4650
M	 0.9840	 0.4700
N	 0.9930	 0.4690
O	 0.9240	 0.4190
P	 0.9650	 0.4700
Q	 0.9680	 0.4450
R	 0.9210	 0.4760
S	 0.9700	 0.4590
T	 0.9490	 0.4440
U	 0.9120	 0.4440
V	 0.8970	 0.4350
W	 0.9830	 0.4740
X	 0.9830	 0.4640
Y	 0.8920	 0.3950
Z	 0.9470	 0.4630
a	 0.7750	 0.3550
b	 0.9770	 0.4800
c	 0.9810	 0.4570
d	 1.0000	 0.4790
e	 1.0000	 0.4900



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
f	 0.9930	 0.4510
g	 0.7050	 0.3620
h	 0.9310	 0.4220
i	 0.9140	 0.4020
j	 0.9640	 0.4440
k	 0.9170	 0.4170
l	 0.9350	 0.3820
m	 0.9410	 0.4420
n	 0.8970	 0.3960
o	 0.8540	 0.3990
p	 0.9480	 0.4290
q	 0.9820	 0.4360
r	 0.9270	 0.3850
s	 0.9550	 0.4110
t	 0.9590	 0.4000
u	 0.9360	 0.4310
v	 0.9680	 0.4260
w	 0.9370	 0.3760
x	 0.9400	 0.4090
y	 0.9680	 0.3940
z	 0.9160	 0.3620