



Full wwPDB NMR Structure Validation Report i

May 20, 2025 – 12:13 PM JST

PDB ID : 9UV5 / pdb_00009uv5
BMRB ID : 36758
Title : ligament intra-crystalline peptide (LICP)
Authors : Futagawa, K.; Suzuki, M.
Deposited on : 2025-05-09

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>
with specific help available everywhere you see the i symbol.

The types of validation reports are described at
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) i) were used in the production of this report:


MolProbity : 4-5-2 with Phenix2.0rc1
Mogul : 1.8.5 (274361), CSD as541be (2020)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
wwPDB-RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
wwPDB-ShiftChecker : v1.2
BMRB Restraints Analysis : v1.2
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.43.1

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
SOLUTION NMR


The overall completeness of chemical shifts assignment is 46%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	210492	14027
Ramachandran outliers	207382	12486
Sidechain outliers	206894	12463

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain		
1	A	10		20%	60% 20%

2 Ensemble composition and analysis

This entry contains 20 models.

Cyrange was unable to find well-defined residues.

Error message: Only domains with < 8 residues could be identified.

NmrClust was unable to cluster the ensemble.

Error message: Wrapper check: not enough residues in core to run NmrClust

3 Entry composition [\(i\)](#)

There is only 1 type of molecule in this entry. The entry contains 148 atoms, of which 62 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called PCA-PRO-ASP-HIS-GLU-GLY-THR-TYR-ASP-TYR.

Mol	Chain	Residues	Atoms					Trace
			Total	C	H	N	O	
1	A	10	148	53	62	12	21	0

4 Residue-property plots

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: PCA-PRO-ASP-HIS-GLU-GLY-THR-TYR-ASP-TYR



4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.

4.2.1 Score per residue for model 1

- Molecule 1: PCA-PRO-ASP-HIS-GLU-GLY-THR-TYR-ASP-TYR




4.2.2 Score per residue for model 2

- Molecule 1: PCA-PRO-ASP-HIS-GLU-GLY-THR-TYR-ASP-TYR




4.2.3 Score per residue for model 3

- Molecule 1: PCA-PRO-ASP-HIS-GLU-GLY-THR-TYR-ASP-TYR



4.2.4 Score per residue for model 4

- Molecule 1: PCA-PRO-ASP-HIS-GLU-GLY-THR-TYR-ASP-TYR



4.2.5 Score per residue for model 5

- Molecule 1: PCA-PRO-ASP-HIS-GLU-GLY-THR-TYR-ASP-TYR



4.2.6 Score per residue for model 6

- Molecule 1: PCA-PRO-ASP-HIS-GLU-GLY-THR-TYR-ASP-TYR



4.2.7 Score per residue for model 7

- Molecule 1: PCA-PRO-ASP-HIS-GLU-GLY-THR-TYR-ASP-TYR



4.2.8 Score per residue for model 8

- Molecule 1: PCA-PRO-ASP-HIS-GLU-GLY-THR-TYR-ASP-TYR




4.2.9 Score per residue for model 9

- Molecule 1: PCA-PRO-ASP-HIS-GLU-GLY-THR-TYR-ASP-TYR




4.2.10 Score per residue for model 10

- Molecule 1: PCA-PRO-ASP-HIS-GLU-GLY-THR-TYR-ASP-TYR



4.2.11 Score per residue for model 11

- Molecule 1: PCA-PRO-ASP-HIS-GLU-GLY-THR-TYR-ASP-TYR



4.2.12 Score per residue for model 12

- Molecule 1: PCA-PRO-ASP-HIS-GLU-GLY-THR-TYR-ASP-TYR




4.2.13 Score per residue for model 13

- Molecule 1: PCA-PRO-ASP-HIS-GLU-GLY-THR-TYR-ASP-TYR



4.2.14 Score per residue for model 14

- Molecule 1: PCA-PRO-ASP-HIS-GLU-GLY-THR-TYR-ASP-TYR



4.2.15 Score per residue for model 15

- Molecule 1: PCA-PRO-ASP-HIS-GLU-GLY-THR-TYR-ASP-TYR




4.2.16 Score per residue for model 16

- Molecule 1: PCA-PRO-ASP-HIS-GLU-GLY-THR-TYR-ASP-TYR



4.2.17 Score per residue for model 17

- Molecule 1: PCA-PRO-ASP-HIS-GLU-GLY-THR-TYR-ASP-TYR



4.2.18 Score per residue for model 18

- Molecule 1: PCA-PRO-ASP-HIS-GLU-GLY-THR-TYR-ASP-TYR




4.2.19 Score per residue for model 19

- Molecule 1: PCA-PRO-ASP-HIS-GLU-GLY-THR-TYR-ASP-TYR



4.2.20 Score per residue for model 20

- Molecule 1: PCA-PRO-ASP-HIS-GLU-GLY-THR-TYR-ASP-TYR



5 Refinement protocol and experimental data overview i

The models were refined using the following method: *distance geometry*.

Of the 200 calculated structures, 20 were deposited, based on the following criterion: *structures with the least restraint violations*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CYANA	structure calculation	

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section [7](#) of this report.

Chemical shift file(s)	working_cs.cif
Number of chemical shift lists	1
Total number of shifts	56
Number of shifts mapped to atoms	56
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	46%

6 Model quality i

6.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: PCA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the (average) root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#Z>5	RMSZ	#Z>5
1	A	1.88±0.15	1±1/82 (1.5± 1.3%)	2.25±0.22	4±2/112 (3.7± 1.7%)
All	All	1.88	25/1640 (1.5%)	2.26	83/2240 (3.7%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	Chirality	Planarity
1	A	0.0±0.0	2.9±1.1
All	All	0	58

All unique bond outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
1	A	4	HIS	ND1-CE1	8.67	1.41	1.32	11	3
1	A	5	GLU	CA-C	7.97	1.63	1.52	19	1
1	A	6	GLY	C-O	7.48	1.28	1.23	7	1
1	A	7	THR	N-CA	7.31	1.55	1.45	4	1
1	A	3	ASP	N-CA	7.15	1.54	1.46	16	2
1	A	7	THR	CB-OG1	-6.60	1.33	1.43	8	1
1	A	4	HIS	CE1-NE2	6.29	1.38	1.32	3	1
1	A	5	GLU	CA-CB	6.24	1.63	1.53	9	1
1	A	6	GLY	CA-C	6.08	1.59	1.51	14	1
1	A	4	HIS	N-CA	-5.81	1.37	1.46	18	1
1	A	6	GLY	N-CA	5.57	1.53	1.45	16	2
1	A	8	TYR	C-N	5.53	1.40	1.33	14	1
1	A	4	HIS	CA-C	5.51	1.60	1.52	1	2
1	A	5	GLU	C-N	5.21	1.41	1.33	13	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
1	A	8	TYR	CA-C	5.21	1.59	1.52	13	1
1	A	3	ASP	CA-C	-5.18	1.46	1.52	13	1
1	A	4	HIS	CD2-NE2	5.10	1.43	1.37	6	1
1	A	2	PRO	N-CA	5.03	1.54	1.47	19	1
1	A	7	THR	C-N	5.03	1.40	1.33	17	1
1	A	9	ASP	CA-CB	5.02	1.61	1.53	17	1

All unique angle outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	3	ASP	CA-CB-CG	9.53	122.13	112.60	9	3
1	A	9	ASP	N-CA-C	9.36	122.68	111.82	10	1
1	A	4	HIS	CA-CB-CG	8.34	122.14	113.80	12	9
1	A	7	THR	CA-C-N	8.12	131.51	120.38	20	2
1	A	7	THR	C-N-CA	8.12	131.51	120.38	20	2
1	A	4	HIS	N-CA-C	7.48	121.99	112.86	6	4
1	A	4	HIS	CB-CG-CD2	-7.48	121.48	131.20	12	7
1	A	10	TYR	CB-CA-C	7.40	124.16	110.10	9	1
1	A	5	GLU	N-CA-C	7.31	121.50	112.58	15	2
1	A	3	ASP	CA-C-N	7.24	132.72	122.08	3	3
1	A	3	ASP	C-N-CA	7.24	132.72	122.08	3	3
1	A	7	THR	CA-C-O	7.11	127.32	118.43	10	2
1	A	9	ASP	CA-C-N	7.00	134.30	121.70	18	2
1	A	9	ASP	C-N-CA	7.00	134.30	121.70	18	2
1	A	5	GLU	O-C-N	-6.94	113.36	122.59	20	2
1	A	4	HIS	CE1-NE2-CD2	-6.90	102.10	109.00	6	3
1	A	3	ASP	O-C-N	6.68	129.69	122.34	8	2
1	A	2	PRO	N-CA-CB	6.61	110.27	103.00	20	2
1	A	3	ASP	N-CA-CB	-6.59	101.06	110.81	15	2
1	A	7	THR	N-CA-CB	6.19	119.09	110.17	15	1
1	A	2	PRO	CA-N-CD	-6.10	103.46	112.00	20	1
1	A	7	THR	OG1-CB-CG2	-6.07	97.16	109.30	16	1
1	A	9	ASP	N-CA-CB	6.06	120.77	111.56	19	1
1	A	2	PRO	CB-CA-C	6.05	121.60	110.10	7	1
1	A	4	HIS	CB-CA-C	6.00	120.55	111.80	12	2
1	A	7	THR	CA-CB-CG2	5.95	120.61	110.50	13	1
1	A	8	TYR	CD1-CG-CD2	5.90	126.96	118.10	1	1
1	A	10	TYR	CA-CB-CG	-5.90	103.28	113.90	9	1
1	A	4	HIS	ND1-CG-CD2	5.85	111.95	106.10	8	1
1	A	6	GLY	CA-C-N	5.84	133.60	123.91	9	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	6	GLY	C-N-CA	5.84	133.60	123.91	9	1
1	A	4	HIS	ND1-CE1-NE2	5.76	114.16	108.40	15	2
1	A	9	ASP	CA-C-O	-5.75	112.30	120.51	2	1
1	A	3	ASP	N-CA-C	-5.60	107.45	114.56	11	1
1	A	9	ASP	O-C-N	-5.54	117.17	123.48	9	1
1	A	9	ASP	CA-CB-CG	-5.50	107.09	112.60	14	2
1	A	7	THR	O-C-N	-5.38	116.23	121.93	10	1
1	A	4	HIS	N-CA-CB	-5.36	103.99	112.08	3	1
1	A	8	TYR	N-CA-C	5.28	117.11	110.24	9	1
1	A	7	THR	N-CA-C	5.25	119.69	113.28	11	1
1	A	9	ASP	CB-CA-C	5.22	119.43	111.02	18	1
1	A	4	HIS	CG-CD2-NE2	-5.09	102.11	107.20	8	1
1	A	5	GLU	CA-C-O	-5.08	114.51	120.81	7	1
1	A	6	GLY	N-CA-C	5.08	125.21	113.18	4	1
1	A	7	THR	CA-CB-OG1	5.00	117.11	109.60	3	1

There are no chirality outliers.

All unique planar outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Group	Models (Total)
1	A	8	TYR	Sidechain,Peptide	17
1	A	10	TYR	Sidechain	13
1	A	1	PCA	Peptide,Mainchain	12
1	A	2	PRO	Peptide	6
1	A	9	ASP	Peptide	2

6.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	86	62	62	0±0
All	All	1720	1240	1240	4

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:9:ASP:C	1:A:10:TYR:CD2	0.47	2.93	10	2
1:A:8:TYR:CD1	1:A:9:ASP:N	0.41	2.89	17	1
1:A:8:TYR:CD1	1:A:10:TYR:CE2	0.40	3.10	19	1

6.3 Torsion angles [\(i\)](#)

6.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	8/10 (80%)	5±1 (57±16%)	2±1 (22±15%)	2±1 (21±9%)	0 2
All	All	160/200 (80%)	91 (57%)	36 (22%)	33 (21%)	0 2

All 7 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	2	PRO	14
1	A	6	GLY	8
1	A	8	TYR	3
1	A	5	GLU	3
1	A	4	HIS	2
1	A	9	ASP	2
1	A	7	THR	1

6.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	8/8 (100%)	7±1 (86±9%)	1±1 (14±9%)	5 43

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	160/160 (100%)	137 (86%)	23 (14%)	5 43

All 4 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	4	HIS	17
1	A	9	ASP	3
1	A	7	THR	2
1	A	2	PRO	1

6.3.3 RNA (i)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains (i)

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds for which Mogul statistics could be retrieved, the number of bonds that are observed in the model and the number of bonds that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length is the number of standard deviations the observed value is removed from the expected value. A bond length with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the average root-mean-square of all Z scores of the bond lengths.

Mol	Type	Chain	Res	Link	Bond lengths		
					Counts	RMSZ	#Z>2
1	PCA	A	1	1	7,8,9	1.40±0.35	1±1 (17±12%)

In the following table, the Counts columns list the number of angles for which Mogul statistics could be retrieved, the number of angles that are observed in the model and the number of angles that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond angle is the number of standard deviations the observed value is removed from the expected value. A bond angle with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the average root-mean-square of all Z scores of the bond angles.

Mol	Type	Chain	Res	Link	Bond angles		
					Counts	RMSZ	#Z>2
1	PCA	A	1	1	9,10,12	1.53±0.41	2±1 (17±12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	PCA	A	1	1	-	0±0,0,11,13	0±0,1,1,1

All unique bond outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
1	A	1	PCA	CA-N	4.82	1.40	1.46	3	12
1	A	1	PCA	OE-CD	3.16	1.29	1.23	5	5
1	A	1	PCA	CB-CG	2.40	1.58	1.53	14	5
1	A	1	PCA	CG-CD	2.20	1.56	1.50	12	1
1	A	1	PCA	CD-N	2.11	1.28	1.34	15	1
1	A	1	PCA	O-C	2.03	1.28	1.19	3	1

All unique angle outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	1	PCA	OE-CD-CG	5.24	117.62	126.76	9	7
1	A	1	PCA	CB-CA-C	4.00	107.20	112.70	5	5
1	A	1	PCA	CB-CG-CD	3.72	98.40	104.40	3	5
1	A	1	PCA	OE-CD-N	3.72	133.53	124.86	9	4
1	A	1	PCA	O-C-CA	3.25	116.25	124.78	2	10
1	A	1	PCA	CG-CD-N	2.04	113.68	108.39	8	1

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

6.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

6.6 Ligand geometry (i)

There are no ligands in this entry.

6.7 Other polymers [\(i\)](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

7 Chemical shift validation (i)

The completeness of assignment taking into account all chemical shift lists is 46% for the well-defined parts and 46% for the entire structure.

7.1 Chemical shift list 1

File name: working_cs.cif

Chemical shift list name: *assigned_chemical_shifts_1*

7.1.1 Bookkeeping (i)

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	56
Number of shifts mapped to atoms	56
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	0

7.1.2 Chemical shift referencing (i)

No chemical shift referencing corrections were calculated (not enough data).

7.1.3 Completeness of resonance assignments (i)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 46%, i.e. 50 atoms were assigned a chemical shift out of a possible 108. 0 out of 0 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
Backbone	18/44 (41%)	18/18 (100%)	0/18 (0%)	0/8 (0%)
Sidechain	22/39 (56%)	22/24 (92%)	0/15 (0%)	0/0 (—%)
Aromatic	10/25 (40%)	10/12 (83%)	0/12 (0%)	0/1 (0%)
Overall	50/108 (46%)	50/54 (93%)	0/45 (0%)	0/9 (0%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 46%, i.e. 50 atoms were assigned a chemical shift out of a possible 108. 0 out of 0 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
Backbone	18/44 (41%)	18/18 (100%)	0/18 (0%)	0/8 (0%)
Sidechain	22/39 (56%)	22/24 (92%)	0/15 (0%)	0/0 (—%)
Aromatic	10/25 (40%)	10/12 (83%)	0/12 (0%)	0/1 (0%)
Overall	50/108 (46%)	50/54 (93%)	0/45 (0%)	0/9 (0%)


7.1.4 Statistically unusual chemical shifts [\(i\)](#)

There are no statistically unusual chemical shifts.

7.1.5 Random Coil Index (RCI) plots [\(i\)](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition. If well-defined core and ill-defined regions are not identified then it is shown as gray bars.

Random coil index (RCI) for chain A:



8 NMR restraints analysis (i)

8.1 Conformationally restricting restraints (i)

The following table provides the summary of experimentally observed NMR restraints in different categories. Restraints are classified into different categories based on the sequence separation of the atoms involved.

Description	Value
Total distance restraints	48
Intra-residue ($ i-j =0$)	21
Sequential ($ i-j =1$)	24
Medium range ($ i-j >1$ and $ i-j <5$)	3
Long range ($ i-j \geq 5$)	0
Inter-chain	0
Hydrogen bond restraints	0
Disulfide bond restraints	0
Total dihedral-angle restraints	0
Number of unmapped restraints	0
Number of restraints per residue	4.8
Number of long range restraints per residue ¹	0.0

¹Long range hydrogen bonds and disulfide bonds are counted as long range restraints while calculating the number of long range restraints per residue

8.2 Residual restraint violations (i)

This section provides the overview of the restraint violations analysis. The violations are binned as small, medium and large violations based on its absolute value. Average number of violations per model is calculated by dividing the total number of violations in each bin by the size of the ensemble.

8.2.1 Average number of distance violations per model (i)

Distance violations less than 0.1 Å
are not included in the calculation.

Bins (Å)	Average number of violations per model	Max (Å)
0.1-0.2 (Small)	3.4	0.2
0.2-0.5 (Medium)	4.0	0.5
>0.5 (Large)	2.1	4.21

8.2.2 Average number of dihedral-angle violations per model [\(i\)](#)

Dihedral-angle violations less than 1° are not included in the calculation. There are no dihedral-angle violations

9 Distance violation analysis (i)


9.1 Summary of distance violations (i)

The following table shows the summary of distance violations in different restraint categories based on the sequence separation of the atoms involved. Each category is further sub-divided into three sub-categories based on the atoms involved. Violations less than 0.1 Å are not included in the statistics.

Restraints type	Count	% ¹	Violated ³			Consistently Violated ⁴		
			Count	% ²	% ¹	Count	% ²	% ¹
Intra-residue ($ i-j =0$)	21	43.8	6	28.6	12.5	0	0.0	0.0
Backbone-Backbone	1	2.1	1	100.0	2.1	0	0.0	0.0
Backbone-Sidechain	19	39.6	5	26.3	10.4	0	0.0	0.0
Sidechain-Sidechain	1	2.1	0	0.0	0.0	0	0.0	0.0
Sequential ($ i-j =1$)	24	50.0	13	54.2	27.1	1	4.2	2.1
Backbone-Backbone	7	14.6	6	85.7	12.5	1	14.3	2.1
Backbone-Sidechain	15	31.2	6	40.0	12.5	0	0.0	0.0
Sidechain-Sidechain	2	4.2	1	50.0	2.1	0	0.0	0.0
Medium range ($ i-j >1 \text{ & } i-j <5$)	3	6.2	3	100.0	6.2	1	33.3	2.1
Backbone-Backbone	0	0.0	0	0.0	0.0	0	0.0	0.0
Backbone-Sidechain	2	4.2	2	100.0	4.2	1	50.0	2.1
Sidechain-Sidechain	1	2.1	1	100.0	2.1	0	0.0	0.0
Long range ($ i-j \geq 5$)	0	0.0	0	0.0	0.0	0	0.0	0.0
Backbone-Backbone	0	0.0	0	0.0	0.0	0	0.0	0.0
Backbone-Sidechain	0	0.0	0	0.0	0.0	0	0.0	0.0
Sidechain-Sidechain	0	0.0	0	0.0	0.0	0	0.0	0.0
Inter-chain	0	0.0	0	0.0	0.0	0	0.0	0.0
Backbone-Backbone	0	0.0	0	0.0	0.0	0	0.0	0.0
Backbone-Sidechain	0	0.0	0	0.0	0.0	0	0.0	0.0
Sidechain-Sidechain	0	0.0	0	0.0	0.0	0	0.0	0.0
Hydrogen bond	0	0.0	0	0.0	0.0	0	0.0	0.0
Disulfide bond	0	0.0	0	0.0	0.0	0	0.0	0.0
Total	48	100.0	22	45.8	45.8	2	4.2	4.2
Backbone-Backbone	8	16.7	7	87.5	14.6	1	12.5	2.1
Backbone-Sidechain	36	75.0	13	36.1	27.1	1	2.8	2.1
Sidechain-Sidechain	4	8.3	2	50.0	4.2	0	0.0	0.0

¹ percentage calculated with respect to the total number of distance restraints, ² percentage calculated with respect to the number of restraints in a particular restraint category, ³ violated in at least one model, ⁴ violated in all the models

9.1.1 Bar chart : Distribution of distance restraints and violations [\(i\)](#)



Violated and consistently violated restraints are shown using different hatch patterns in their respective categories. The hydrogen bonds and disulfied bonds are counted in their appropriate category on the x-axis

9.2 Distance violation statistics for each model [\(i\)](#)

The following table provides the distance violation statistics for each model in the ensemble. Violations less than 0.1 Å are not included in the statistics.

Model ID	Number of violations						Mean (Å)	Max (Å)	SD ⁶ (Å)	Median (Å)
	IR ¹	SQ ²	MR ³	LR ⁴	IC ⁵	Total				
1	0	3	2	0	0	5	1.29	3.72	1.29	0.78
2	3	7	2	0	0	12	0.64	3.86	1.02	0.22
3	2	5	3	0	0	10	0.79	3.98	1.18	0.24
4	2	5	2	0	0	9	0.76	3.9	1.23	0.2
5	3	5	3	0	0	11	0.78	4.19	1.19	0.27
6	3	6	1	0	0	10	0.55	3.09	0.86	0.22
7	2	6	3	0	0	11	0.58	2.81	0.74	0.38
8	3	6	3	0	0	12	0.52	3.23	0.83	0.24
9	1	5	3	0	0	9	0.81	3.89	1.13	0.3
10	2	3	2	0	0	7	1.01	4.11	1.4	0.26

Continued on next page...


Continued from previous page...

Model ID	Number of violations						Mean (Å)	Max (Å)	SD ⁶ (Å)	Median (Å)
	IR ¹	SQ ²	MR ³	LR ⁴	IC ⁵	Total				
11	2	4	3	0	0	9	0.52	1.99	0.57	0.26
12	1	6	3	0	0	10	0.46	2.56	0.71	0.21
13	2	5	3	0	0	10	0.51	1.59	0.53	0.28
14	2	4	1	0	0	7	0.51	1.85	0.59	0.21
15	4	4	3	0	0	11	0.5	2.79	0.74	0.27
16	1	9	2	0	0	12	0.44	2.52	0.65	0.2
17	2	5	1	0	0	8	0.56	1.65	0.51	0.34
18	2	6	3	0	0	11	0.39	1.51	0.41	0.25
19	2	6	2	0	0	10	0.44	1.87	0.53	0.22
20	2	6	3	0	0	11	0.79	4.21	1.21	0.26

¹Intra-residue restraints, ²Sequential restraints, ³Medium range restraints, ⁴Long range restraints,

⁵Inter-chain restraints, ⁶Standard deviation

9.2.1 Bar graph : Distance Violation statistics for each model [\(i\)](#)



The mean(dot),median(x) and the standard deviation are shown in blue with respect to the y axis on the right

9.3 Distance violation statistics for the ensemble [\(i\)](#)


Violation analysis may find that some restraints are violated in few models and some are violated in most of models. The following table provides this information as number of violated restraints for a given fraction of the ensemble. In total, 26(IR:15, SQ:11, MR:0, LR:0, IC:0) restraints are not violated in the ensemble.

IR ¹	SQ ²	MR ³	LR ⁴	IC ⁵	Total	Fraction of the ensemble	
						Count ⁶	%
1	4	0	0	0	5	1	5.0
0	1	0	0	0	1	2	10.0
0	1	0	0	0	1	3	15.0
2	0	0	0	0	2	4	20.0
0	0	0	0	0	0	5	25.0
1	0	0	0	0	1	6	30.0
0	0	0	0	0	0	7	35.0
0	1	0	0	0	1	8	40.0
1	1	0	0	0	2	9	45.0
0	1	0	0	0	1	10	50.0
0	0	0	0	0	0	11	55.0
0	0	0	0	0	0	12	60.0
0	0	1	0	0	1	13	65.0
0	1	0	0	0	1	14	70.0
0	0	1	0	0	1	15	75.0
0	0	0	0	0	0	16	80.0
1	1	0	0	0	2	17	85.0
0	0	0	0	0	0	18	90.0
0	1	0	0	0	1	19	95.0
0	1	1	0	0	2	20	100.0

¹Intra-residue restraints, ²Sequential restraints, ³Medium range restraints, ⁴Long range restraints,

⁵Inter-chain restraints, ⁶ Number of models with violations


9.3.1 Bar graph : Distance violation statistics for the ensemble [\(i\)](#)



9.4 Most violated distance restraints in the ensemble [\(i\)](#)

9.4.1 Histogram : Distribution of mean distance violations [\(i\)](#)

The following histogram shows the distribution of the average value of the violation. The average is calculated for each restraint that is violated in more than one model over all the violated models in the ensemble



9.4.2 Table: Most violated distance restraints [\(i\)](#)

The following table provides the mean and the standard deviation of the violation for each restraint sorted by number of violated models and the mean value. The Key (restraint list ID, restraint ID) is the unique identifier for a given restraint. Rows with same key represent combinatorial or ambiguous restraints and are counted as a single restraint.

Key	Atom-1	Atom-2	Models ¹	Mean (Å)	SD ¹ (Å)	Median (Å)
(1,24)	1:8:A:TYR:HA	1:10:A:TYR:HE1	20	2.94	1.01	2.95
(1,24)	1:8:A:TYR:HA	1:10:A:TYR:HE2	20	2.94	1.01	2.95
(1,8)	1:3:A:ASP:HA	1:4:A:HIS:H	20	0.27	0.06	0.28
(1,36)	1:3:A:ASP:HB2	1:4:A:HIS:HA	19	0.25	0.09	0.21
(1,36)	1:3:A:ASP:HB3	1:4:A:HIS:HA	19	0.25	0.09	0.21
(1,44)	1:8:A:TYR:HB3	1:9:A:ASP:HB2	17	0.68	0.33	0.57
(1,44)	1:8:A:TYR:HB3	1:9:A:ASP:HB3	17	0.68	0.33	0.57
(1,25)	1:8:A:TYR:HA	1:8:A:TYR:HE1	17	0.24	0.06	0.23
(1,25)	1:8:A:TYR:HA	1:8:A:TYR:HE2	17	0.24	0.06	0.23
(1,45)	1:8:A:TYR:HD1	1:10:A:TYR:HB2	15	1.25	0.61	1.15
(1,45)	1:8:A:TYR:HD1	1:10:A:TYR:HB3	15	1.25	0.61	1.15
(1,45)	1:8:A:TYR:HD2	1:10:A:TYR:HB2	15	1.25	0.61	1.15
(1,45)	1:8:A:TYR:HD2	1:10:A:TYR:HB3	15	1.25	0.61	1.15
(1,28)	1:3:A:ASP:HA	1:4:A:HIS:HD2	14	0.24	0.12	0.26
(1,29)	1:2:A:PRO:HA	1:4:A:HIS:HD2	13	0.23	0.09	0.21
(1,3)	1:7:A:THR:HA	1:8:A:TYR:H	10	0.26	0.1	0.22

Continued on next page...

Continued from previous page...


Key	Atom-1	Atom-2	Models ¹	Mean (Å)	SD ¹ (Å)	Median (Å)
(1,33)	1:4:A:HIS:HA	1:5:A:GLU:HG2	9	0.16	0.07	0.13
(1,33)	1:4:A:HIS:HA	1:5:A:GLU:HG3	9	0.16	0.07	0.13
(1,6)	1:8:A:TYR:H	1:8:A:TYR:HA	9	0.15	0.04	0.13
(1,4)	1:7:A:THR:HB	1:8:A:TYR:H	8	0.24	0.1	0.22
(1,32)	1:5:A:GLU:HA	1:5:A:GLU:HG2	6	0.21	0.11	0.17
(1,32)	1:5:A:GLU:HA	1:5:A:GLU:HG3	6	0.21	0.11	0.17
(1,9)	1:7:A:THR:H	1:7:A:THR:HB	4	0.15	0.04	0.14
(1,37)	1:7:A:THR:HA	1:7:A:THR:HB	4	0.11	0.01	0.11
(1,5)	1:8:A:TYR:HA	1:9:A:ASP:H	3	0.15	0.04	0.17
(1,20)	1:9:A:ASP:HA	1:10:A:TYR:HD1	2	0.17	0.06	0.17
(1,20)	1:9:A:ASP:HA	1:10:A:TYR:HD2	2	0.17	0.06	0.17

¹Number of violated models, ²Standard deviation

9.5 All violated distance restraints [\(i\)](#)

9.5.1 Histogram : Distribution of distance violations [\(i\)](#)

The following histogram shows the distribution of the absolute value of the violation for all violated restraints in the ensemble.



9.5.2 Table : All distance violations [\(i\)](#)

The following table lists the absolute value of the violation for each restraint in the ensemble sorted by its value. The Key (restraint list ID, restraint ID) is the unique identifier for a given restraint. Rows with same key represent combinatorial or ambiguous restraints and are counted as a single restraint.

Key	Atom-1	Atom-2	Model ID	Violation (Å)
(1,24)	1:8:A:TYR:HA	1:10:A:TYR:HE1	20	4.21
(1,24)	1:8:A:TYR:HA	1:10:A:TYR:HE2	20	4.21
(1,24)	1:8:A:TYR:HA	1:10:A:TYR:HE1	5	4.19
(1,24)	1:8:A:TYR:HA	1:10:A:TYR:HE2	5	4.19
(1,24)	1:8:A:TYR:HA	1:10:A:TYR:HE1	10	4.11
(1,24)	1:8:A:TYR:HA	1:10:A:TYR:HE2	10	4.11
(1,24)	1:8:A:TYR:HA	1:10:A:TYR:HE1	3	3.98
(1,24)	1:8:A:TYR:HA	1:10:A:TYR:HE2	3	3.98
(1,24)	1:8:A:TYR:HA	1:10:A:TYR:HE1	4	3.9
(1,24)	1:8:A:TYR:HA	1:10:A:TYR:HE2	4	3.9
(1,24)	1:8:A:TYR:HA	1:10:A:TYR:HE1	9	3.89
(1,24)	1:8:A:TYR:HA	1:10:A:TYR:HE2	9	3.89
(1,24)	1:8:A:TYR:HA	1:10:A:TYR:HE1	2	3.86
(1,24)	1:8:A:TYR:HA	1:10:A:TYR:HE2	2	3.86
(1,24)	1:8:A:TYR:HA	1:10:A:TYR:HE1	1	3.72
(1,24)	1:8:A:TYR:HA	1:10:A:TYR:HE2	1	3.72
(1,24)	1:8:A:TYR:HA	1:10:A:TYR:HE1	8	3.23
(1,24)	1:8:A:TYR:HA	1:10:A:TYR:HE2	8	3.23
(1,24)	1:8:A:TYR:HA	1:10:A:TYR:HE1	6	3.09
(1,24)	1:8:A:TYR:HA	1:10:A:TYR:HE2	6	3.09
(1,24)	1:8:A:TYR:HA	1:10:A:TYR:HE1	7	2.81
(1,24)	1:8:A:TYR:HA	1:10:A:TYR:HE2	7	2.81
(1,24)	1:8:A:TYR:HA	1:10:A:TYR:HE1	15	2.79
(1,24)	1:8:A:TYR:HA	1:10:A:TYR:HE2	15	2.79
(1,24)	1:8:A:TYR:HA	1:10:A:TYR:HE1	12	2.56
(1,24)	1:8:A:TYR:HA	1:10:A:TYR:HE2	12	2.56
(1,24)	1:8:A:TYR:HA	1:10:A:TYR:HE1	16	2.52
(1,24)	1:8:A:TYR:HA	1:10:A:TYR:HE2	16	2.52
(1,45)	1:8:A:TYR:HD1	1:10:A:TYR:HB2	20	2.12
(1,45)	1:8:A:TYR:HD1	1:10:A:TYR:HB3	20	2.12
(1,45)	1:8:A:TYR:HD2	1:10:A:TYR:HB2	20	2.12
(1,45)	1:8:A:TYR:HD2	1:10:A:TYR:HB3	20	2.12
(1,24)	1:8:A:TYR:HA	1:10:A:TYR:HE1	11	1.99
(1,24)	1:8:A:TYR:HA	1:10:A:TYR:HE2	11	1.99
(1,45)	1:8:A:TYR:HD1	1:10:A:TYR:HB2	5	1.97
(1,45)	1:8:A:TYR:HD1	1:10:A:TYR:HB3	5	1.97
(1,45)	1:8:A:TYR:HD2	1:10:A:TYR:HB2	5	1.97

Continued on next page...

Continued from previous page...

Key	Atom-1	Atom-2	Model ID	Violation (Å)
(1,45)	1:8:A:TYR:HD2	1:10:A:TYR:HB3	5	1.97
(1,45)	1:8:A:TYR:HD1	1:10:A:TYR:HB2	10	1.97
(1,45)	1:8:A:TYR:HD1	1:10:A:TYR:HB3	10	1.97
(1,45)	1:8:A:TYR:HD2	1:10:A:TYR:HB2	10	1.97
(1,45)	1:8:A:TYR:HD2	1:10:A:TYR:HB3	10	1.97
(1,45)	1:8:A:TYR:HD1	1:10:A:TYR:HB2	3	1.93
(1,45)	1:8:A:TYR:HD1	1:10:A:TYR:HB3	3	1.93
(1,45)	1:8:A:TYR:HD2	1:10:A:TYR:HB2	3	1.93
(1,45)	1:8:A:TYR:HD2	1:10:A:TYR:HB3	3	1.93
(1,24)	1:8:A:TYR:HA	1:10:A:TYR:HE1	19	1.87
(1,24)	1:8:A:TYR:HA	1:10:A:TYR:HE2	19	1.87
(1,24)	1:8:A:TYR:HA	1:10:A:TYR:HE1	14	1.85
(1,24)	1:8:A:TYR:HA	1:10:A:TYR:HE2	14	1.85
(1,45)	1:8:A:TYR:HD1	1:10:A:TYR:HB2	4	1.84
(1,45)	1:8:A:TYR:HD1	1:10:A:TYR:HB3	4	1.84
(1,45)	1:8:A:TYR:HD2	1:10:A:TYR:HB2	4	1.84
(1,45)	1:8:A:TYR:HD2	1:10:A:TYR:HB3	4	1.84
(1,24)	1:8:A:TYR:HA	1:10:A:TYR:HE1	17	1.65
(1,24)	1:8:A:TYR:HA	1:10:A:TYR:HE2	17	1.65
(1,24)	1:8:A:TYR:HA	1:10:A:TYR:HE1	13	1.59
(1,24)	1:8:A:TYR:HA	1:10:A:TYR:HE2	13	1.59
(1,45)	1:8:A:TYR:HD1	1:10:A:TYR:HB2	13	1.55
(1,45)	1:8:A:TYR:HD1	1:10:A:TYR:HB3	13	1.55
(1,45)	1:8:A:TYR:HD2	1:10:A:TYR:HB2	13	1.55
(1,45)	1:8:A:TYR:HD2	1:10:A:TYR:HB3	13	1.55
(1,45)	1:8:A:TYR:HD1	1:10:A:TYR:HB2	18	1.51
(1,45)	1:8:A:TYR:HD1	1:10:A:TYR:HB3	18	1.51
(1,45)	1:8:A:TYR:HD2	1:10:A:TYR:HB2	18	1.51
(1,45)	1:8:A:TYR:HD2	1:10:A:TYR:HB3	18	1.51
(1,44)	1:8:A:TYR:HB3	1:9:A:ASP:HB2	1	1.41
(1,44)	1:8:A:TYR:HB3	1:9:A:ASP:HB3	1	1.41
(1,44)	1:8:A:TYR:HB3	1:9:A:ASP:HB2	17	1.17
(1,44)	1:8:A:TYR:HB3	1:9:A:ASP:HB3	17	1.17
(1,45)	1:8:A:TYR:HD1	1:10:A:TYR:HB2	2	1.15
(1,45)	1:8:A:TYR:HD1	1:10:A:TYR:HB3	2	1.15
(1,45)	1:8:A:TYR:HD2	1:10:A:TYR:HB2	2	1.15
(1,45)	1:8:A:TYR:HD2	1:10:A:TYR:HB3	2	1.15
(1,44)	1:8:A:TYR:HB3	1:9:A:ASP:HB2	9	0.99
(1,44)	1:8:A:TYR:HB3	1:9:A:ASP:HB3	9	0.99
(1,45)	1:8:A:TYR:HD1	1:10:A:TYR:HB2	9	0.98
(1,45)	1:8:A:TYR:HD1	1:10:A:TYR:HB3	9	0.98
(1,45)	1:8:A:TYR:HD2	1:10:A:TYR:HB2	9	0.98

Continued on next page...

Continued from previous page...

Key	Atom-1	Atom-2	Model ID	Violation (Å)
(1,45)	1:8:A:TYR:HD2	1:10:A:TYR:HB3	9	0.98
(1,45)	1:8:A:TYR:HD1	1:10:A:TYR:HB2	11	0.98
(1,45)	1:8:A:TYR:HD1	1:10:A:TYR:HB3	11	0.98
(1,45)	1:8:A:TYR:HD2	1:10:A:TYR:HB2	11	0.98
(1,45)	1:8:A:TYR:HD2	1:10:A:TYR:HB3	11	0.98
(1,44)	1:8:A:TYR:HB3	1:9:A:ASP:HB2	7	0.95
(1,44)	1:8:A:TYR:HB3	1:9:A:ASP:HB3	7	0.95
(1,44)	1:8:A:TYR:HB3	1:9:A:ASP:HB2	19	0.92
(1,44)	1:8:A:TYR:HB3	1:9:A:ASP:HB3	19	0.92
(1,24)	1:8:A:TYR:HA	1:10:A:TYR:HE1	18	0.9
(1,24)	1:8:A:TYR:HA	1:10:A:TYR:HE2	18	0.9
(1,44)	1:8:A:TYR:HB3	1:9:A:ASP:HB2	14	0.84
(1,44)	1:8:A:TYR:HB3	1:9:A:ASP:HB3	14	0.84
(1,44)	1:8:A:TYR:HB3	1:9:A:ASP:HB2	2	0.82
(1,44)	1:8:A:TYR:HB3	1:9:A:ASP:HB3	2	0.82
(1,45)	1:8:A:TYR:HD1	1:10:A:TYR:HB2	1	0.78
(1,45)	1:8:A:TYR:HD1	1:10:A:TYR:HB3	1	0.78
(1,45)	1:8:A:TYR:HD2	1:10:A:TYR:HB2	1	0.78
(1,45)	1:8:A:TYR:HD2	1:10:A:TYR:HB3	1	0.78
(1,44)	1:8:A:TYR:HB3	1:9:A:ASP:HB2	16	0.73
(1,44)	1:8:A:TYR:HB3	1:9:A:ASP:HB3	16	0.73
(1,45)	1:8:A:TYR:HD1	1:10:A:TYR:HB2	15	0.57
(1,45)	1:8:A:TYR:HD1	1:10:A:TYR:HB3	15	0.57
(1,45)	1:8:A:TYR:HD2	1:10:A:TYR:HB2	15	0.57
(1,45)	1:8:A:TYR:HD2	1:10:A:TYR:HB3	15	0.57
(1,44)	1:8:A:TYR:HB3	1:9:A:ASP:HB2	3	0.57
(1,44)	1:8:A:TYR:HB3	1:9:A:ASP:HB3	3	0.57
(1,44)	1:8:A:TYR:HB3	1:9:A:ASP:HB2	8	0.56
(1,44)	1:8:A:TYR:HB3	1:9:A:ASP:HB3	8	0.56
(1,44)	1:8:A:TYR:HB3	1:9:A:ASP:HB2	6	0.54
(1,44)	1:8:A:TYR:HB3	1:9:A:ASP:HB3	6	0.54
(1,44)	1:8:A:TYR:HB3	1:9:A:ASP:HB2	5	0.5
(1,44)	1:8:A:TYR:HB3	1:9:A:ASP:HB3	5	0.5
(1,28)	1:3:A:ASP:HA	1:4:A:HIS:HD2	7	0.5
(1,44)	1:8:A:TYR:HB3	1:9:A:ASP:HB2	20	0.49
(1,44)	1:8:A:TYR:HB3	1:9:A:ASP:HB3	20	0.49
(1,45)	1:8:A:TYR:HD1	1:10:A:TYR:HB2	8	0.48
(1,45)	1:8:A:TYR:HD1	1:10:A:TYR:HB3	8	0.48
(1,45)	1:8:A:TYR:HD2	1:10:A:TYR:HB2	8	0.48
(1,45)	1:8:A:TYR:HD2	1:10:A:TYR:HB3	8	0.48
(1,4)	1:7:A:THR:HB	1:8:A:TYR:H	5	0.48
(1,36)	1:3:A:ASP:HB2	1:4:A:HIS:HA	5	0.46

Continued on next page...

Continued from previous page...

Key	Atom-1	Atom-2	Model ID	Violation (Å)
(1,36)	1:3:A:ASP:HB3	1:4:A:HIS:HA	5	0.46
(1,45)	1:8:A:TYR:HD1	1:10:A:TYR:HB2	12	0.45
(1,45)	1:8:A:TYR:HD1	1:10:A:TYR:HB3	12	0.45
(1,45)	1:8:A:TYR:HD2	1:10:A:TYR:HB2	12	0.45
(1,45)	1:8:A:TYR:HD2	1:10:A:TYR:HB3	12	0.45
(1,32)	1:5:A:GLU:HA	1:5:A:GLU:HG2	20	0.44
(1,32)	1:5:A:GLU:HA	1:5:A:GLU:HG3	20	0.44
(1,44)	1:8:A:TYR:HB3	1:9:A:ASP:HB2	15	0.43
(1,44)	1:8:A:TYR:HB3	1:9:A:ASP:HB3	15	0.43
(1,28)	1:3:A:ASP:HA	1:4:A:HIS:HD2	6	0.43
(1,3)	1:7:A:THR:HA	1:8:A:TYR:H	7	0.43
(1,45)	1:8:A:TYR:HD1	1:10:A:TYR:HB2	7	0.42
(1,45)	1:8:A:TYR:HD1	1:10:A:TYR:HB3	7	0.42
(1,45)	1:8:A:TYR:HD2	1:10:A:TYR:HB2	7	0.42
(1,45)	1:8:A:TYR:HD2	1:10:A:TYR:HB3	7	0.42
(1,36)	1:3:A:ASP:HB2	1:4:A:HIS:HA	17	0.42
(1,36)	1:3:A:ASP:HB3	1:4:A:HIS:HA	17	0.42
(1,3)	1:7:A:THR:HA	1:8:A:TYR:H	20	0.42
(1,29)	1:2:A:PRO:HA	1:4:A:HIS:HD2	13	0.41
(1,36)	1:3:A:ASP:HB2	1:4:A:HIS:HA	7	0.38
(1,36)	1:3:A:ASP:HB3	1:4:A:HIS:HA	7	0.38
(1,3)	1:7:A:THR:HA	1:8:A:TYR:H	17	0.38
(1,28)	1:3:A:ASP:HA	1:4:A:HIS:HD2	8	0.37
(1,25)	1:8:A:TYR:HA	1:8:A:TYR:HE1	15	0.37
(1,25)	1:8:A:TYR:HA	1:8:A:TYR:HE2	15	0.37
(1,8)	1:3:A:ASP:HA	1:4:A:HIS:H	3	0.34
(1,8)	1:3:A:ASP:HA	1:4:A:HIS:H	15	0.34
(1,8)	1:3:A:ASP:HA	1:4:A:HIS:H	18	0.34
(1,8)	1:3:A:ASP:HA	1:4:A:HIS:H	2	0.33
(1,8)	1:3:A:ASP:HA	1:4:A:HIS:H	6	0.33
(1,8)	1:3:A:ASP:HA	1:4:A:HIS:H	10	0.33
(1,36)	1:3:A:ASP:HB2	1:4:A:HIS:HA	12	0.32
(1,36)	1:3:A:ASP:HB3	1:4:A:HIS:HA	12	0.32
(1,25)	1:8:A:TYR:HA	1:8:A:TYR:HE1	18	0.32
(1,25)	1:8:A:TYR:HA	1:8:A:TYR:HE2	18	0.32
(1,33)	1:4:A:HIS:HA	1:5:A:GLU:HG2	2	0.31
(1,33)	1:4:A:HIS:HA	1:5:A:GLU:HG3	2	0.31
(1,29)	1:2:A:PRO:HA	1:4:A:HIS:HD2	8	0.31
(1,29)	1:2:A:PRO:HA	1:4:A:HIS:HD2	11	0.31
(1,29)	1:2:A:PRO:HA	1:4:A:HIS:HD2	18	0.31
(1,25)	1:8:A:TYR:HA	1:8:A:TYR:HE1	9	0.31
(1,25)	1:8:A:TYR:HA	1:8:A:TYR:HE2	9	0.31

Continued on next page...

Continued from previous page...

Key	Atom-1	Atom-2	Model ID	Violation (Å)
(1,8)	1:3:A:ASP:HA	1:4:A:HIS:H	9	0.3
(1,3)	1:7:A:THR:HA	1:8:A:TYR:H	12	0.3
(1,36)	1:3:A:ASP:HB2	1:4:A:HIS:HA	13	0.29
(1,36)	1:3:A:ASP:HB3	1:4:A:HIS:HA	13	0.29
(1,25)	1:8:A:TYR:HA	1:8:A:TYR:HE1	16	0.29
(1,25)	1:8:A:TYR:HA	1:8:A:TYR:HE2	16	0.29
(1,8)	1:3:A:ASP:HA	1:4:A:HIS:H	17	0.29
(1,4)	1:7:A:THR:HB	1:8:A:TYR:H	9	0.29
(1,44)	1:8:A:TYR:HB3	1:9:A:ASP:HB2	12	0.28
(1,44)	1:8:A:TYR:HB3	1:9:A:ASP:HB3	12	0.28
(1,36)	1:3:A:ASP:HB2	1:4:A:HIS:HA	3	0.28
(1,36)	1:3:A:ASP:HB3	1:4:A:HIS:HA	3	0.28
(1,29)	1:2:A:PRO:HA	1:4:A:HIS:HD2	16	0.28
(1,28)	1:3:A:ASP:HA	1:4:A:HIS:HD2	1	0.28
(1,28)	1:3:A:ASP:HA	1:4:A:HIS:HD2	13	0.28
(1,8)	1:3:A:ASP:HA	1:4:A:HIS:H	7	0.28
(1,8)	1:3:A:ASP:HA	1:4:A:HIS:H	13	0.28
(1,28)	1:3:A:ASP:HA	1:4:A:HIS:HD2	11	0.27
(1,28)	1:3:A:ASP:HA	1:4:A:HIS:HD2	15	0.27
(1,25)	1:8:A:TYR:HA	1:8:A:TYR:HE1	14	0.27
(1,25)	1:8:A:TYR:HA	1:8:A:TYR:HE2	14	0.27
(1,25)	1:8:A:TYR:HA	1:8:A:TYR:HE1	19	0.27
(1,25)	1:8:A:TYR:HA	1:8:A:TYR:HE2	19	0.27
(1,8)	1:3:A:ASP:HA	1:4:A:HIS:H	5	0.27
(1,8)	1:3:A:ASP:HA	1:4:A:HIS:H	16	0.27
(1,44)	1:8:A:TYR:HB3	1:9:A:ASP:HB2	10	0.26
(1,44)	1:8:A:TYR:HB3	1:9:A:ASP:HB3	10	0.26
(1,36)	1:3:A:ASP:HB2	1:4:A:HIS:HA	11	0.26
(1,36)	1:3:A:ASP:HB3	1:4:A:HIS:HA	11	0.26
(1,36)	1:3:A:ASP:HB2	1:4:A:HIS:HA	20	0.26
(1,36)	1:3:A:ASP:HB3	1:4:A:HIS:HA	20	0.26
(1,25)	1:8:A:TYR:HA	1:8:A:TYR:HE1	13	0.26
(1,25)	1:8:A:TYR:HA	1:8:A:TYR:HE2	13	0.26
(1,33)	1:4:A:HIS:HA	1:5:A:GLU:HG2	17	0.25
(1,33)	1:4:A:HIS:HA	1:5:A:GLU:HG3	17	0.25
(1,28)	1:3:A:ASP:HA	1:4:A:HIS:HD2	19	0.25
(1,25)	1:8:A:TYR:HA	1:8:A:TYR:HE1	8	0.25
(1,25)	1:8:A:TYR:HA	1:8:A:TYR:HE2	8	0.25
(1,8)	1:3:A:ASP:HA	1:4:A:HIS:H	1	0.25
(1,4)	1:7:A:THR:HB	1:8:A:TYR:H	18	0.25
(1,36)	1:3:A:ASP:HB2	1:4:A:HIS:HA	8	0.24
(1,36)	1:3:A:ASP:HB3	1:4:A:HIS:HA	8	0.24

Continued on next page...

Continued from previous page...

Key	Atom-1	Atom-2	Model ID	Violation (Å)
(1,4)	1:7:A:THR:HB	1:8:A:TYR:H	6	0.24
(1,25)	1:8:A:TYR:HA	1:8:A:TYR:HE1	5	0.23
(1,25)	1:8:A:TYR:HA	1:8:A:TYR:HE2	5	0.23
(1,25)	1:8:A:TYR:HA	1:8:A:TYR:HE1	17	0.23
(1,25)	1:8:A:TYR:HA	1:8:A:TYR:HE2	17	0.23
(1,20)	1:9:A:ASP:HA	1:10:A:TYR:HD1	2	0.23
(1,20)	1:9:A:ASP:HA	1:10:A:TYR:HD2	2	0.23
(1,8)	1:3:A:ASP:HA	1:4:A:HIS:H	11	0.23
(1,8)	1:3:A:ASP:HA	1:4:A:HIS:H	19	0.23
(1,25)	1:8:A:TYR:HA	1:8:A:TYR:HE1	2	0.22
(1,25)	1:8:A:TYR:HA	1:8:A:TYR:HE2	2	0.22
(1,6)	1:8:A:TYR:H	1:8:A:TYR:HA	11	0.22
(1,3)	1:7:A:THR:HA	1:8:A:TYR:H	8	0.22
(1,36)	1:3:A:ASP:HB2	1:4:A:HIS:HA	14	0.21
(1,36)	1:3:A:ASP:HB3	1:4:A:HIS:HA	14	0.21
(1,36)	1:3:A:ASP:HB2	1:4:A:HIS:HA	19	0.21
(1,36)	1:3:A:ASP:HB3	1:4:A:HIS:HA	19	0.21
(1,29)	1:2:A:PRO:HA	1:4:A:HIS:HD2	7	0.21
(1,29)	1:2:A:PRO:HA	1:4:A:HIS:HD2	9	0.21
(1,25)	1:8:A:TYR:HA	1:8:A:TYR:HE1	4	0.21
(1,25)	1:8:A:TYR:HA	1:8:A:TYR:HE2	4	0.21
(1,25)	1:8:A:TYR:HA	1:8:A:TYR:HE1	7	0.21
(1,25)	1:8:A:TYR:HA	1:8:A:TYR:HE2	7	0.21
(1,9)	1:7:A:THR:H	1:7:A:THR:HB	15	0.21
(1,3)	1:7:A:THR:HA	1:8:A:TYR:H	13	0.21
(1,1)	1:2:A:PRO:HA	1:3:A:ASP:H	16	0.21
(1,36)	1:3:A:ASP:HB2	1:4:A:HIS:HA	4	0.2
(1,36)	1:3:A:ASP:HB3	1:4:A:HIS:HA	4	0.2
(1,32)	1:5:A:GLU:HA	1:5:A:GLU:HG2	11	0.2
(1,32)	1:5:A:GLU:HA	1:5:A:GLU:HG3	11	0.2
(1,25)	1:8:A:TYR:HA	1:8:A:TYR:HE1	3	0.2
(1,25)	1:8:A:TYR:HA	1:8:A:TYR:HE2	3	0.2
(1,8)	1:3:A:ASP:HA	1:4:A:HIS:H	4	0.2
(1,4)	1:7:A:THR:HB	1:8:A:TYR:H	19	0.2
(1,3)	1:7:A:THR:HA	1:8:A:TYR:H	11	0.2
(1,36)	1:3:A:ASP:HB2	1:4:A:HIS:HA	16	0.19
(1,36)	1:3:A:ASP:HB3	1:4:A:HIS:HA	16	0.19
(1,25)	1:8:A:TYR:HA	1:8:A:TYR:HE1	6	0.19
(1,25)	1:8:A:TYR:HA	1:8:A:TYR:HE2	6	0.19
(1,8)	1:3:A:ASP:HA	1:4:A:HIS:H	8	0.19
(1,8)	1:3:A:ASP:HA	1:4:A:HIS:H	14	0.19
(1,8)	1:3:A:ASP:HA	1:4:A:HIS:H	20	0.19

Continued on next page...

Continued from previous page...

Key	Atom-1	Atom-2	Model ID	Violation (Å)
(1,6)	1:8:A:TYR:H	1:8:A:TYR:HA	8	0.19
(1,4)	1:7:A:THR:HB	1:8:A:TYR:H	2	0.19
(1,36)	1:3:A:ASP:HB2	1:4:A:HIS:HA	6	0.18
(1,36)	1:3:A:ASP:HB3	1:4:A:HIS:HA	6	0.18
(1,36)	1:3:A:ASP:HB2	1:4:A:HIS:HA	15	0.18
(1,36)	1:3:A:ASP:HB3	1:4:A:HIS:HA	15	0.18
(1,36)	1:3:A:ASP:HB2	1:4:A:HIS:HA	18	0.18
(1,36)	1:3:A:ASP:HB3	1:4:A:HIS:HA	18	0.18
(1,29)	1:2:A:PRO:HA	1:4:A:HIS:HD2	3	0.18
(1,25)	1:8:A:TYR:HA	1:8:A:TYR:HE1	10	0.18
(1,25)	1:8:A:TYR:HA	1:8:A:TYR:HE2	10	0.18
(1,6)	1:8:A:TYR:H	1:8:A:TYR:HA	6	0.18
(1,5)	1:8:A:TYR:HA	1:9:A:ASP:H	3	0.18
(1,3)	1:7:A:THR:HA	1:8:A:TYR:H	18	0.18
(1,47)	1:9:A:ASP:H	1:10:A:TYR:HB2	16	0.17
(1,47)	1:9:A:ASP:H	1:10:A:TYR:HB3	16	0.17
(1,44)	1:8:A:TYR:HB3	1:9:A:ASP:HB2	4	0.17
(1,44)	1:8:A:TYR:HB3	1:9:A:ASP:HB3	4	0.17
(1,32)	1:5:A:GLU:HA	1:5:A:GLU:HG2	2	0.17
(1,32)	1:5:A:GLU:HA	1:5:A:GLU:HG3	2	0.17
(1,32)	1:5:A:GLU:HA	1:5:A:GLU:HG2	6	0.17
(1,32)	1:5:A:GLU:HA	1:5:A:GLU:HG3	6	0.17
(1,29)	1:2:A:PRO:HA	1:4:A:HIS:HD2	20	0.17
(1,28)	1:3:A:ASP:HA	1:4:A:HIS:HD2	16	0.17
(1,5)	1:8:A:TYR:HA	1:9:A:ASP:H	20	0.17
(1,3)	1:7:A:THR:HA	1:8:A:TYR:H	9	0.17
(1,29)	1:2:A:PRO:HA	1:4:A:HIS:HD2	5	0.16
(1,9)	1:7:A:THR:H	1:7:A:THR:HB	2	0.16
(1,33)	1:4:A:HIS:HA	1:5:A:GLU:HG2	19	0.15
(1,33)	1:4:A:HIS:HA	1:5:A:GLU:HG3	19	0.15
(1,32)	1:5:A:GLU:HA	1:5:A:GLU:HG2	13	0.15
(1,32)	1:5:A:GLU:HA	1:5:A:GLU:HG3	13	0.15
(1,28)	1:3:A:ASP:HA	1:4:A:HIS:HD2	4	0.15
(1,36)	1:3:A:ASP:HB2	1:4:A:HIS:HA	2	0.14
(1,36)	1:3:A:ASP:HB3	1:4:A:HIS:HA	2	0.14
(1,36)	1:3:A:ASP:HB2	1:4:A:HIS:HA	10	0.14
(1,36)	1:3:A:ASP:HB3	1:4:A:HIS:HA	10	0.14
(1,29)	1:2:A:PRO:HA	1:4:A:HIS:HD2	12	0.14
(1,29)	1:2:A:PRO:HA	1:4:A:HIS:HD2	19	0.14
(1,8)	1:3:A:ASP:HA	1:4:A:HIS:H	12	0.14
(1,6)	1:8:A:TYR:H	1:8:A:TYR:HA	18	0.14
(1,4)	1:7:A:THR:HB	1:8:A:TYR:H	8	0.14

Continued on next page...

Continued from previous page...

Key	Atom-1	Atom-2	Model ID	Violation (Å)
(1,4)	1:7:A:THR:HB	1:8:A:TYR:H	16	0.14
(1,3)	1:7:A:THR:HA	1:8:A:TYR:H	16	0.14
(1,36)	1:3:A:ASP:HB2	1:4:A:HIS:HA	9	0.13
(1,36)	1:3:A:ASP:HB3	1:4:A:HIS:HA	9	0.13
(1,33)	1:4:A:HIS:HA	1:5:A:GLU:HG2	6	0.13
(1,33)	1:4:A:HIS:HA	1:5:A:GLU:HG3	6	0.13
(1,33)	1:4:A:HIS:HA	1:5:A:GLU:HG2	12	0.13
(1,33)	1:4:A:HIS:HA	1:5:A:GLU:HG3	12	0.13
(1,33)	1:4:A:HIS:HA	1:5:A:GLU:HG2	14	0.13
(1,33)	1:4:A:HIS:HA	1:5:A:GLU:HG3	14	0.13
(1,25)	1:8:A:TYR:HA	1:8:A:TYR:HE1	20	0.13
(1,25)	1:8:A:TYR:HA	1:8:A:TYR:HE2	20	0.13
(1,6)	1:8:A:TYR:H	1:8:A:TYR:HA	12	0.13
(1,37)	1:7:A:THR:HA	1:7:A:THR:HB	5	0.12
(1,33)	1:4:A:HIS:HA	1:5:A:GLU:HG2	20	0.12
(1,33)	1:4:A:HIS:HA	1:5:A:GLU:HG3	20	0.12
(1,32)	1:5:A:GLU:HA	1:5:A:GLU:HG2	15	0.12
(1,32)	1:5:A:GLU:HA	1:5:A:GLU:HG3	15	0.12
(1,29)	1:2:A:PRO:HA	1:4:A:HIS:HD2	15	0.12
(1,28)	1:3:A:ASP:HA	1:4:A:HIS:HD2	12	0.12
(1,9)	1:7:A:THR:H	1:7:A:THR:HB	3	0.12
(1,6)	1:8:A:TYR:H	1:8:A:TYR:HA	5	0.12
(1,6)	1:8:A:TYR:H	1:8:A:TYR:HA	15	0.12
(1,48)	1:10:A:TYR:HA	1:10:A:TYR:HB2	17	0.11
(1,48)	1:10:A:TYR:HA	1:10:A:TYR:HB3	17	0.11
(1,37)	1:7:A:THR:HA	1:7:A:THR:HB	8	0.11
(1,37)	1:7:A:THR:HA	1:7:A:THR:HB	19	0.11
(1,33)	1:4:A:HIS:HA	1:5:A:GLU:HG2	4	0.11
(1,33)	1:4:A:HIS:HA	1:5:A:GLU:HG3	4	0.11
(1,33)	1:4:A:HIS:HA	1:5:A:GLU:HG2	16	0.11
(1,33)	1:4:A:HIS:HA	1:5:A:GLU:HG3	16	0.11
(1,28)	1:3:A:ASP:HA	1:4:A:HIS:HD2	5	0.11
(1,28)	1:3:A:ASP:HA	1:4:A:HIS:HD2	18	0.11
(1,20)	1:9:A:ASP:HA	1:10:A:TYR:HD1	3	0.11
(1,20)	1:9:A:ASP:HA	1:10:A:TYR:HD2	3	0.11
(1,6)	1:8:A:TYR:H	1:8:A:TYR:HA	10	0.11
(1,6)	1:8:A:TYR:H	1:8:A:TYR:HA	14	0.11
(1,2)	1:5:A:GLU:HA	1:6:A:GLY:H	13	0.11
(1,37)	1:7:A:THR:HA	1:7:A:THR:HB	7	0.1
(1,28)	1:3:A:ASP:HA	1:4:A:HIS:HD2	2	0.1
(1,9)	1:7:A:THR:H	1:7:A:THR:HB	4	0.1
(1,7)	1:4:A:HIS:HA	1:5:A:GLU:H	7	0.1

Continued on next page...

Continued from previous page...

Key	Atom-1	Atom-2	Model ID	Violation (Å)
(1,5)	1:8:A:TYR:HA	1:9:A:ASP:H	18	0.1

10 Dihedral-angle violation analysis [\(i\)](#)

No dihedral-angle restraints found