



wwPDB EM Validation Summary Report ⓘ

Jul 3, 2025 – 11:53 AM EDT

PDB ID : 8UX8 / pdb_00008ux8
EMDB ID : EMD-42714
Title : E. coli 70S ribosome with unmodified Lys-tRNA^{Pro}(GGG) bound to slippery P-site CCC-C codon in the +1 mRNA reading frame
Authors : Kimbrough, E.M.; Dunham, C.M.; Nguyen, H.A.
Deposited on : 2023-11-09
Resolution : 3.60 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at
<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev118
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0rc1
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.44


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415
RNA backbone	6643	2191

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1	2904	
2	2	1540	
3	3	120	
4	4	18	
5	5	77	
6	A	229	
7	B	273	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
8	C	209	
9	D	201	
10	E	179	
11	F	177	
12	G	149	
13	J	142	
14	K	123	
15	L	144	
16	M	136	
17	N	127	
18	O	117	
19	P	115	
20	Q	118	
21	R	103	
22	S	110	
23	T	100	
24	U	104	
25	V	94	
26	W	84	
27	X	78	
28	Y	63	
29	Z	59	
30	a	70	
31	b	57	
32	c	55	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
33	d	46	
34	e	65	
35	f	38	
36	g	241	
37	h	233	
38	i	206	
39	j	167	
40	k	135	
41	l	179	
42	m	130	
43	n	130	
44	o	103	
45	p	129	
46	q	124	
47	r	118	
48	s	101	
49	t	89	
50	u	82	
51	v	84	
52	w	75	
53	x	92	
54	y	87	
55	z	71	

2 Entry composition

There are 58 unique types of molecules in this entry. The entry contains 146547 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	1	2903	Total	C	N	O	P	0	0
			62334	27814	11470	20147	2903		

- Molecule 2 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	2	1534	Total	C	N	O	P	0	0
			32929	14693	6041	10661	1534		

- Molecule 3 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	3	120	Total	C	N	O	P	0	0
			2569	1144	468	837	120		

- Molecule 4 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	4	11	Total	C	N	O	P	0	0
			230	103	38	78	11		

- Molecule 5 is a RNA chain called Lys-tRNA^{pro}L.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	5	77	Total	C	N	O	P	0	0
			1648	733	297	541	77		

- Molecule 6 is a protein called Large ribosomal subunit protein uL1.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	A	67	Total	C	N	O	S	0	0
			507	321	90	95	1		

- Molecule 7 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	B	271	Total	C	N	O	S	0	0
			2082	1288	423	364	7		

- Molecule 8 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	C	209	Total	C	N	O	S	0	0
			1565	979	288	294	4		

- Molecule 9 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	D	201	Total	C	N	O	S	0	0
			1552	974	283	290	5		

- Molecule 10 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	E	177	Total	C	N	O	S	0	0
			1410	899	249	256	6		

- Molecule 11 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	F	175	Total	C	N	O	S	0	0
			1313	826	241	244	2		

- Molecule 12 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	G	149	Total	C	N	O	S	0	0
			1111	699	197	214	1		

- Molecule 13 is a protein called Large ribosomal subunit protein uL13.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	J	142	Total	C	N	O	S	0	0
			1129	714	212	199	4		

- Molecule 14 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	K	123	Total	C	N	O	S	0	0
			946	593	181	166	6		

- Molecule 15 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	L	144	Total	C	N	O	S	0	0
			1053	654	207	190	2		

- Molecule 16 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	M	136	Total	C	N	O	S	0	0
			1074	686	205	177	6		

- Molecule 17 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	N	119	Total	C	N	O	S	0	0
			951	588	195	163	5		

- Molecule 18 is a protein called Large ribosomal subunit protein uL18.

Mol	Chain	Residues	Atoms				AltConf	Trace
18	O	116	Total	C	N	O	0	0
			892	552	178	162		

- Molecule 19 is a protein called Large ribosomal subunit protein bL19.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	P	114	Total	C	N	O	S	0	0
			917	574	179	163	1		

- Molecule 20 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms				AltConf	Trace
20	Q	117	Total	C	N	O	0	0
			947	604	192	151		

- Molecule 21 is a protein called Ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	R	103	Total	C	N	O	S	0	0
			816	516	153	145	2		

- Molecule 22 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	S	110	Total	C	N	O	S	0	0
			857	532	166	156	3		

- Molecule 23 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	T	94	Total	C	N	O	S	0	0
			746	470	140	134	2		

- Molecule 24 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	U	103	Total	C	N	O		0	0
			788	498	148	142			

- Molecule 25 is a protein called Large ribosomal subunit protein bL25.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	V	94	Total	C	N	O	S	0	0
			753	479	137	134	3		

- Molecule 26 is a protein called Large ribosomal subunit protein bL27.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	W	76	Total	C	N	O	S	0	0
			582	360	117	104	1		

- Molecule 27 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	X	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

- Molecule 28 is a protein called Large ribosomal subunit protein uL29.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	Y	62	Total	C	N	O	S	0	0
			501	308	98	94	1		

- Molecule 29 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	Z	58	Total	C	N	O	S	0	0
			448	281	87	78	2		

- Molecule 30 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	a	66	Total	C	N	O	S	0	0
			522	323	99	94	6		

- Molecule 31 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	b	56	Total	C	N	O	S	0	0
			444	269	94	80	1		

- Molecule 32 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
32	c	52	Total	C	N	O	0	0
			426	275	78	73		

- Molecule 33 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	d	46	Total	C	N	O	S	0	0
			377	228	90	57	2		

- Molecule 34 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	e	64	Total	C	N	O	S	0	0
			504	323	105	74	2		

- Molecule 35 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	f	38	Total	C	N	O	S	0	0
			302	185	65	48	4		

- Molecule 36 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	g	225	Total	C	N	O	S	0	0
			1760	1113	316	323	8		

- Molecule 37 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	h	208	Total	C	N	O	S	0	0
			1636	1036	307	290	3		

- Molecule 38 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	i	205	Total	C	N	O	S	0	0
			1643	1026	315	298	4		

- Molecule 39 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	j	156	Total	C	N	O	S	0	0
			1152	717	217	212	6		

- Molecule 40 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	k	104	Total	C	N	O	S	0	0
			848	536	153	152	7		

- Molecule 41 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	l	151	Total	C	N	O	S	0	0
			1181	735	227	215	4		

- Molecule 42 is a protein called Small ribosomal subunit protein uS8.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	m	129	Total	C	N	O	S	0	0
			979	616	173	184	6		

- Molecule 43 is a protein called Small ribosomal subunit protein uS9.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	n	127	Total	C	N	O	S	0	0
			1022	634	206	179	3		

- Molecule 44 is a protein called Small ribosomal subunit protein uS10.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	o	99	Total	C	N	O	S	0	0
			790	495	151	143	1		

- Molecule 45 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	p	117	Total	C	N	O	S	0	0
			877	540	174	160	3		

- Molecule 46 is a protein called Small ribosomal subunit protein uS12.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	q	123	Total	C	N	O	S	0	0
			957	591	196	165	5		

- Molecule 47 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	r	116	Total	C	N	O	S	0	0
			900	558	181	158	3		

- Molecule 48 is a protein called Small ribosomal subunit protein uS14.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	s	100	Total	C	N	O	S	0	0
			805	499	164	139	3		

- Molecule 49 is a protein called Small ribosomal subunit protein uS15.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	t	88	Total	C	N	O	S	0	0
			714	439	144	130	1		

- Molecule 50 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	u	82	Total	C	N	O	S	0	0
			649	406	128	114	1		

- Molecule 51 is a protein called Small ribosomal subunit protein uS17.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	v	80	Total	C	N	O	S	0	0
			648	411	121	113	3		

- Molecule 52 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	w	66	Total	C	N	O	S	0	0
			544	344	102	97	1		

- Molecule 53 is a protein called Small ribosomal subunit protein uS19.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	x	83	Total	C	N	O	S	0	0
			663	424	126	111	2		

- Molecule 54 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	y	86	Total	C	N	O	S	0	0
			669	414	138	114	3		


- Molecule 55 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	z	70	Total	C	N	O	S	0	0
			589	366	125	97	1		

- Molecule 56 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
56	1	262	Total 262	Mg 262	0
56	2	111	Total 111	Mg 111	0
56	3	10	Total 10	Mg 10	0
56	5	1	Total 1	Mg 1	0
56	B	3	Total 3	Mg 3	0
56	L	2	Total 2	Mg 2	0
56	M	1	Total 1	Mg 1	0
56	Q	1	Total 1	Mg 1	0
56	X	1	Total 1	Mg 1	0
56	b	1	Total 1	Mg 1	0
56	l	1	Total 1	Mg 1	0
56	z	1	Total 1	Mg 1	0

- Molecule 57 is LYSINE (CCD ID: LYS) (formula: $C_6H_{15}N_2O_2$).



Mol	Chain	Residues	Atoms				AltConf
57	5	1	Total	C	N	O	0
			9	6	2	1	

- Molecule 58 is water.

Mol	Chain	Residues	Atoms				AltConf
58	1	700	Total	O			0
			700	700			
58	2	341	Total	O			0
			341	341			
58	3	7	Total	O			0
			7	7			
58	4	1	Total	O			0
			1	1			
58	5	10	Total	O			0
			10	10			
58	B	2	Total	O			0
			2	2			
58	C	7	Total	O			0
			7	7			
58	D	10	Total	O			0
			10	10			
58	E	4	Total	O			0
			4	4			
58	F	6	Total	O			0
			6	6			
58	G	12	Total	O			0
			12	12			
58	J	7	Total	O			0
			7	7			
58	K	4	Total	O			0
			4	4			
58	L	3	Total	O			0
			3	3			
58	M	2	Total	O			0
			2	2			
58	N	2	Total	O			0
			2	2			
58	O	6	Total	O			0
			6	6			
58	P	6	Total	O			0
			6	6			
58	Q	7	Total	O			0
			7	7			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
58	R	7	Total 7	O 7	0
58	S	4	Total 4	O 4	0
58	T	2	Total 2	O 2	0
58	U	6	Total 6	O 6	0
58	V	1	Total 1	O 1	0
58	W	2	Total 2	O 2	0
58	Y	8	Total 8	O 8	0
58	Z	2	Total 2	O 2	0
58	a	2	Total 2	O 2	0
58	b	2	Total 2	O 2	0
58	f	1	Total 1	O 1	0
58	g	20	Total 20	O 20	0
58	h	14	Total 14	O 14	0
58	i	8	Total 8	O 8	0
58	j	3	Total 3	O 3	0
58	k	7	Total 7	O 7	0
58	l	5	Total 5	O 5	0
58	m	3	Total 3	O 3	0
58	n	4	Total 4	O 4	0
58	o	3	Total 3	O 3	0
58	p	5	Total 5	O 5	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
58	q	1	Total 1	O 1	0
58	r	4	Total 4	O 4	0
58	t	1	Total 1	O 1	0
58	u	4	Total 4	O 4	0
58	v	3	Total 3	O 3	0
58	w	3	Total 3	O 3	0
58	x	1	Total 1	O 1	0
58	z	4	Total 4	O 4	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: 23S rRNA




G1906	G1907	G1910	G1911	G1912	A1913	C1914	A1915	G1916	G1917	A1918	G1921	C1924	C1925	U1926	A1927	G1928	G1929	G1930	U1931	A1937	A1938	U1939	A1953	G1954	U1955	U1956	C1962	U1963	G1964	C1967	A1970	U1971	G1972	A1977	A1987	G1988	U1991	G1992	U1993	C1994	U1995	C1996	C1997	A1998	G2002	A2005								
C1816	G1817	U1818	A1819	U1820	A1821	C1822	C1823	U1825	G1826	U1827	G1828	A1829	C1830	G1831	C1832	C1833	U1834	G1835	A1836	C1837	C1844	G1845	A1848	G1849	G1850	U1851	U1852	A1853	A1854	G1857	A1858	U1859	U1864	U1865	A1866	G1867	C1868	G1869	C1870	A1871	A1872	G1873	C1874	G1875	U1882	U1883	G1884	U1889	A1891	U1892	A1901	G1904	C1905	
A1739	A1744	A1745	A1746	U1747	C1748	A1749	G1750	U1751	C1752	G1753	A1754	G1755	G1756	A1757	C1760	G1761	A1762	G1763	C1764	C1771	A1772	A1773	U1778	U1779	U1780	U1781	A1784	C1788	A1789	C1790	A1791	A1794	C1795	U1798	G1799	C1800	A1801	A1802	A1803	C1804	A1805	C1806	U1807	A1808	A1809	A1810	G1811	U1812	G1813	G1814	A1815			
G1663	G1666	G1667	A1668	A1669	C1670	U1671	A1672	G1673	G1674	C1675	A1676	A1677	A1678	A1679	U1680	G1681	G1684	G1687	U1688	G1696	A1614	C1615	A1616	A1617	A1618	G1619	U1629	G1630	A1631	A1632	A1635	U1636	A1637	C1638	C1639	G1643	G1644	G1645	C1646	U1647	U1648	G1649	A1650	G1651	A1652	G1653	A1654	A1655	C1656	U1657	G1658			
C1577	U1578	G1581	C1582	A1583	U1589	A1590	A1591	C1592	U1593	A1594	C1595	A1596	A1597	U1598	U1599	C1600	G1601	C1604	C1605	A1610	A1614	C1615	A1616	A1617	A1618	G1619	U1629	G1630	A1631	A1632	A1635	U1636	A1637	C1638	C1639	G1643	G1644	G1645	C1646	U1647	U1648	G1649	A1650	G1651	A1652	G1653	A1654	A1655	C1656	U1657	G1658			
A1490	A1494	A1495	A1496	U1497	G1501	A1502	A1503	A1508	A1509	A1510	U1513	A1514	A1515	C1518	G1519	G1524	A1528	A1532	C1533	U1534	A1535	A1536	C1537	G1538	U1539	C1541	U1542	G1543	A1544	A1548	A1549	G1555	C1558	U1559	G1560	C1561	U1562	U1563	A1566	A1569	A1570	A1571	A1572	U1576	U1577	C1578	U1579	A1580						
U1415	G1416	C1417	A1420	G1421	G1422	G1423	G1424	G1425	G1426	A1427	G1428	G1429	G1430	A1431	G1432	A1433	A1434	G1435	C1436	C1437	A1438	A1439	U1440	G1441	U1442	U1443	G1444	G1445	A1446	C1447	U1448	A1453	U1458	G1459	U1460	G1464	G1465	U1466	U1467	U1468	A1469	A1470	G1473	U1474	G1475	U1476	A1477	G1478	G1482	U1486	U1487	G1488		
G1238	A1241	G1245	A1246	U1249	G1250	C1251	G1252	A1253	A1254	U1255	G1256	U1263	U1264	A1265	G1266	U1267	A1268	A1269	C1270	G1271	A1272	U1273	G1276	G1277	G1278	G1279	G1280	G1281	U1282	G1283	A1284	A1285	A1286	A1287	G1288	C1289	G1295	G1296	C1297	G1298	G1299	G1300	A1301	A1302	C1306	A1307	G1310	U1313	C1314	C1315				
A1321	A1322	U1325	U1326	U1329	C1330	G1339	C1345	C1351	U1352	A1353	A1354	A1359	G1360	G1361	C1362	C1363	G1364	A1365	G1368	G1371	A1378	U1379	G1380	G1381	G1382	A1383	A1384	A1385	C1386	A1387	G1388	G1389	A1392	C1399	U1400	G1401	U1402	U1405	U1406	G1407	G1408	U1409	G1410	A1413	C1414									
A1165	A1169	C1170	G1171	C1172	U1173	U1174	A1175	U1176	C1177	C1178	G1179	G1182	U1183	U1184	G1185	G1186	U1187	U1188	A1189	A1190	G1191	G1192	G1193	C1196	G1197	U1198	U1199	G1200	G1202	U1203	A1204	A1205	G1206	U1209	G1210	A1211	G1212	A1213	A1214	G1215	G1216	U1217	G1218	U1219	G1220	U1224	G1225	C1233	U1234	G1235	G1236	A1237		
A1073	G1074	C1075	C1076	A1077	U1078	C1079	A1080	A1084	A1085	A1086	A1087	A1088	G1093	A1095	A1096	U1097	A1098	C1104	U1105	G1106	A1111	G1112	G1115	G1116	C1117	C1118	G1122	C1123	G1124	U1130	G1131	A1132	A1133	A1134	C1135	G1136	U1141	A1142	A1143	A1144	A1147	A1151	C1152	C1153	G1154	A1155	C1164							
C992	G993	G994	G914	C995	A996	A1000	A1001	C1007	A1008	A1009	A1010	G1011	U1012	C1013	G1016	U1024	G1025	A936	C937	U934	C935	A941	G942	A943	C946	A947	C948	G949	G953	C1042	G1043	C1044	U955	A959	A960	G961	G962	C982	C983	G969	U970	A971	A972	A973	G974	A975	G976	A979	A980	A981	C982	A983	A984	C987
U828	A829	G830	G831	U832	A833	G834	C835	G836	U839	G843	A844	U845	U846	U847	C848	A849	U850	C851	U852	G858	G859	A863	G864	C865	U870	U871	U872	C873	A877	A878	G879	G880	G881	G882	G883	U884	C885	A886	A887	C888	C889	C893	U894	U895	A896	C897	A900	C901	C902	C903				



A1333	G1253	G1160	A1080	G1003	G922	C841	U751	U672	A572	A496	A411	C334	G254	A174
G1334	A1254	C1161	U1083	A1004	A923	U842	G752	A673	A573	Q497	A412	C335	G255	C175
G1338	G1255	A1162	G1084	A1005	C924	U843	A753	G674	A574	C501	A413	A336	G256	G176
G1342	A1256	A1167	U1085	U1007	G925	G844	G755	G675	G575	A502	A414	A337	G258	C177
G1343	C1257	U1168	G926	U1008	G927	A845	G756	U677	C576	G505	U421	A338	G259	C178
G1347	C1258	U1169	G927	U1009	G928	G846	A759	U678	C577	G506	C422	A339	G260	U180
A1350	G1259	A1170	G928	U1010	C929	G849	G763	C679	A579	G507	G423	G347	U261	A181
U1351	G1260	U1171	G929	U1011	C930	U850	G764	U684	C580	U508	G424	A182	G264	A182
C1352	A1261	C1172	A935	G1013	C931	G851	G765	G688	G581	A509	U426	G351	G265	G183
G1353	U1173	U1173	A936	A1014	C932	G852	G769	A687	U591	A510	U427	G352	G266	G184
G1355	A1176	A1176	A937	A1015	C933	U855	G773	G689	G592	C511	G428	A353	G267	U185
U1356	G1177	G1177	G938	A1016	C934	G859	G773	C689	U593	U512	U429	C354	U268	C186
G1357	G1178	G1178	G939	U1017	C935	A860	G778	G691	U594	C513	U430	C355	C269	G187
A1363	G1179	A1179	G940	A1018	C936	A865	G779	A695	A596	U516	C436	G357	C271	C193
C1367	G1180	A1180	G941	A1019	C937	A866	G780	A696	U597	G517	U437	G358	G275	C194
G1370	G1181	A1181	G942	A1020	C938	A869	G786	U697	C599	C519	U438	G360	A279	A196
A1374	G1182	U1182	G943	A1021	C939	C866	G786	G700	A600	A520	U439	G361	G281	A197
A1375	U1115	U1115	G944	A1022	C940	G869	G787	A704	G601	G521	A451	A363	G280	G202
A1376	U1116	U1116	G945	U1023	C941	U870	A790	G705	U602	C522	G454	U367	G281	G203
A1377	U1117	U1117	G946	A1024	C942	U871	A790	A706	G603	A523	G455	U368	G285	G204
C1378	G1185	G1185	G947	U1025	C943	U876	U793	A707	U604	G524	G456	U369	G286	A205
G1379	G1186	G1186	C948	U1026	C944	U877	G797	A708	G605	C525	G457	U370	G289	U209
U1380	G1187	G1187	C949	U1027	C945	U878	G798	G709	A609	G526	U458	C372	G289	C210
U1381	G1188	G1188	C950	A1028	C946	U879	G799	G713	C613	A532	A459	A374	G292	G211
U1382	G1189	G1189	C951	U1029	C947	U880	G800	G714	C614	C536	A460	U375	U296	G212
U1383	G1190	G1190	C952	U1030	C948	U881	G801	G715	U619	G537	A461	U376	G297	G213
U1384	G1191	G1191	C953	U1031	C949	U882	U801	A716	C620	G538	G462	U377	G300	C214
U1385	G1192	G1192	C954	U1032	C950	U883	U802	A717	A621	U539	U463	G381	A300	C215
U1386	G1193	G1193	C955	U1033	C951	U884	A807	G721	A629	G540	U464	A382	A306	U216
U1387	G1194	G1194	C956	U1034	C952	U885	C811	G722	A630	G541	U467	A383	G310	G220
U1388	G1195	G1195	C957	U1035	C953	U886	C812	U723	A631	G542	A468	A384	C311	C221
U1389	G1196	G1196	C958	U1036	C954	U887	A815	G727	G633	U543	C469	C385	C312	A223
U1390	G1197	G1197	C959	U1037	C955	U888	C817	G730	C634	G544	U471	C386	A313	U224
U1391	G1198	G1198	C960	U1038	C956	U889	G818	G731	A635	A546	U472	U387	C314	U225
U1392	G1199	G1199	C961	U1039	C957	U890	U820	G732	A642	A547	U473	U389	G226	G226
U1393	G1200	G1200	C962	U1040	C958	U891	U821	G733	C647	C549	G474	U391	U317	U317
U1394	G1201	G1201	C963	U1041	C959	U892	U822	G734	U648	U552	A478	C392	G318	U229
U1395	G1202	G1202	C964	U1042	C960	U893	U823	G735	A649	A553	U479	A393	G319	G230
U1396	G1203	G1203	C965	U1043	C961	U894	G824	C736	U650	A554	U481	A320	A321	U231
U1397	G1204	G1204	C966	U1044	C962	U895	G825	C737	G651	A482	G481	A321	A321	U232
U1398	G1205	G1205	C967	U1045	C963	U896	G826	C738	U652	A483	U482	U398	U323	C235
U1399	G1206	G1206	C968	U1046	C964	U897	U827	C739	U653	A500	G483	G399	U324	A236
U1400	G1207	G1207	C969	U1047	C965	U898	U828	U740	C660	A501	U484	C401	G327	G237
U1401	G1208	G1208	C970	U1048	C966	U899	G829	G741	U661	A502	U485	U405	A328	G240
U1402	G1209	G1209	C971	U1049	C967	U900	G830	G742	U662	A503	G486	G406	A329	G241
U1403	G1210	G1210	C972	U1050	C968	U901	G831	G743	U663	A504	U487	U407	A330	A246
U1404	G1211	G1211	C973	U1051	C969	U902	G832	G744	U664	A505	U488	U408	G331	G247
U1405	G1212	G1212	C974	U1052	C970	U903	G833	G745	U665	A506	U489	A409	C332	A248
U1406	G1213	G1213	C975	U1053	C971	U904	G834	G746	U666	A507	U490	U410	U333	G251
U1407	G1214	G1214	C976	U1054	C972	U905	G835	G747	U667	A508	U491	U411	U334	G252
U1408	G1215	G1215	C977	U1055	C973	U906	G836	G748	U668	A509	U492	U412	U335	G253
U1409	G1216	G1216	C978	U1056	C974	U907	G837	G749	U669	A510	U493	U413	U336	G254
U1410	G1217	G1217	C979	U1057	C975	U908	G838	G750	U670	A511	U494	U414	U337	G255
U1411	G1218	G1218	C980	U1058	C976	U909	G839	G751	U671	A512	U495	U415	U338	G256
U1412	G1219	G1219	C981	U1059	C977	U910	G840	G752	U672	A513	U496	U416	U339	G257
U1413	G1220	G1220	C982	U1060	C978	U911	G841	G753	U673	A514	U497	U417	U340	G258
U1414	G1221	G1221	C983	U1061	C979	U912	G842	G754	U674	A515	U498	U418	U341	G259
U1415	G1222	G1222	C984	U1062	C980	U913	G843	G755	U675	A516	U499	U419	U342	G260
U1416	G1223	G1223	C985	U1063	C981	U914	G844	G756	U676	A517	U500	U420	U343	G261
U1417	G1224	G1224	C986	U1064	C982	U915	G845	G757	U677	A518	U501	U421	U344	G262
U1418	G1225	G1225	C987	U1065	C983	U916	G846	G758	U678	A519	U502	U422	U345	G263
U1419	G1226	G1226	C988	U1066	C984	U917	G847	G759	U679	A520	U503	U423	U346	G264
U1420	G1227	G1227	C989	U1067	C985	U918	G848	G760	U680	A521	U504	U424	U347	G265
U1421	G1228	G1228	C990	U1068	C986	U919	G849	G761	U681	A522	U505	U425	U348	G266
U1422	G1229	G1229	C991	U1069	C987	U920	G850	G762	U682	A523	U506	U426	U349	G267
U1423	G1230	G1230	C992	U1070	C988	U921	G851	G763	U683	A524	U507	U427	U350	G268
U1424	G1231	G1231	C993	U1071	C989	U922	G852	G764	U684	A525	U508	U428	U351	G269
U1425	G1232	G1232	C994	U1072	C990	U923	G853	G765	U685	A526	U509	U429	U352	G270
U1426	G1233	G1233	C995	U1073	C991	U924	G854	G766	U686	A527	U510	U430	U353	G271
U1427	G1234	G1234	C996	U1074	C992	U925	G855	G767	U687	A528	U511	U431	U354	G272
U1428	G1235	G1235	C997	U1075	C993	U926	G856	G768	U688	A529	U512	U432	U355	G273
U1429	G1236	G1236	C998	U1076	C994	U927	G857	G769	U689	A530	U513	U433	U356	G274
U1430	G1237	G1237	C999	U1077	C995	U928	G858	G770	U690	A531	U514	U434	U357	G275
U1431	G1238	G1238	C1000	U1078	C996	U929	G859	G771	U691	A532	U515	U435	U358	G276
U1432	G1239	G1239	C1001	U1079	C997	U930	G860	G772	U692	A533	U516	U436	U359	G277
U1433	G1240	G1240	C1002	U1080	C998	U931	G861	G773	U693	A534	U517	U437	U360	G278
U1434	G1241	G1241	C1003	U1081	C999	U932	G862	G774	U694	A535	U518	U438	U361	G279
U1435	G1242	G1242	C1004	U1082	C1000	U933	G863	G775	U695	A536	U519	U439	U362	G280
U1436	G1243	G1243	C1005	U1083	C1001	U934	G864	G776	U696	A537	U520	U440	U363	G281
U1437	G1244	G1244	C1006	U1084	C1002	U935	G865	G777	U697	A538	U521	U441	U364	G282
U1438	G1245	G1245	C1007	U1085	C1003	U936	G866	G778	U698	A539	U522	U442	U365	G283
U1439	G1246	G1246	C1008	U1086	C1004	U937	G867	G779	U699	A540	U523	U443	U366	G284
U1440	G1247	G1247	C1009	U1087	C1005	U938	G868	G780	U700	A541	U524	U444	U367	G285
U1441	G1248	G1248	C1010	U1088	C1006	U939	G869	G781	U701	A542	U525	U445	U368	G286
U1442	G1249	G1249	C1011	U1089	C1007	U940	G870	G782	U702	A543	U526	U446	U369	G287
U1443	G1250	G1250	C1012	U1090	C1008	U941	G871	G783	U703	A544	U527	U447	U370	G288
U1444	G1251	G1251	C1013	U1091	C1009	U942	G872	G784	U704	A545	U528	U448	U371	G289
U1445	G1252	G1252	C1014	U1092	C1010	U943	G873	G785	U705	A546	U529	U449	U372	G290
U1446	G1253	G1253	C1015	U1093	C1011	U944	G874	G786	U706	A547	U530	U450	U373	G291
U1447	G1254	G1254	C1016	U1094	C1012	U945	G875	G787	U707	A548	U531	U451	U374	G292
U1448	G1255	G1255	C1017	U1095	C1013	U946	G876	G788	U708	A549	U532	U452	U375	G293
U1449	G1256	G1256	C1018	U1096	C1014									




- Molecule 3: 5S ribosomal RNA




- Molecule 4: mRNA



- Molecule 5: Lys-tRNA^{proL}




- Molecule 6: Large ribosomal subunit protein uL1




- Molecule 7: 50S ribosomal protein L2

Chain B: 




- Molecule 8: 50S ribosomal protein L3

Chain C: 




- Molecule 9: 50S ribosomal protein L4

Chain D: 




- Molecule 10: 50S ribosomal protein L5

Chain E: 





- Molecule 11: 50S ribosomal protein L6

Chain F: 






- Molecule 12: 50S ribosomal protein L9



- Molecule 13: Large ribosomal subunit protein uL13



- Molecule 14: 50S ribosomal protein L14




- Molecule 15: 50S ribosomal protein L15




- Molecule 16: 50S ribosomal protein L16




- Molecule 17: 50S ribosomal protein L17




- Molecule 18: Large ribosomal subunit protein uL18




- Molecule 19: Large ribosomal subunit protein bL19




- Molecule 20: 50S ribosomal protein L20




- Molecule 21: Ribosomal protein L21




- Molecule 22: 50S ribosomal protein L22



- Molecule 23: 50S ribosomal protein L23




- Molecule 24: 50S ribosomal protein L24

Chain U:  75% 24%



- Molecule 25: Large ribosomal subunit protein bL25

Chain V:  81% 19%




- Molecule 26: Large ribosomal subunit protein bL27

Chain W:  67% 24% 10%




- Molecule 27: 50S ribosomal protein L28

Chain X:  79% 19%



- Molecule 28: Large ribosomal subunit protein uL29

Chain Y:  84% 14%




- Molecule 29: 50S ribosomal protein L30

Chain Z:  75% 24%



- Molecule 30: 50S ribosomal protein L31

Chain a:  6% 69% 26% 6%




- Molecule 31: 50S ribosomal protein L32

Chain b:  74% 25%



- Molecule 32: 50S ribosomal protein L33

Chain c:  69% 25% 5%



- Molecule 33: 50S ribosomal protein L34

Chain d:  70% 30%



- Molecule 34: 50S ribosomal protein L35

Chain e:  68% 28%




- Molecule 35: 50S ribosomal protein L36

Chain f:  74% 26%




- Molecule 36: 30S ribosomal protein S2

Chain g:  27% 68% 25% 7%




- Molecule 37: 30S ribosomal protein S3

Chain h:  63% 26% 11%




- Molecule 38: 30S ribosomal protein S4

Chain i:  70% 30%




- Molecule 39: 30S ribosomal protein S5

Chain j:  61% 32% 7%




- Molecule 40: 30S ribosomal protein S6

Chain k:  53% 24% 23%




- Molecule 41: 30S ribosomal protein S7


Chain l:  58% 26% 16%




- Molecule 42: Small ribosomal subunit protein uS8




- Molecule 43: Small ribosomal subunit protein uS9



- Molecule 44: Small ribosomal subunit protein uS10




- Molecule 45: 30S ribosomal protein S11




- Molecule 46: Small ribosomal subunit protein uS12





- Molecule 47: 30S ribosomal protein S13




- Molecule 48: Small ribosomal subunit protein uS14



- Molecule 49: Small ribosomal subunit protein uS15



- Molecule 50: 30S ribosomal protein S16




- Molecule 51: Small ribosomal subunit protein uS17



- Molecule 52: 30S ribosomal protein S18






- Molecule 53: Small ribosomal subunit protein uS19



- Molecule 54: 30S ribosomal protein S20



- Molecule 55: 30S ribosomal protein S21



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	69316	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TALOS ARCTICA	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	61.23	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	2700	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.056	Depositor
Minimum map value	-0.009	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.003	Depositor
Recommended contour level	0.012	Depositor
Map size (Å)	547.328, 547.328, 547.328	wwPDB
Map dimensions	512, 512, 512	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.069, 1.069, 1.069	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: OMG, MA6, MG, OMC, 2MG, 2MA, 5MC, OMU, PSU, 1MG, UR3, 5MU, G7M, 7MG, 4OC, 0TD, 6MZ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	1	0.14	0/69335	0.25	0/108168
2	2	0.13	0/36590	0.23	0/57074
3	3	0.11	0/2872	0.23	0/4478
4	4	0.34	0/255	0.55	0/394
5	5	0.30	0/1841	0.54	2/2870 (0.1%)
6	A	0.10	0/511	0.28	0/685
7	B	0.14	0/2121	0.29	0/2852
8	C	0.14	0/1586	0.32	0/2134
9	D	0.15	0/1571	0.35	0/2113
10	E	0.14	0/1434	0.38	0/1926
11	F	0.12	0/1333	0.28	0/1805
12	G	0.13	0/1122	0.33	0/1515
13	J	0.16	0/1152	0.34	0/1551
14	K	0.12	0/955	0.25	0/1279
15	L	0.14	0/1062	0.28	0/1413
16	M	0.14	0/1093	0.29	0/1460
17	N	0.15	0/964	0.34	0/1289
18	O	0.13	0/902	0.31	0/1209
19	P	0.14	0/929	0.28	0/1242
20	Q	0.17	0/960	0.33	0/1278
21	R	0.14	0/829	0.34	0/1107
22	S	0.16	0/864	0.35	0/1156
23	T	0.13	0/752	0.29	0/1005
24	U	0.14	0/796	0.32	0/1062
25	V	0.15	0/766	0.36	0/1025
26	W	0.13	0/589	0.25	0/779
27	X	0.15	0/635	0.31	0/848
28	Y	0.13	0/502	0.33	0/667
29	Z	0.13	0/452	0.27	0/605
30	a	0.12	0/531	0.30	0/709
31	b	0.13	0/450	0.29	0/599

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
32	c	0.13	0/433	0.26	0/576
33	d	0.14	0/380	0.26	0/498
34	e	0.39	0/513	0.62	1/676 (0.1%)
35	f	0.13	0/303	0.33	0/397
36	g	0.14	0/1791	0.39	0/2413
37	h	0.14	0/1663	0.36	0/2241
38	i	0.12	0/1665	0.26	0/2227
39	j	0.16	0/1165	0.36	0/1568
40	k	0.15	0/867	0.37	0/1171
41	l	0.14	0/1195	0.37	0/1602
42	m	0.16	0/989	0.39	0/1326
43	n	0.22	0/1034	0.50	0/1375
44	o	0.15	0/800	0.38	0/1082
45	p	0.19	0/893	0.37	0/1205
46	q	0.27	0/960	0.40	0/1286
47	r	0.13	0/909	0.35	0/1215
48	s	0.12	0/817	0.27	0/1088
49	t	0.13	0/722	0.31	0/964
50	u	0.16	0/659	0.33	0/884
51	v	0.12	0/657	0.31	0/881
52	w	0.17	0/553	0.29	0/743
53	x	0.12	0/680	0.28	0/915
54	y	0.16	0/675	0.34	0/895
55	z	0.10	0/597	0.24	0/792
All	All	0.14	0/156674	0.28	3/234317 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
34	e	30	ARG	N-CA-C	-11.61	92.49	108.86
5	5	55	U	C3'-C2'-O2'	6.24	120.05	110.70
5	5	3	G	C4'-C3'-O3'	5.85	118.18	109.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	1	62334	0	31367	1170	0
2	2	32929	0	16587	576	0
3	3	2569	0	1301	46	0
4	4	230	0	119	8	0
5	5	1648	0	833	73	0
6	A	507	0	542	10	0
7	B	2082	0	2154	58	0
8	C	1565	0	1616	40	0
9	D	1552	0	1619	50	0
10	E	1410	0	1444	53	0
11	F	1313	0	1358	32	0
12	G	1111	0	1148	18	0
13	J	1129	0	1162	34	0
14	K	946	0	1023	25	0
15	L	1053	0	1129	30	0
16	M	1074	0	1157	29	0
17	N	951	0	994	17	0
18	O	892	0	923	26	0
19	P	917	0	962	18	0
20	Q	947	0	1019	30	0
21	R	816	0	839	25	0
22	S	857	0	922	26	0
23	T	746	0	811	15	0
24	U	788	0	844	18	0
25	V	753	0	780	17	0
26	W	582	0	599	15	0
27	X	625	0	652	11	0
28	Y	501	0	531	10	0
29	Z	448	0	488	11	0
30	a	522	0	524	19	0
31	b	444	0	458	16	0
32	c	426	0	464	11	0
33	d	377	0	418	16	0
34	e	504	0	572	25	0
35	f	302	0	343	9	0
36	g	1760	0	1787	39	0
37	h	1636	0	1710	42	0
38	i	1643	0	1707	45	0
39	j	1152	0	1196	40	0
40	k	848	0	846	27	0
41	l	1181	0	1238	35	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
42	m	979	0	1031	35	0
43	n	1022	0	1070	44	0
44	o	790	0	831	36	0
45	p	877	0	887	28	0
46	q	957	0	1017	34	0
47	r	900	0	965	31	0
48	s	805	0	844	27	0
49	t	714	0	734	23	0
50	u	649	0	666	16	0
51	v	648	0	691	18	0
52	w	544	0	560	15	0
53	x	663	0	688	32	0
54	y	669	0	719	19	0
55	z	589	0	629	6	0
56	1	262	0	0	0	0
56	2	111	0	0	0	0
56	3	10	0	0	0	0
56	5	1	0	0	0	0
56	B	3	0	0	0	0
56	L	2	0	0	0	0
56	M	1	0	0	0	0
56	Q	1	0	0	0	0
56	X	1	0	0	0	0
56	b	1	0	0	0	0
56	l	1	0	0	0	0
56	z	1	0	0	0	0
57	5	9	0	12	0	0
58	1	700	0	0	22	0
58	2	341	0	0	5	0
58	3	7	0	0	0	0
58	4	1	0	0	0	0
58	5	10	0	0	3	0
58	B	2	0	0	0	0
58	C	7	0	0	0	0
58	D	10	0	0	2	0
58	E	4	0	0	1	0
58	F	6	0	0	1	0
58	G	12	0	0	0	0
58	J	7	0	0	3	0
58	K	4	0	0	2	0
58	L	3	0	0	3	0
58	M	2	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
58	N	2	0	0	0	0
58	O	6	0	0	1	0
58	P	6	0	0	0	0
58	Q	7	0	0	1	0
58	R	7	0	0	5	0
58	S	4	0	0	1	0
58	T	2	0	0	0	0
58	U	6	0	0	0	0
58	V	1	0	0	0	0
58	W	2	0	0	0	0
58	Y	8	0	0	2	0
58	Z	2	0	0	1	0
58	a	2	0	0	0	0
58	b	2	0	0	0	0
58	f	1	0	0	0	0
58	g	20	0	0	1	0
58	h	14	0	0	2	0
58	i	8	0	0	2	0
58	j	3	0	0	0	0
58	k	7	0	0	1	0
58	l	5	0	0	1	0
58	m	3	0	0	0	0
58	n	4	0	0	0	0
58	o	3	0	0	0	0
58	p	5	0	0	1	0
58	q	1	0	0	0	0
58	r	4	0	0	0	0
58	t	1	0	0	0	0
58	u	4	0	0	0	0
58	v	3	0	0	0	0
58	w	3	0	0	1	0
58	x	1	0	0	0	0
58	z	4	0	0	0	0
All	All	146547	0	97530	2747	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

The worst 5 of 2747 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:5:67:G:H5'	58:5:206:HOH:O	1.65	0.95
1:1:408:G:H1	1:1:419:U:H3	1.16	0.94
5:5:18:G:H1	5:5:57:A:N6	1.68	0.91
54:y:57:ILE:HG13	54:y:61:GLN:HE22	1.36	0.89
1:1:1270:C:H5''	1:1:1271:G:H5'	1.55	0.88

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
6	A	65/229 (28%)	63 (97%)	2 (3%)	0	100	100
7	B	269/273 (98%)	257 (96%)	12 (4%)	0	100	100
8	C	207/209 (99%)	196 (95%)	11 (5%)	0	100	100
9	D	199/201 (99%)	196 (98%)	3 (2%)	0	100	100
10	E	175/179 (98%)	165 (94%)	10 (6%)	0	100	100
11	F	173/177 (98%)	168 (97%)	4 (2%)	1 (1%)	22	55
12	G	147/149 (99%)	142 (97%)	5 (3%)	0	100	100
13	J	140/142 (99%)	138 (99%)	2 (1%)	0	100	100
14	K	121/123 (98%)	118 (98%)	3 (2%)	0	100	100
15	L	142/144 (99%)	138 (97%)	4 (3%)	0	100	100
16	M	134/136 (98%)	132 (98%)	2 (2%)	0	100	100
17	N	117/127 (92%)	112 (96%)	5 (4%)	0	100	100
18	O	114/117 (97%)	109 (96%)	5 (4%)	0	100	100
19	P	112/115 (97%)	112 (100%)	0	0	100	100
20	Q	115/118 (98%)	115 (100%)	0	0	100	100
21	R	101/103 (98%)	95 (94%)	6 (6%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
22	S	108/110 (98%)	103 (95%)	5 (5%)	0	100	100
23	T	92/100 (92%)	89 (97%)	3 (3%)	0	100	100
24	U	101/104 (97%)	98 (97%)	3 (3%)	0	100	100
25	V	92/94 (98%)	91 (99%)	1 (1%)	0	100	100
26	W	74/84 (88%)	70 (95%)	4 (5%)	0	100	100
27	X	75/78 (96%)	73 (97%)	2 (3%)	0	100	100
28	Y	60/63 (95%)	56 (93%)	4 (7%)	0	100	100
29	Z	56/59 (95%)	53 (95%)	3 (5%)	0	100	100
30	a	64/70 (91%)	59 (92%)	5 (8%)	0	100	100
31	b	54/57 (95%)	52 (96%)	2 (4%)	0	100	100
32	c	50/55 (91%)	50 (100%)	0	0	100	100
33	d	44/46 (96%)	42 (96%)	2 (4%)	0	100	100
34	e	62/65 (95%)	57 (92%)	5 (8%)	0	100	100
35	f	36/38 (95%)	36 (100%)	0	0	100	100
36	g	223/241 (92%)	214 (96%)	9 (4%)	0	100	100
37	h	206/233 (88%)	196 (95%)	10 (5%)	0	100	100
38	i	203/206 (98%)	196 (97%)	7 (3%)	0	100	100
39	j	154/167 (92%)	145 (94%)	9 (6%)	0	100	100
40	k	102/135 (76%)	100 (98%)	2 (2%)	0	100	100
41	l	149/179 (83%)	142 (95%)	7 (5%)	0	100	100
42	m	127/130 (98%)	126 (99%)	1 (1%)	0	100	100
43	n	125/130 (96%)	120 (96%)	5 (4%)	0	100	100
44	o	97/103 (94%)	89 (92%)	8 (8%)	0	100	100
45	p	115/129 (89%)	114 (99%)	1 (1%)	0	100	100
46	q	120/124 (97%)	108 (90%)	12 (10%)	0	100	100
47	r	114/118 (97%)	107 (94%)	7 (6%)	0	100	100
48	s	98/101 (97%)	96 (98%)	2 (2%)	0	100	100
49	t	86/89 (97%)	83 (96%)	3 (4%)	0	100	100
50	u	80/82 (98%)	77 (96%)	3 (4%)	0	100	100
51	v	78/84 (93%)	74 (95%)	4 (5%)	0	100	100
52	w	64/75 (85%)	62 (97%)	2 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
53	x	81/92 (88%)	80 (99%)	1 (1%)	0	100	100
54	y	84/87 (97%)	83 (99%)	1 (1%)	0	100	100
55	z	68/71 (96%)	68 (100%)	0	0	100	100
All	All	5673/6141 (92%)	5465 (96%)	207 (4%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
11	F	47	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
6	A	54/177 (30%)	54 (100%)	0	100	100
7	B	216/218 (99%)	215 (100%)	1 (0%)	86	93
8	C	164/164 (100%)	164 (100%)	0	100	100
9	D	165/165 (100%)	165 (100%)	0	100	100
10	E	148/150 (99%)	148 (100%)	0	100	100
11	F	136/138 (99%)	136 (100%)	0	100	100
12	G	114/114 (100%)	114 (100%)	0	100	100
13	J	116/116 (100%)	116 (100%)	0	100	100
14	K	104/104 (100%)	104 (100%)	0	100	100
15	L	103/103 (100%)	103 (100%)	0	100	100
16	M	109/109 (100%)	109 (100%)	0	100	100
17	N	99/103 (96%)	99 (100%)	0	100	100
18	O	86/87 (99%)	86 (100%)	0	100	100
19	P	99/100 (99%)	99 (100%)	0	100	100
20	Q	89/90 (99%)	89 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
21	R	84/84 (100%)	84 (100%)	0	100	100
22	S	93/93 (100%)	93 (100%)	0	100	100
23	T	81/84 (96%)	81 (100%)	0	100	100
24	U	84/85 (99%)	84 (100%)	0	100	100
25	V	78/78 (100%)	78 (100%)	0	100	100
26	W	58/62 (94%)	58 (100%)	0	100	100
27	X	67/68 (98%)	67 (100%)	0	100	100
28	Y	54/55 (98%)	54 (100%)	0	100	100
29	Z	48/49 (98%)	48 (100%)	0	100	100
30	a	59/62 (95%)	59 (100%)	0	100	100
31	b	47/48 (98%)	47 (100%)	0	100	100
32	c	47/49 (96%)	47 (100%)	0	100	100
33	d	38/38 (100%)	38 (100%)	0	100	100
34	e	51/52 (98%)	49 (96%)	2 (4%)	27	57
35	f	34/34 (100%)	34 (100%)	0	100	100
36	g	187/199 (94%)	187 (100%)	0	100	100
37	h	171/190 (90%)	171 (100%)	0	100	100
38	i	172/173 (99%)	172 (100%)	0	100	100
39	j	119/126 (94%)	119 (100%)	0	100	100
40	k	91/116 (78%)	91 (100%)	0	100	100
41	l	124/147 (84%)	124 (100%)	0	100	100
42	m	104/105 (99%)	104 (100%)	0	100	100
43	n	105/107 (98%)	103 (98%)	2 (2%)	52	73
44	o	86/90 (96%)	86 (100%)	0	100	100
45	p	90/99 (91%)	90 (100%)	0	100	100
46	q	102/103 (99%)	100 (98%)	2 (2%)	50	72
47	r	94/96 (98%)	94 (100%)	0	100	100
48	s	83/84 (99%)	83 (100%)	0	100	100
49	t	76/77 (99%)	76 (100%)	0	100	100
50	u	65/65 (100%)	65 (100%)	0	100	100
51	v	74/78 (95%)	74 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
52	w	57/65 (88%)	57 (100%)	0	100	100
53	x	72/79 (91%)	72 (100%)	0	100	100
54	y	65/66 (98%)	65 (100%)	0	100	100
55	z	60/61 (98%)	60 (100%)	0	100	100
All	All	4722/5005 (94%)	4715 (100%)	7 (0%)	92	97

5 of 7 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
43	n	5	GLN
43	n	9	THR
46	q	49	LEU
46	q	47	SER
34	e	32	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 40 such sidechains are listed below:

Mol	Chain	Res	Type
38	i	136	GLN
49	t	80	GLN
40	k	14	GLN
41	l	148	ASN
53	x	52	HIS

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	1	2902/2904 (99%)	456 (15%)	10 (0%)
2	2	1532/1540 (99%)	228 (14%)	3 (0%)
3	3	119/120 (99%)	20 (16%)	0
4	4	10/18 (55%)	8 (80%)	0
5	5	76/77 (98%)	34 (44%)	5 (6%)
All	All	4639/4659 (99%)	746 (16%)	18 (0%)

5 of 746 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	1	10	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	1	27	G
1	1	34	U
1	1	35	G
1	1	46	G

5 of 18 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
5	5	3	G
5	5	72	G
5	5	59	A
1	1	2425	A
5	5	2	G

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

32 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	2MG	2	966	2	18,26,27	1.05	1 (5%)	16,38,41	1.42	3 (18%)
1	PSU	1	746	1,56	18,21,22	1.09	1 (5%)	21,30,33	1.87	5 (23%)
2	PSU	2	516	2	18,21,22	1.08	1 (5%)	21,30,33	1.87	5 (23%)
1	PSU	1	955	1	18,21,22	1.13	1 (5%)	21,30,33	1.85	4 (19%)
1	PSU	1	2580	1	18,21,22	1.10	2 (11%)	21,30,33	2.17	6 (28%)
1	PSU	1	1917	1	18,21,22	1.10	1 (5%)	21,30,33	1.96	5 (23%)
1	2MG	1	2445	1	18,26,27	1.19	2 (11%)	16,38,41	0.92	1 (6%)
1	OMU	1	2552	1	19,22,23	3.07	8 (42%)	25,31,34	1.82	5 (20%)
2	UR3	2	1498	2	19,22,23	2.80	8 (42%)	26,32,35	1.58	4 (15%)
46	0TD	q	89	46	8,9,10	1.78	2 (25%)	6,11,13	1.77	1 (16%)
2	2MG	2	1207	2	18,26,27	1.17	2 (11%)	16,38,41	0.86	1 (6%)
1	5MC	1	1962	1	19,22,23	0.57	0	26,32,35	0.58	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	MA6	2	1519	2	19,26,27	1.80	3 (15%)	18,38,41	3.47	3 (16%)
1	5MU	1	1939	1,56	19,22,23	0.42	0	27,32,35	0.49	0
1	1MG	1	745	1	19,26,27	3.11	7 (36%)	18,39,42	1.61	4 (22%)
1	G7M	1	2069	1	20,26,27	2.67	7 (35%)	16,39,42	1.17	1 (6%)
1	OMG	1	2251	1,5	19,26,27	1.16	2 (10%)	21,38,41	0.81	1 (4%)
2	MA6	2	1518	2	19,26,27	1.81	3 (15%)	18,38,41	3.37	3 (16%)
1	2MA	1	2503	1,56	18,25,26	4.77	11 (61%)	20,37,40	2.53	4 (20%)
1	PSU	1	2457	1	18,21,22	1.07	1 (5%)	21,30,33	1.92	6 (28%)
1	PSU	1	2605	1	18,21,22	1.13	1 (5%)	21,30,33	1.96	5 (23%)
1	OMC	1	2498	1	19,22,23	0.55	0	25,31,34	0.67	0
2	5MC	2	1407	2	19,22,23	0.55	0	26,32,35	0.63	0
1	6MZ	1	1618	1	17,25,26	3.88	6 (35%)	15,36,39	4.52	6 (40%)
1	2MG	1	1835	1	18,26,27	1.18	2 (11%)	16,38,41	0.83	1 (6%)
1	5MU	1	747	1	19,22,23	0.43	0	27,32,35	0.57	0
2	5MC	2	967	2	19,22,23	1.53	3 (15%)	26,32,35	1.35	4 (15%)
1	PSU	1	1911	1	18,21,22	1.13	1 (5%)	21,30,33	1.95	5 (23%)
2	2MG	2	1516	2	18,26,27	1.21	2 (11%)	16,38,41	0.91	1 (6%)
2	7MG	2	527	2	23,26,27	1.09	1 (4%)	27,39,42	0.89	2 (7%)
2	4OC	2	1402	2	20,23,24	3.20	8 (40%)	25,32,35	0.88	1 (4%)
1	PSU	1	2504	1	18,21,22	1.57	5 (27%)	21,30,33	2.11	4 (19%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	2MG	2	966	2	-	0/5/27/28	0/3/3/3
1	PSU	1	746	1,56	-	0/7/25/26	0/2/2/2
2	PSU	2	516	2	-	2/7/25/26	0/2/2/2
1	PSU	1	955	1	-	0/7/25/26	0/2/2/2
1	PSU	1	2580	1	-	0/7/25/26	0/2/2/2
1	PSU	1	1917	1	-	0/7/25/26	0/2/2/2
1	2MG	1	2445	1	-	0/5/27/28	0/3/3/3
1	OMU	1	2552	1	-	0/9/27/28	0/2/2/2
2	UR3	2	1498	2	-	2/7/25/26	0/2/2/2
46	0TD	q	89	46	-	3/7/12/14	-
2	2MG	2	1207	2	-	0/5/27/28	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	5MC	1	1962	1	-	0/7/25/26	0/2/2/2
2	MA6	2	1519	2	-	3/7/29/30	0/3/3/3
1	5MU	1	1939	1,56	-	0/7/25/26	0/2/2/2
1	1MG	1	745	1	-	0/3/25/26	0/3/3/3
1	G7M	1	2069	1	-	0/3/25/26	0/3/3/3
1	OMG	1	2251	1,5	-	0/5/27/28	0/3/3/3
2	MA6	2	1518	2	-	0/7/29/30	0/3/3/3
1	2MA	1	2503	1,56	-	3/3/25/26	0/3/3/3
1	PSU	1	2457	1	-	0/7/25/26	0/2/2/2
1	PSU	1	2605	1	-	0/7/25/26	0/2/2/2
1	OMC	1	2498	1	-	0/9/27/28	0/2/2/2
2	5MC	2	1407	2	-	0/7/25/26	0/2/2/2
1	6MZ	1	1618	1	-	1/5/27/28	0/3/3/3
1	2MG	1	1835	1	-	2/5/27/28	0/3/3/3
1	5MU	1	747	1	-	0/7/25/26	0/2/2/2
2	5MC	2	967	2	-	2/7/25/26	0/2/2/2
1	PSU	1	1911	1	-	0/7/25/26	0/2/2/2
2	2MG	2	1516	2	-	0/5/27/28	0/3/3/3
2	7MG	2	527	2	-	3/7/37/38	0/3/3/3
2	4OC	2	1402	2	-	1/9/29/30	0/2/2/2
1	PSU	1	2504	1	-	2/7/25/26	0/2/2/2

The worst 5 of 92 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	1	1618	6MZ	C3'-C4'	-9.25	1.29	1.53
1	1	2503	2MA	C3'-C4'	-9.14	1.29	1.53
1	1	745	1MG	C2-N3	8.85	1.47	1.33
1	1	2503	2MA	C4-N3	8.41	1.48	1.35
1	1	2503	2MA	O4'-C1'	-7.88	1.30	1.40

The worst 5 of 91 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	1	1618	6MZ	C1'-N9-C4	13.56	150.46	126.64
2	2	1519	MA6	N1-C6-N6	-12.61	102.26	116.83
2	2	1518	MA6	N1-C6-N6	-12.20	102.74	116.83
1	1	2503	2MA	C1'-N9-C4	8.71	141.94	126.64
1	1	2504	PSU	N1-C2-N3	6.66	122.19	115.17

There are no chirality outliers.

5 of 24 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	2	516	PSU	O4'-C1'-C5-C4
2	2	516	PSU	O4'-C1'-C5-C6
1	1	2504	PSU	O4'-C4'-C5'-O5'
2	2	967	5MC	O4'-C4'-C5'-O5'
2	2	1519	MA6	O4'-C4'-C5'-O5'

There are no ring outliers.

15 monomers are involved in 24 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	1	746	PSU	1	0
2	2	516	PSU	1	0
1	1	955	PSU	1	0
1	1	2580	PSU	2	0
1	1	1917	PSU	1	0
1	1	2552	OMU	2	0
46	q	89	0TD	4	0
1	1	1962	5MC	3	0
1	1	1939	5MU	1	0
1	1	745	1MG	1	0
1	1	2069	G7M	1	0
2	2	1518	MA6	1	0
1	1	747	5MU	1	0
2	2	1516	2MG	2	0
2	2	1402	4OC	2	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 396 ligands modelled in this entry, 395 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
57	LYS	5	101	5	7,8,9	1.10	1 (14%)	3,8,10	0.54	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
57	LYS	5	101	5	-	3/6/7/9	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
57	5	101	LYS	O-C	2.61	1.29	1.20

There are no bond angle outliers.

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
57	5	101	LYS	CE-CD-CG-CB
57	5	101	LYS	CG-CD-CE-NZ
57	5	101	LYS	CA-CB-CG-CD

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-42714. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 256




Y Index: 256




Z Index: 256


6.2.2 Raw map



X Index: 256



Y Index: 256




Z Index: 256


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 264




Y Index: 250




Z Index: 274


6.3.2 Raw map



X Index: 264



Y Index: 250




Z Index: 274


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.012. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 2984 nm³; this corresponds to an approximate mass of 2696 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.278 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.278 \AA^{-1}

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.60	-	-
Author-provided FSC curve	3.58	4.44	3.71
Unmasked-calculated*	5.08	8.13	5.35

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 5.08 differs from the reported value 3.6 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-42714 and PDB model 8UX8. Per-residue inclusion information can be found in section [3](#) on page [17](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.012 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.012).







































































9.4 Atom inclusion ⓘ



At the recommended contour level, 96% of all backbone atoms, 97% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ











































The table lists the average atom inclusion at the recommended contour level (0.012) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9700	 0.4060
1	 0.9890	 0.4060
2	 0.9870	 0.4080
3	 0.9770	 0.3810
4	 1.0000	 0.3440
5	 1.0000	 0.3840
A	 0.7680	 0.1920
B	 0.9980	 0.4600
C	 0.9680	 0.4520
D	 0.9180	 0.4220
E	 0.9290	 0.3660
F	 0.9180	 0.3970
G	 0.7430	 0.3310
J	 0.9860	 0.4350
K	 0.9970	 0.4530
L	 0.9570	 0.4370
M	 0.9920	 0.4400
N	 0.9950	 0.4330
O	 0.9470	 0.4010
P	 0.9800	 0.4490
Q	 0.9770	 0.4080
R	 0.9320	 0.4390
S	 0.9870	 0.4400
T	 0.9600	 0.4270
U	 0.9250	 0.4120
V	 0.9270	 0.4140
W	 0.9950	 0.4500
X	 0.9870	 0.4330
Y	 0.9280	 0.3600
Z	 0.9470	 0.4310
a	 0.8200	 0.3530
b	 0.9860	 0.4470
c	 0.9950	 0.4220
d	 1.0000	 0.4510
e	 1.0000	 0.4430



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
f	 1.0000	 0.4460
g	 0.5550	 0.3390
h	 0.9580	 0.4090
i	 0.9280	 0.3870
j	 0.9780	 0.4190
k	 0.9380	 0.4030
l	 0.9550	 0.3640
m	 0.9540	 0.4270
n	 0.9350	 0.4010
o	 0.8710	 0.3690
p	 0.9730	 0.4190
q	 0.9890	 0.4310
r	 0.9230	 0.3740
s	 0.9700	 0.3920
t	 0.9830	 0.3800
u	 0.9390	 0.4220
v	 0.9830	 0.4110
w	 0.9430	 0.3650
x	 0.9400	 0.3940
y	 0.9760	 0.3600
z	 0.7110	 0.3290