



wwPDB EM Validation Summary Report ⓘ

Mar 30, 2026 – 12:20 PM JST

PDB ID : 9VIN / pdb_00009vin
EMDB ID : EMD-65094
Title : Ternary complex of TNFR1-DD, TRADD-DD and RIPK1-DD
Authors : Liu, J.; Han, Y.; Zhao, J.; Gao, J.; Yuan, J.
Deposited on : 2025-06-18
Resolution : 3.41 Å(reported)
Based on initial models : 6ac0, 6AC5, 1ICH

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.48.1

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.41 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	210492	15764	-
Ramachandran outliers	207382	16835	-
Sidechain outliers	206894	16415	-
Q-score	-	25397	13997 (2.91 - 3.91)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	E	118	<p>34% (Poor fit), 73% (0 outliers), 18% (1 outlier), 9% (2+ outliers)</p>
1	F	118	<p>13% (Poor fit), 69% (0 outliers), 21% (1 outlier), 9% (2+ outliers)</p>
1	N	118	<p>16% (Poor fit), 66% (0 outliers), 24% (1 outlier), 9% (2+ outliers)</p>
1	V	118	<p>25% (Poor fit), 64% (0 outliers), 27% (1 outlier), 9% (2+ outliers)</p>



Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	W	118	16% 69% 21% 9%
2	i	116	7% 71% 16% 14%
2	j	116	11% 70% 16% 14%
2	k	116	. 67% 19% 14%
2	l	116	. 76% 10% 14%
2	m	116	5% 67% 19% 14%
2	n	116	. 70% 16% 14%
2	o	116	. 59% 27% 14%
2	p	116	34% 66% 19% 14%
2	q	116	19% 64% 22% 14%
2	r	116	10% 66% 21% 14%
2	s	116	. 67% 19% 14%
2	t	116	9% 73% 13% 14%
2	u	116	77% 66% 21% 14%
3	A	118	66% 53% 20% 26%
3	B	118	63% 50% 24% 26%
3	C	118	21% 61% 13% 26%
3	D	118	55% 42% 31% 26%
3	G	118	18% 53% 21% 26%
3	a	118	18% 53% 20% 26%
3	b	118	38% 44% 30% 26%
3	c	118	73% 47% 26% 26%
3	d	118	15% 58% 14% 26%
3	e	118	45% 55% 19% 26%
3	f	118	74% 47% 27% 26%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	g	118	
3	h	118	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 24273 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tumor necrosis factor receptor type 1-associated DEATH domain protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	E	107	867	544	162	160	1	0	0
1	F	107	867	544	162	160	1	0	0
1	N	107	867	544	162	160	1	0	0
1	V	107	867	544	162	160	1	0	0
1	W	107	867	544	162	160	1	0	0

There are 20 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	195	GLY	-	expression tag	UNP Q15628
E	196	PRO	-	expression tag	UNP Q15628
E	197	GLY	-	expression tag	UNP Q15628
E	198	SER	-	expression tag	UNP Q15628
F	195	GLY	-	expression tag	UNP Q15628
F	196	PRO	-	expression tag	UNP Q15628
F	197	GLY	-	expression tag	UNP Q15628
F	198	SER	-	expression tag	UNP Q15628
N	195	GLY	-	expression tag	UNP Q15628
N	196	PRO	-	expression tag	UNP Q15628
N	197	GLY	-	expression tag	UNP Q15628
N	198	SER	-	expression tag	UNP Q15628
V	195	GLY	-	expression tag	UNP Q15628
V	196	PRO	-	expression tag	UNP Q15628
V	197	GLY	-	expression tag	UNP Q15628
V	198	SER	-	expression tag	UNP Q15628
W	195	GLY	-	expression tag	UNP Q15628
W	196	PRO	-	expression tag	UNP Q15628
W	197	GLY	-	expression tag	UNP Q15628

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
W	198	SER	-	expression tag	UNP Q15628

- Molecule 2 is a protein called Receptor-interacting serine/threonine-protein kinase 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	i	100	815	513	146	152	4	0	0
2	j	100	815	513	146	152	4	0	0
2	k	100	815	513	146	152	4	0	0
2	l	100	815	513	146	152	4	0	0
2	m	100	815	513	146	152	4	0	0
2	n	100	818	515	146	153	4	1	0
2	o	100	815	513	146	152	4	0	0
2	p	100	818	515	146	152	5	1	0
2	q	100	815	513	146	152	4	0	0
2	r	100	815	513	146	152	4	0	0
2	s	100	815	513	146	152	4	0	0
2	t	100	815	513	146	152	4	0	0
2	u	100	818	515	146	152	5	1	0

There are 39 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
i	556	GLY	-	expression tag	UNP Q13546
i	557	PRO	-	expression tag	UNP Q13546
i	558	GLY	-	expression tag	UNP Q13546
j	556	GLY	-	expression tag	UNP Q13546
j	557	PRO	-	expression tag	UNP Q13546
j	558	GLY	-	expression tag	UNP Q13546
k	556	GLY	-	expression tag	UNP Q13546

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
k	557	PRO	-	expression tag	UNP Q13546
k	558	GLY	-	expression tag	UNP Q13546
l	556	GLY	-	expression tag	UNP Q13546
l	557	PRO	-	expression tag	UNP Q13546
l	558	GLY	-	expression tag	UNP Q13546
m	556	GLY	-	expression tag	UNP Q13546
m	557	PRO	-	expression tag	UNP Q13546
m	558	GLY	-	expression tag	UNP Q13546
n	556	GLY	-	expression tag	UNP Q13546
n	557	PRO	-	expression tag	UNP Q13546
n	558	GLY	-	expression tag	UNP Q13546
o	556	GLY	-	expression tag	UNP Q13546
o	557	PRO	-	expression tag	UNP Q13546
o	558	GLY	-	expression tag	UNP Q13546
p	556	GLY	-	expression tag	UNP Q13546
p	557	PRO	-	expression tag	UNP Q13546
p	558	GLY	-	expression tag	UNP Q13546
q	556	GLY	-	expression tag	UNP Q13546
q	557	PRO	-	expression tag	UNP Q13546
q	558	GLY	-	expression tag	UNP Q13546
r	556	GLY	-	expression tag	UNP Q13546
r	557	PRO	-	expression tag	UNP Q13546
r	558	GLY	-	expression tag	UNP Q13546
s	556	GLY	-	expression tag	UNP Q13546
s	557	PRO	-	expression tag	UNP Q13546
s	558	GLY	-	expression tag	UNP Q13546
t	556	GLY	-	expression tag	UNP Q13546
t	557	PRO	-	expression tag	UNP Q13546
t	558	GLY	-	expression tag	UNP Q13546
u	556	GLY	-	expression tag	UNP Q13546
u	557	PRO	-	expression tag	UNP Q13546
u	558	GLY	-	expression tag	UNP Q13546

- Molecule 3 is a protein called Tumor necrosis factor receptor superfamily member 1A, membrane form.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	A	87	Total	C	N	O	S	0	0
			718	448	135	131	4		
3	B	87	Total	C	N	O	S	0	0
			718	448	135	131	4		
3	C	87	Total	C	N	O	S	0	0
			718	448	135	131	4		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
3	D	87	Total	C	N	O	S	0	0
			718	448	135	131	4		
3	G	87	Total	C	N	O	S	0	0
			718	448	135	131	4		
3	a	87	Total	C	N	O	S	0	0
			718	448	135	131	4		
3	b	87	Total	C	N	O	S	0	0
			718	448	135	131	4		
3	c	87	Total	C	N	O	S	0	0
			718	448	135	131	4		
3	d	87	Total	C	N	O	S	0	0
			718	448	135	131	4		
3	e	87	Total	C	N	O	S	0	0
			718	448	135	131	4		
3	f	87	Total	C	N	O	S	0	0
			718	448	135	131	4		
3	g	87	Total	C	N	O	S	0	0
			718	448	135	131	4		
3	h	87	Total	C	N	O	S	0	0
			718	448	135	131	4		

There are 52 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	338	GLY	-	expression tag	UNP P19438
A	339	PRO	-	expression tag	UNP P19438
A	340	GLY	-	expression tag	UNP P19438
A	341	SER	-	expression tag	UNP P19438
B	338	GLY	-	expression tag	UNP P19438
B	339	PRO	-	expression tag	UNP P19438
B	340	GLY	-	expression tag	UNP P19438
B	341	SER	-	expression tag	UNP P19438
C	338	GLY	-	expression tag	UNP P19438
C	339	PRO	-	expression tag	UNP P19438
C	340	GLY	-	expression tag	UNP P19438
C	341	SER	-	expression tag	UNP P19438
D	338	GLY	-	expression tag	UNP P19438
D	339	PRO	-	expression tag	UNP P19438
D	340	GLY	-	expression tag	UNP P19438
D	341	SER	-	expression tag	UNP P19438
G	338	GLY	-	expression tag	UNP P19438
G	339	PRO	-	expression tag	UNP P19438
G	340	GLY	-	expression tag	UNP P19438

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	341	SER	-	expression tag	UNP P19438
a	338	GLY	-	expression tag	UNP P19438
a	339	PRO	-	expression tag	UNP P19438
a	340	GLY	-	expression tag	UNP P19438
a	341	SER	-	expression tag	UNP P19438
b	338	GLY	-	expression tag	UNP P19438
b	339	PRO	-	expression tag	UNP P19438
b	340	GLY	-	expression tag	UNP P19438
b	341	SER	-	expression tag	UNP P19438
c	338	GLY	-	expression tag	UNP P19438
c	339	PRO	-	expression tag	UNP P19438
c	340	GLY	-	expression tag	UNP P19438
c	341	SER	-	expression tag	UNP P19438
d	338	GLY	-	expression tag	UNP P19438
d	339	PRO	-	expression tag	UNP P19438
d	340	GLY	-	expression tag	UNP P19438
d	341	SER	-	expression tag	UNP P19438
e	338	GLY	-	expression tag	UNP P19438
e	339	PRO	-	expression tag	UNP P19438
e	340	GLY	-	expression tag	UNP P19438
e	341	SER	-	expression tag	UNP P19438
f	338	GLY	-	expression tag	UNP P19438
f	339	PRO	-	expression tag	UNP P19438
f	340	GLY	-	expression tag	UNP P19438
f	341	SER	-	expression tag	UNP P19438
g	338	GLY	-	expression tag	UNP P19438
g	339	PRO	-	expression tag	UNP P19438
g	340	GLY	-	expression tag	UNP P19438
g	341	SER	-	expression tag	UNP P19438
h	338	GLY	-	expression tag	UNP P19438
h	339	PRO	-	expression tag	UNP P19438
h	340	GLY	-	expression tag	UNP P19438
h	341	SER	-	expression tag	UNP P19438


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Tumor necrosis factor receptor type 1-associated DEATH domain protein



- Molecule 1: Tumor necrosis factor receptor type 1-associated DEATH domain protein




- Molecule 1: Tumor necrosis factor receptor type 1-associated DEATH domain protein




- Molecule 1: Tumor necrosis factor receptor type 1-associated DEATH domain protein






- Molecule 1: Tumor necrosis factor receptor type 1-associated DEATH domain protein




- Molecule 2: Receptor-interacting serine/threonine-protein kinase 1




- Molecule 2: Receptor-interacting serine/threonine-protein kinase 1



- Molecule 2: Receptor-interacting serine/threonine-protein kinase 1



- Molecule 2: Receptor-interacting serine/threonine-protein kinase 1




- Molecule 2: Receptor-interacting serine/threonine-protein kinase 1





- Molecule 2: Receptor-interacting serine/threonine-protein kinase 1



- Molecule 2: Receptor-interacting serine/threonine-protein kinase 1




- Molecule 2: Receptor-interacting serine/threonine-protein kinase 1




- Molecule 2: Receptor-interacting serine/threonine-protein kinase 1






• Molecule 2: Receptor-interacting serine/threonine-protein kinase 1





• Molecule 2: Receptor-interacting serine/threonine-protein kinase 1




• Molecule 2: Receptor-interacting serine/threonine-protein kinase 1




• Molecule 2: Receptor-interacting serine/threonine-protein kinase 1




• Molecule 3: Tumor necrosis factor receptor superfamily member 1A, membrane form




• Molecule 3: Tumor necrosis factor receptor superfamily member 1A, membrane form




• Molecule 3: Tumor necrosis factor receptor superfamily member 1A, membrane form




• Molecule 3: Tumor necrosis factor receptor superfamily member 1A, membrane form




• Molecule 3: Tumor necrosis factor receptor superfamily member 1A, membrane form









• Molecule 3: Tumor necrosis factor receptor superfamily member 1A, membrane form




• Molecule 3: Tumor necrosis factor receptor superfamily member 1A, membrane form




• Molecule 3: Tumor necrosis factor receptor superfamily member 1A, membrane form




• Molecule 3: Tumor necrosis factor receptor superfamily member 1A, membrane form




• Molecule 3: Tumor necrosis factor receptor superfamily member 1A, membrane form




• Molecule 3: Tumor necrosis factor receptor superfamily member 1A, membrane form



• Molecule 3: Tumor necrosis factor receptor superfamily member 1A, membrane form



• Molecule 3: Tumor necrosis factor receptor superfamily member 1A, membrane form



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	68510	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	2400	Depositor
Magnification	81000	Depositor
Image detector	GATAN K3 BIOCONTINUUM (6k x 4k)	Depositor
Maximum map value	1.232	Depositor
Minimum map value	-0.420	Depositor
Average map value	0.003	Depositor
Map value standard deviation	0.042	Depositor
Recommended contour level	0.393	Depositor
Map size (\AA)	316.49997, 316.49997, 316.49997	wwPDB
Map dimensions	300, 300, 300	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.055, 1.055, 1.055	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	E	0.14	0/879	0.33	0/1183
1	F	0.15	0/879	0.33	0/1183
1	N	0.13	0/879	0.32	0/1183
1	V	0.13	0/879	0.30	0/1183
1	W	0.15	0/879	0.32	0/1183
2	i	0.13	0/829	0.30	0/1113
2	j	0.13	0/829	0.31	0/1113
2	k	0.14	0/829	0.26	0/1113
2	l	0.14	0/829	0.26	0/1113
2	m	0.14	0/829	0.26	0/1113
2	n	0.13	0/835	0.24	0/1121
2	o	0.14	0/829	0.28	0/1113
2	p	0.16	0/835	0.38	0/1121
2	q	0.15	0/829	0.36	0/1113
2	r	0.14	0/829	0.28	0/1113
2	s	0.13	0/829	0.23	0/1113
2	t	0.13	0/829	0.26	0/1113
2	u	0.11	0/835	0.31	0/1121
3	A	0.11	0/729	0.31	0/985
3	B	0.13	0/729	0.36	0/985
3	C	0.12	0/729	0.28	0/985
3	D	0.12	0/729	0.30	0/985
3	G	0.12	0/729	0.29	0/985
3	a	0.12	0/729	0.27	0/985
3	b	0.12	0/729	0.34	0/985
3	c	0.11	0/729	0.30	0/985
3	d	0.11	0/729	0.24	0/985
3	e	0.14	0/729	0.35	0/985
3	f	0.16	0/729	0.40	0/985
3	g	0.13	0/729	0.30	0/985
3	h	0.17	0/729	0.35	0/985
All	All	0.13	0/24667	0.31	0/33213

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	E	867	0	877	15	0
1	F	867	0	877	16	0
1	N	867	0	877	19	0
1	V	867	0	877	20	0
1	W	867	0	877	18	0
2	i	815	0	817	11	0
2	j	815	0	817	17	0
2	k	815	0	817	14	0
2	l	815	0	817	7	0
2	m	815	0	817	16	0
2	n	818	0	822	13	0
2	o	815	0	817	19	0
2	p	818	0	820	18	0
2	q	815	0	817	17	0
2	r	815	0	817	16	0
2	s	815	0	817	14	0
2	t	815	0	817	9	0
2	u	818	0	820	17	0
3	A	718	0	726	21	0
3	B	718	0	726	22	0
3	C	718	0	726	13	0
3	D	718	0	726	33	0
3	G	718	0	726	18	0
3	a	718	0	726	16	0
3	b	718	0	726	33	0
3	c	718	0	726	30	0
3	d	718	0	726	11	0
3	e	718	0	726	19	0
3	f	718	0	726	33	0
3	g	718	0	726	17	0
3	h	718	0	726	33	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	24273	0	24455	506	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

The worst 5 of 506 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:c:394:ARG:HH22	3:f:393:GLY:HA3	1.49	0.77
3:c:371:TRP:O	3:c:374:PHE:HB3	1.84	0.76
2:i:593:ASN:HB2	2:i:661:LEU:HD21	1.66	0.76
3:a:380:LEU:HD11	3:a:407:TRP:HB2	1.69	0.75
3:D:392:ASN:HB2	3:D:399:ALA:HB2	1.69	0.74

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	E	105/118 (89%)	103 (98%)	2 (2%)	0	100	100
1	F	105/118 (89%)	100 (95%)	5 (5%)	0	100	100
1	N	105/118 (89%)	100 (95%)	5 (5%)	0	100	100
1	V	105/118 (89%)	101 (96%)	4 (4%)	0	100	100
1	W	105/118 (89%)	98 (93%)	7 (7%)	0	100	100
2	i	98/116 (84%)	94 (96%)	4 (4%)	0	100	100
2	j	98/116 (84%)	96 (98%)	2 (2%)	0	100	100
2	k	98/116 (84%)	97 (99%)	1 (1%)	0	100	100
2	l	98/116 (84%)	96 (98%)	2 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	m	98/116 (84%)	98 (100%)	0	0	100	100
2	n	99/116 (85%)	98 (99%)	1 (1%)	0	100	100
2	o	98/116 (84%)	97 (99%)	1 (1%)	0	100	100
2	p	99/116 (85%)	95 (96%)	4 (4%)	0	100	100
2	q	98/116 (84%)	94 (96%)	4 (4%)	0	100	100
2	r	98/116 (84%)	97 (99%)	1 (1%)	0	100	100
2	s	98/116 (84%)	98 (100%)	0	0	100	100
2	t	98/116 (84%)	97 (99%)	1 (1%)	0	100	100
2	u	99/116 (85%)	98 (99%)	1 (1%)	0	100	100
3	A	85/118 (72%)	81 (95%)	4 (5%)	0	100	100
3	B	85/118 (72%)	82 (96%)	3 (4%)	0	100	100
3	C	85/118 (72%)	82 (96%)	3 (4%)	0	100	100
3	D	85/118 (72%)	83 (98%)	2 (2%)	0	100	100
3	G	85/118 (72%)	84 (99%)	1 (1%)	0	100	100
3	a	85/118 (72%)	83 (98%)	2 (2%)	0	100	100
3	b	85/118 (72%)	82 (96%)	3 (4%)	0	100	100
3	c	85/118 (72%)	83 (98%)	2 (2%)	0	100	100
3	d	85/118 (72%)	84 (99%)	1 (1%)	0	100	100
3	e	85/118 (72%)	83 (98%)	2 (2%)	0	100	100
3	f	85/118 (72%)	82 (96%)	3 (4%)	0	100	100
3	g	85/118 (72%)	81 (95%)	4 (5%)	0	100	100
3	h	85/118 (72%)	84 (99%)	1 (1%)	0	100	100
All	All	2907/3632 (80%)	2831 (97%)	76 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	E	90/96 (94%)	90 (100%)	0	100	100
1	F	90/96 (94%)	90 (100%)	0	100	100
1	N	90/96 (94%)	88 (98%)	2 (2%)	47	68
1	V	90/96 (94%)	89 (99%)	1 (1%)	70	81
1	W	90/96 (94%)	90 (100%)	0	100	100
2	i	89/101 (88%)	89 (100%)	0	100	100
2	j	89/101 (88%)	88 (99%)	1 (1%)	70	81
2	k	89/101 (88%)	89 (100%)	0	100	100
2	l	89/101 (88%)	89 (100%)	0	100	100
2	m	89/101 (88%)	89 (100%)	0	100	100
2	n	90/101 (89%)	90 (100%)	0	100	100
2	o	89/101 (88%)	89 (100%)	0	100	100
2	p	90/101 (89%)	89 (99%)	1 (1%)	70	81
2	q	89/101 (88%)	88 (99%)	1 (1%)	70	81
2	r	89/101 (88%)	89 (100%)	0	100	100
2	s	89/101 (88%)	89 (100%)	0	100	100
2	t	89/101 (88%)	89 (100%)	0	100	100
2	u	90/101 (89%)	90 (100%)	0	100	100
3	A	77/101 (76%)	76 (99%)	1 (1%)	65	78
3	B	77/101 (76%)	76 (99%)	1 (1%)	65	78
3	C	77/101 (76%)	77 (100%)	0	100	100
3	D	77/101 (76%)	77 (100%)	0	100	100
3	G	77/101 (76%)	77 (100%)	0	100	100
3	a	77/101 (76%)	77 (100%)	0	100	100
3	b	77/101 (76%)	77 (100%)	0	100	100
3	c	77/101 (76%)	77 (100%)	0	100	100
3	d	77/101 (76%)	76 (99%)	1 (1%)	65	78
3	e	77/101 (76%)	77 (100%)	0	100	100
3	f	77/101 (76%)	77 (100%)	0	100	100
3	g	77/101 (76%)	77 (100%)	0	100	100
3	h	77/101 (76%)	77 (100%)	0	100	100
All	All	2611/3106 (84%)	2602 (100%)	9 (0%)	90	95

5 of 9 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
3	B	369	LEU
3	d	417	THR
2	j	637	MET
2	p	605	LEU
2	q	641	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 24 such sidechains are listed below:

Mol	Chain	Res	Type
2	p	611	GLN
3	G	365	ASN
2	r	593	ASN
3	b	365	ASN
2	k	600	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-65094. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 150




Y Index: 150




Z Index: 150


6.2.2 Raw map



X Index: 150



Y Index: 150




Z Index: 150


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 154




Y Index: 156




Z Index: 128


6.3.2 Raw map



X Index: 154



Y Index: 156




Z Index: 299


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)


6.5.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.393. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 91 nm^3 ; this corresponds to an approximate mass of 82 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i




*Reported resolution corresponds to spatial frequency of 0.293 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.293 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.41	-	-
Author-provided FSC curve	3.19	3.65	3.23
Unmasked-calculated*	4.01	7.29	4.11

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.01 differs from the reported value 3.41 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-65094 and PDB model 9VIN. Per-residue inclusion information can be found in section 3 on page 10.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.393 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.393).

































































9.4 Atom inclusion [i](#)



At the recommended contour level, 69% of all backbone atoms, 50% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.393) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.5010	 0.4250
A	 0.1050	 0.2460
B	 0.1580	 0.2870
C	 0.5090	 0.4450
D	 0.2760	 0.3510
E	 0.4560	 0.4490
F	 0.6000	 0.4900
G	 0.5360	 0.4440
N	 0.6200	 0.4790
V	 0.5320	 0.4700
W	 0.5910	 0.4900
a	 0.5570	 0.4490
b	 0.4290	 0.4070
c	 0.0360	 0.1840
d	 0.5640	 0.4570
e	 0.3630	 0.3820
f	 0.0020	 0.1200
g	 0.5390	 0.4510
h	 0.4910	 0.4290
i	 0.6450	 0.4850
j	 0.6080	 0.4700
k	 0.6920	 0.5010
l	 0.6950	 0.5010
m	 0.6860	 0.5020
n	 0.6980	 0.4990
o	 0.6860	 0.4970
p	 0.4280	 0.3690
q	 0.5720	 0.4400
r	 0.6320	 0.4730
s	 0.6820	 0.4860
t	 0.6680	 0.4950
u	 0.1750	 0.3160

