



Full wwPDB X-ray Structure Validation Report i

Jan 1, 2025 – 01:34 AM EST

PDB ID : 8VXL

Title : Crystal Structure of the External Aldimine Complex of Pyridoxal-5'-Tetrazole and (S)-4-amino-5-phenoxypentanoate with the Bacillus subtilis GabR C-terminal Effector-binding and Oligomerization Domain

Authors : Kaley, N.E.; Liveris, Z.J.; Becker, D.P.; Liu, D.

Deposited on : 2024-02-05

Resolution : 2.24 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the i symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity : 4.02b-467

Mogul : 2022.3.0, CSD as543be (2022)

Xtriage (Phenix) : 1.21

EDS : 3.0

buster-report : 1.1.7 (2018)

Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)

CCP4 : 9.0.004 (Gargrove)

Density-Fitness : 1.0.11

Ideal geometry (proteins) : Engh & Huber (2001)

Ideal geometry (DNA, RNA) : Parkinson et al. (1996)

Validation Pipeline (wwPDB-VP) : 2.40


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.24 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	3139 (2.26-2.22)
Clashscore	180529	3381 (2.26-2.22)
Ramachandran outliers	177936	3334 (2.26-2.22)
Sidechain outliers	177891	3335 (2.26-2.22)
RSRZ outliers	164620	3138 (2.26-2.22)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	GOL	A	501	-	-	X	-

2 Entry composition (i)

There are 6 unique types of molecules in this entry. The entry contains 6089 atoms, of which 60 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called HTH-type transcriptional regulatory protein GabR.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace	
1	A	363	Total	C 2960	H 1851	N 46	O 502	S 545	16	0	4	0
1	B	364	Total	C 2898	H 1833	N 14	O 494	S 539	18	0	2	0

There are 14 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	103	MET	-	initiating methionine	UNP P94426
A	480	HIS	-	expression tag	UNP P94426
A	481	HIS	-	expression tag	UNP P94426
A	482	HIS	-	expression tag	UNP P94426
A	483	HIS	-	expression tag	UNP P94426
A	484	HIS	-	expression tag	UNP P94426
A	485	HIS	-	expression tag	UNP P94426
B	103	MET	-	initiating methionine	UNP P94426
B	480	HIS	-	expression tag	UNP P94426
B	481	HIS	-	expression tag	UNP P94426
B	482	HIS	-	expression tag	UNP P94426
B	483	HIS	-	expression tag	UNP P94426
B	484	HIS	-	expression tag	UNP P94426
B	485	HIS	-	expression tag	UNP P94426

- Molecule 2 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 6 3 3	0	0
2	A	1	Total C O 6 3 3	0	0
2	B	1	Total C O 6 3 3	0	0
2	B	1	Total C O 6 3 3	0	0
2	B	1	Total C O 6 3 3	0	0

- Molecule 3 is (4S)-4-[(E)-({3-hydroxy-2-methyl-5-[{(E)-2-(1H-tetrazol-5-yl)ethenyl]pyridin-4-yl}methylidene)amino}-5-phenoxypentanoic acid (three-letter code: A1AEJ) (formula: C₂₁H₂₂N₆O₄) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C N O 31 21 6 4	0	0
3	B	1	Total C N O 31 21 6 4	0	0

- Molecule 4 is LYSINE (three-letter code: LYS) (formula: C₆H₁₅N₂O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	1	Total C N O 5 3 1 1	0	0
4	B	1	Total C N O 9 6 2 1	0	0

- Molecule 5 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	B	1	Total O P 5 4 1	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	57	Total O 57 57	0	0
6	B	63	Total O 63 63	0	0



3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: HTH-type transcriptional regulatory protein GabR



- Molecule 1: HTH-type transcriptional regulatory protein GabR



4 Data and refinement statistics i

Property	Value	Source
Space group	P 41	Depositor
Cell constants a, b, c, α , β , γ	118.32Å 118.32Å 75.20Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	39.44 – 2.24 39.44 – 2.24	Depositor EDS
% Data completeness (in resolution range)	99.7 (39.44-2.24) 99.7 (39.44-2.24)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle^1$	1.29 (at 2.24Å)	Xtriage
Refinement program	PHENIX (1.20.1_4487: ???)	Depositor
R , R_{free}	0.213 , 0.256 0.213 , 0.256	Depositor DCC
R_{free} test set	2536 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	37.9	Xtriage
Anisotropy	0.244	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 46.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.040 for h,-k,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	6089	wwPDB-VP
Average B, all atoms (Å ²)	48.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.39% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: A1AEJ, PO4, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.48	1/2972 (0.0%)	0.65	0/4013
1	B	0.46	0/2947	0.63	0/3980
All	All	0.47	1/5919 (0.0%)	0.64	0/7993

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	343	CYS	CB-SG	-5.48	1.72	1.81

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	430	ARG	Sidechain

5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2914	46	2895	99	1
1	B	2884	14	2849	80	1
2	A	12	0	16	6	0
2	B	18	0	24	4	0
3	A	31	0	0	2	0
3	B	31	0	0	2	0
4	B	14	0	14	4	0
5	B	5	0	0	0	0
6	A	57	0	0	2	0
6	B	63	0	0	3	0
All	All	6029	60	5798	169	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (169) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:341:GLN:HA	2:B:505:GOL:H31	1.24	1.16
1:A:431:PHE:CE2	1:A:446:ILE:HD11	1.94	1.01
1:A:318:LEU:HD21	1:A:320:ILE:HD11	1.50	0.92
1:A:182:GLN:NE2	6:A:601:HOH:O	2.06	0.89
1:B:320:ILE:HD11	1:B:347:THR:HG22	1.58	0.85
1:A:315[A]:LEU:HD23	1:A:318:LEU:HB2	1.59	0.84
1:A:472:LYS:HD2	1:A:474:ILE:HG12	1.61	0.82
1:A:266:ASN:O	1:A:270:GLU:HG3	1.80	0.81
1:B:410:THR:HG22	1:B:412:GLN:H	1.45	0.81
1:A:316[A]:PRO:HB3	1:B:143:GLY:HA2	1.64	0.79
1:B:375:ARG:HE	1:B:395:ALA:HB1	1.47	0.79
1:A:227:LYS:HD3	2:A:501:GOL:H12	1.67	0.77
1:A:318:LEU:HD12	1:A:319:ARG:H	1.49	0.77
1:B:367:MET:HA	1:B:367:MET:CE	2.15	0.77
1:A:315[A]:LEU:HD12	1:A:316[A]:PRO:HD2	1.69	0.75
1:A:462:GLN:O	1:A:463:ARG:HB2	1.87	0.72
1:A:318:LEU:HD12	1:A:319:ARG:N	2.04	0.72
1:A:431:PHE:CE2	1:A:446:ILE:CD1	2.71	0.72
1:B:367:MET:HA	1:B:367:MET:HE2	1.69	0.72
1:A:431:PHE:HE2	1:A:446:ILE:HD11	1.50	0.71
1:A:472:LYS:CD	1:A:474:ILE:HG12	2.21	0.71
1:A:287:TYR:HB3	1:A:372:LYS:HD3	1.73	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:227:LYS:CD	2:A:501:GOL:H12	2.21	0.71
1:A:451:ARG:O	1:A:451:ARG:HG3	1.91	0.69
1:A:263:GLN:OE1	2:A:501:GOL:H11	1.92	0.69
1:A:405:PHE:O	1:A:443:PRO:HD2	1.91	0.69
1:B:425:ILE:HD11	1:B:447:ILE:CD1	2.23	0.68
1:A:451:ARG:NH2	1:B:144:ASP:OD1	2.28	0.66
1:B:231:ILE:O	1:B:235:THR:HG23	1.95	0.66
1:B:246:PRO:HD2	6:B:634:HOH:O	1.95	0.66
1:B:320:ILE:HD11	1:B:347:THR:CG2	2.27	0.64
1:A:469:TYR:HD2	1:A:470:GLY:H	1.44	0.62
4:B:501:LYS:O	4:B:502:LYS:HB2	1.98	0.62
1:A:316[A]:PRO:HB3	1:B:143:GLY:CA	2.29	0.62
1:B:154:VAL:HG21	1:B:348:GLN:HB3	1.83	0.61
1:B:284:GLU:H	1:B:284:GLU:CD	2.04	0.61
1:A:206:ARG:NH2	1:A:433:LEU:O	2.34	0.60
1:A:468:VAL:HG23	1:A:469:TYR:CD1	2.36	0.60
1:A:316[A]:PRO:HB2	1:B:142:LEU:HB3	1.82	0.59
1:A:468:VAL:HG23	1:A:469:TYR:CE1	2.37	0.59
1:B:411:GLU:OE2	1:B:429:SER:OG	2.17	0.59
1:A:472:LYS:HD3	1:A:472:LYS:C	2.24	0.59
1:B:240:ASP:O	1:B:274:ARG:HA	2.04	0.57
1:B:286:THR:H	1:B:368:LYS:NZ	2.01	0.57
1:B:341:GLN:CA	2:B:505:GOL:H31	2.16	0.57
1:B:471:HIS:C	4:B:501:LYS:HA	2.26	0.56
1:A:372:LYS:HE2	1:A:376:GLU:OE2	2.05	0.56
1:A:375:ARG:NE	1:A:395:ALA:O	2.39	0.55
1:A:473:LYS:O	1:A:474:ILE:HG23	2.06	0.55
1:A:440:THR:HG23	1:A:441:GLY:N	2.22	0.55
1:B:122:PHE:CD1	1:B:123:PRO:HD2	2.42	0.55
1:A:472:LYS:HD2	1:A:474:ILE:CG1	2.34	0.54
1:A:133:LYS:HE3	1:A:353:GLU:CD	2.28	0.54
1:B:295:LEU:C	1:B:295:LEU:HD23	2.27	0.54
1:A:315[B]:LEU:HD22	1:B:142:LEU:HB3	1.90	0.54
1:A:462:GLN:O	1:A:463:ARG:CB	2.56	0.54
1:A:407:THR:HG21	1:A:468:VAL:O	2.08	0.54
1:A:372:LYS:HD2	1:A:372:LYS:O	2.08	0.54
1:A:407:THR:CG2	1:A:408:ARG:N	2.71	0.53
1:B:202:GLU:OE2	1:B:432:ASN:HA	2.08	0.53
1:B:341:GLN:HA	2:B:505:GOL:C3	2.17	0.53
1:A:318:LEU:HD21	1:A:320:ILE:CD1	2.33	0.53
1:A:110:ILE:HD13	1:A:456:ASP:HB3	1.91	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:286:THR:H	1:B:368:LYS:CE	2.21	0.52
1:A:314[A]:LEU:HD21	1:A:360:TYR:CD1	2.44	0.52
1:A:314[A]:LEU:HD21	1:A:360:TYR:HD1	1.74	0.52
1:B:112:PHE:CB	1:B:425:ILE:HD12	2.41	0.51
1:A:139:TYR:CE1	1:B:124:ILE:HD13	2.45	0.51
1:B:286:THR:O	1:B:368:LYS:HE2	2.11	0.51
1:B:425:ILE:HD11	1:B:447:ILE:HD12	1.91	0.51
1:B:385:GLU:HG3	1:B:465:PHE:CD2	2.47	0.50
1:B:318:LEU:HD12	1:B:319:ARG:N	2.27	0.49
1:B:444:ALA:O	1:B:445:LEU:HD23	2.12	0.49
1:A:440:THR:CG2	1:A:441:GLY:N	2.75	0.49
1:B:433:LEU:O	1:B:434:LYS:CB	2.60	0.49
1:A:145:MET:HB3	1:A:151:ILE:HG12	1.95	0.49
1:B:314:LEU:HD11	1:B:351:LEU:HD13	1.93	0.48
1:B:295:LEU:HD23	1:B:295:LEU:O	2.14	0.48
1:A:379:ILE:O	1:A:383:GLU:HG3	2.13	0.48
1:A:238:GLN:HA	1:A:238:GLN:OE1	2.13	0.48
1:A:430:ARG:NH1	3:A:502:A1AEJ:O23	2.47	0.48
1:A:407:THR:HG23	1:A:408:ARG:H	1.78	0.48
1:B:250:PHE:HB2	1:B:281:TYR:CZ	2.49	0.48
1:B:221:THR:HG22	1:B:433:LEU:HD12	1.94	0.48
1:B:318:LEU:HD12	1:B:319:ARG:H	1.78	0.48
1:A:472:LYS:HD3	1:A:472:LYS:O	2.14	0.48
1:A:316[A]:PRO:HB2	1:B:142:LEU:CB	2.43	0.47
1:B:279:ASP:OD2	3:B:503:A1AEJ:N03	2.48	0.47
1:B:431:PHE:CE2	1:B:446:ILE:HG13	2.50	0.47
1:B:414:ILE:HD13	1:B:468:VAL:HG22	1.96	0.47
1:A:139:TYR:HE1	1:B:124:ILE:HD13	1.80	0.47
1:B:410:THR:O	1:B:414:ILE:HG13	2.14	0.47
1:A:261:ARG:HB3	1:A:295:LEU:HD12	1.96	0.47
1:A:227:LYS:HG2	1:A:257:PRO:HG3	1.97	0.47
1:B:103:MET:SD	1:B:104:ILE:N	2.87	0.47
1:B:259:SER:O	1:B:263:GLN:HG3	2.16	0.46
1:A:154:VAL:HG21	1:A:348:GLN:HB3	1.97	0.46
1:B:267:TRP:CH2	1:B:274:ARG:HD3	2.51	0.46
1:B:103:MET:SD	1:B:105:ASP:N	2.89	0.46
1:A:414:ILE:HG23	1:A:467:ALA:O	2.15	0.46
1:A:287:TYR:HB3	1:A:372:LYS:CD	2.43	0.46
1:A:375:ARG:HE	1:A:395:ALA:HB1	1.81	0.45
1:A:431:PHE:HE2	1:A:446:ILE:CD1	2.18	0.45
1:B:442:ARG:HB2	6:B:620:HOH:O	2.15	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:233:GLU:HG3	1:A:237:GLN:NE2	2.31	0.45
1:A:339:ASP:HA	1:B:182:GLN:HE22	1.82	0.45
1:A:459:GLU:O	1:A:462:GLN:O	2.35	0.45
1:A:310:PHE:HB3	1:A:314[A]:LEU:HD12	1.98	0.45
1:A:139:TYR:CD1	1:A:142:LEU:HD12	2.52	0.45
1:B:139:TYR:C	1:B:141:THR:H	2.20	0.45
4:B:501:LYS:O	4:B:502:LYS:CB	2.65	0.45
1:B:286:THR:H	1:B:368:LYS:HE3	1.82	0.45
1:B:104:ILE:O	1:B:105:ASP:C	2.55	0.45
1:A:315[A]:LEU:HD11	1:B:142:LEU:HD23	1.98	0.44
1:A:375:ARG:CZ	1:A:395:ALA:O	2.65	0.44
1:B:362:LYS:HG2	1:B:366:LYS:NZ	2.31	0.44
1:B:112:PHE:HB2	1:B:425:ILE:HD12	2.00	0.44
1:B:281:TYR:CD2	1:B:282[B]:ASP:HB2	2.52	0.44
1:B:407:THR:HG21	1:B:414:ILE:HD11	1.99	0.44
1:A:411:GLU:OE1	1:A:429:SER:HB3	2.17	0.44
1:A:260:ARG:HH21	2:A:501:GOL:C3	2.30	0.44
1:A:372:LYS:HD2	1:A:372:LYS:C	2.38	0.44
1:B:312:LYS:HB2	6:B:638:HOH:O	2.17	0.44
1:A:207:ARG:NH1	6:A:608:HOH:O	2.51	0.43
1:A:472:LYS:O	1:A:472:LYS:CG	2.66	0.43
1:A:261:ARG:HG2	1:A:295:LEU:CD1	2.48	0.43
1:A:312:LYS:HD3	3:A:502:A1AEJ:C28	2.48	0.43
1:B:123:PRO:HD3	1:B:363:HIS:ND1	2.33	0.43
1:B:339:ASP:HB2	2:B:504:GOL:C1	2.48	0.43
1:B:119:THR:HG22	1:B:316:PRO:CG	2.48	0.43
1:A:392:VAL:HG22	1:A:403:THR:HG22	2.00	0.43
1:A:117:SER:OG	1:A:316[B]:PRO:HD2	2.19	0.43
1:B:362:LYS:HG2	1:B:366:LYS:HZ3	1.83	0.43
1:A:207:ARG:NH2	1:A:430:ARG:HH22	2.16	0.43
1:A:222:ILE:HG23	1:A:233:GLU:HB3	2.01	0.43
1:A:245:THR:OG1	1:A:249:GLN:HA	2.19	0.43
1:A:461:VAL:HG23	1:A:462:GLN:N	2.33	0.43
1:B:267:TRP:CZ2	1:B:274:ARG:HD3	2.54	0.43
1:A:181:THR:HG23	1:A:307:MET:HE1	2.00	0.42
1:A:139:TYR:HD1	1:A:142:LEU:HD12	1.83	0.42
1:A:365:LYS:HD3	1:A:365:LYS:HA	1.70	0.42
1:A:282:ASP:OD2	1:A:398:GLY:HA3	2.19	0.42
1:B:103:MET:SD	1:B:105:ASP:HA	2.60	0.42
1:B:289:VAL:CG2	1:B:396:ASN:HB3	2.49	0.42
1:A:181:THR:HG23	1:A:307:MET:CE	2.49	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:395:ALA:HB2	1:A:401:PHE:CB	2.50	0.42
1:B:310:PHE:HB3	1:B:314:LEU:HG	2.01	0.42
1:B:389:GLU:CB	1:B:469:TYR:OH	2.67	0.42
1:B:425:ILE:HG13	1:B:426:PHE:H	1.85	0.42
1:A:287:TYR:CD2	1:A:375:ARG:HD2	2.55	0.42
1:A:407:THR:CG2	1:A:408:ARG:H	2.32	0.41
1:B:471:HIS:C	4:B:501:LYS:CA	2.88	0.41
1:B:444:ALA:C	1:B:445:LEU:HD23	2.41	0.41
1:A:415:LEU:HD21	1:A:445:LEU:HD22	2.02	0.41
1:A:461:VAL:CG2	1:A:462:GLN:N	2.83	0.41
1:B:281:TYR:HD2	3:B:503:A1AEJ:C28	2.32	0.41
1:A:331:ARG:NH1	1:A:331:ARG:HG2	2.36	0.41
1:A:396:ASN:O	1:A:397:ALA:HB2	2.21	0.41
1:A:446:ILE:HD13	1:A:446:ILE:HG21	1.81	0.41
1:B:185:MET:O	1:B:189:THR:HG23	2.20	0.41
1:A:117:SER:OG	1:A:316[B]:PRO:CD	2.69	0.41
1:A:260:ARG:NH2	2:A:501:GOL:H31	2.36	0.41
1:A:422:GLN:O	1:A:463:ARG:NH2	2.49	0.41
1:A:260:ARG:HH21	2:A:501:GOL:H31	1.86	0.41
1:B:284:GLU:CD	1:B:284:GLU:N	2.73	0.40
1:A:115:MET:CE	1:B:145:MET:SD	3.10	0.40
1:B:425:ILE:HG13	1:B:426:PHE:N	2.37	0.40
1:A:182:GLN:NE2	1:B:340:LEU:H	2.19	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:132:GLN:OE1	1:B:103:MET:N[2_454]	2.18	0.02

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	363/383 (95%)	342 (94%)	15 (4%)	6 (2%)	7 3
1	B	362/383 (94%)	342 (94%)	20 (6%)	0	100 100
All	All	725/766 (95%)	684 (94%)	35 (5%)	6 (1%)	19 13

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	463	ARG
1	A	472	LYS
1	A	471	HIS
1	A	315[A]	LEU
1	A	315[B]	LEU
1	A	470	GLY

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	313/338 (93%)	305 (97%)	8 (3%)	41 47
1	B	308/338 (91%)	304 (99%)	4 (1%)	65 73
All	All	621/676 (92%)	609 (98%)	12 (2%)	58 60

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	282	ASP
1	A	287	TYR
1	A	290	ASP
1	A	316[A]	PRO
1	A	316[B]	PRO
1	A	344	SER
1	A	372	LYS
1	A	383	GLU
1	B	282[A]	ASP
1	B	282[B]	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	312	LYS
1	B	313	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	182	GLN
1	A	237	GLN
1	A	369	GLN
1	B	182	GLN
1	B	186	GLN
1	B	335	GLN
1	B	462	GLN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [\(i\)](#)

10 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	A1AEJ	A	502	-	32,33,33	1.53	3 (9%)	32,43,43	2.30	6 (18%)
3	A1AEJ	B	503	-	32,33,33	1.55	6 (18%)	32,43,43	2.35	7 (21%)
4	LYS	B	502	-	7,8,9	0.51	0	3,8,10	0.30	0
2	GOL	B	505	-	5,5,5	1.34	0	5,5,5	0.90	0
4	LYS	B	501	-	3,4,9	0.67	0	2,4,10	0.91	0
2	GOL	B	504	-	5,5,5	0.95	0	5,5,5	1.16	0
2	GOL	A	503	-	5,5,5	0.52	0	5,5,5	1.33	0
2	GOL	A	501	-	5,5,5	1.06	0	5,5,5	0.91	0
2	GOL	B	506	-	5,5,5	0.97	0	5,5,5	1.19	1 (20%)
5	PO4	B	507	-	4,4,4	0.69	0	6,6,6	0.35	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	A1AEJ	A	502	-	-	11/18/20/20	0/3/3/3
3	A1AEJ	B	503	-	-	7/18/20/20	0/3/3/3
4	LYS	B	502	-	-	2/6/7/9	-
2	GOL	B	505	-	-	4/4/4/4	-
4	LYS	B	501	-	-	1/1/2/9	-
2	GOL	B	504	-	-	2/4/4/4	-
2	GOL	A	503	-	-	0/4/4/4	-
2	GOL	A	501	-	-	2/4/4/4	-
2	GOL	B	506	-	-	2/4/4/4	-

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	502	A1AEJ	C06-C07	4.52	1.56	1.46
3	A	502	A1AEJ	C05-C10	4.30	1.54	1.47
3	B	503	A1AEJ	C06-C07	4.21	1.55	1.46
3	B	503	A1AEJ	C05-C10	3.97	1.53	1.47
3	B	503	A1AEJ	C08-C02	2.60	1.54	1.50
3	B	503	A1AEJ	C12-N16	2.57	1.36	1.33
3	A	502	A1AEJ	C08-C02	2.56	1.54	1.50
3	B	503	A1AEJ	C06-C05	-2.38	1.39	1.42
3	B	503	A1AEJ	C12-N13	2.03	1.36	1.33

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	502	A1AEJ	C12-C11-C10	10.38	143.81	123.67
3	B	503	A1AEJ	C12-C11-C10	8.95	141.03	123.67
3	B	503	A1AEJ	C06-C05-C10	-4.52	112.42	121.09
3	B	503	A1AEJ	C19-O25-C26	-4.20	108.60	117.85
3	A	502	A1AEJ	C05-C10-C11	-3.16	117.18	126.47
3	A	502	A1AEJ	N13-C12-N16	-2.96	108.24	111.45
3	A	502	A1AEJ	C19-O25-C26	-2.78	111.72	117.85
3	B	503	A1AEJ	C06-C01-C02	-2.75	118.59	120.14
3	A	502	A1AEJ	O09-C01-C02	2.57	122.91	117.58
3	A	502	A1AEJ	C06-C05-C10	-2.57	116.17	121.09
3	B	503	A1AEJ	N13-C12-N16	-2.56	108.68	111.45
3	B	503	A1AEJ	C06-C07-N17	2.53	127.70	122.73
3	B	503	A1AEJ	O09-C01-C02	2.49	122.74	117.58
2	B	506	GOL	C3-C2-C1	-2.10	104.09	111.80

There are no chirality outliers.

All (31) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	504	GOL	O1-C1-C2-C3
2	B	505	GOL	C1-C2-C3-O3
2	B	505	GOL	O2-C2-C3-O3
2	B	506	GOL	C1-C2-C3-O3
3	A	502	A1AEJ	N17-C18-C20-C21
3	A	502	A1AEJ	C19-C18-N17-C07
3	A	502	A1AEJ	C20-C18-N17-C07
3	B	503	A1AEJ	C18-C19-O25-C26
4	B	501	LYS	O-C-CA-CB
3	A	502	A1AEJ	C19-C18-C20-C21
3	A	502	A1AEJ	C27-C26-O25-C19
3	A	502	A1AEJ	C31-C26-O25-C19
3	B	503	A1AEJ	C27-C26-O25-C19
3	B	503	A1AEJ	C31-C26-O25-C19
2	B	505	GOL	O1-C1-C2-C3
2	B	505	GOL	O1-C1-C2-O2
2	B	504	GOL	O1-C1-C2-O2
3	A	502	A1AEJ	C01-C06-C07-N17
2	B	506	GOL	O2-C2-C3-O3
3	B	503	A1AEJ	N17-C18-C20-C21
3	A	502	A1AEJ	C18-C20-C21-C22
2	A	501	GOL	O2-C2-C3-O3

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	B	503	A1AEJ	C19-C18-C20-C21
4	B	502	LYS	CE-CD-CG-CB
3	A	502	A1AEJ	C20-C21-C22-O23
3	B	503	A1AEJ	C20-C21-C22-O24
3	B	503	A1AEJ	C20-C21-C22-O23
3	A	502	A1AEJ	C05-C06-C07-N17
3	A	502	A1AEJ	C20-C21-C22-O24
2	A	501	GOL	C1-C2-C3-O3
4	B	502	LYS	CG-CD-CE-NZ


There are no ring outliers.

7 monomers are involved in 18 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	502	A1AEJ	2	0
3	B	503	A1AEJ	2	0
4	B	502	LYS	2	0
2	B	505	GOL	3	0
4	B	501	LYS	4	0
2	B	504	GOL	1	0
2	A	501	GOL	6	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	363/383 (94%)	0.52	47 (12%) 9 8	26, 43, 80, 123	4 (1%)
1	B	364/383 (95%)	0.68	57 (15%) 6 6	25, 45, 85, 139	2 (0%)
All	All	727/766 (94%)	0.60	104 (14%) 7 7	25, 44, 82, 139	6 (0%)

All (104) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	315[A]	LEU	9.1
1	B	103	MET	7.1
1	B	289	VAL	6.8
1	A	469	TYR	6.7
1	B	290	ASP	6.7
1	A	474	ILE	5.5
1	B	287	TYR	5.5
1	A	468	VAL	5.4
1	A	145	MET	5.3
1	B	118	ASP	5.0
1	B	440	THR	5.0
1	A	434	LYS	4.9
1	B	281	TYR	4.8
1	B	396	ASN	4.7
1	A	467	ALA	4.4
1	A	473	LYS	4.4
1	B	434	LYS	4.3
1	A	316[A]	PRO	4.3
1	B	395	ALA	4.3
1	A	289	VAL	4.3
1	B	145	MET	4.1
1	A	314[A]	LEU	4.1
1	B	121	HIS	4.0
1	B	116	SER	3.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	288	ASP	3.9
1	A	139	TYR	3.8
1	B	120	ASP	3.8
1	B	405	PHE	3.8
1	B	104	ILE	3.8
1	A	407	THR	3.8
1	A	417	HIS	3.6
1	A	416	SER	3.6
1	B	471	HIS	3.5
1	A	317[A]	GLY	3.5
1	A	440	THR	3.4
1	B	142	LEU	3.4
1	A	288	ASP	3.4
1	B	115	MET	3.3
1	B	469	TYR	3.3
1	B	140	ARG	3.2
1	B	286	THR	3.2
1	A	387	SER	3.2
1	B	467	ALA	3.2
1	A	420	GLY	3.1
1	A	409	ARG	3.0
1	B	387	SER	3.0
1	B	410	THR	3.0
1	B	141	THR	3.0
1	B	415	LEU	2.9
1	B	411	GLU	2.9
1	B	468	VAL	2.9
1	A	290	ASP	2.8
1	B	443	PRO	2.8
1	B	315	LEU	2.8
1	B	444	ALA	2.8
1	B	282[A]	ASP	2.8
1	A	388	GLY	2.6
1	A	470	GLY	2.6
1	B	391	THR	2.6
1	A	291	SER	2.6
1	B	397	ALA	2.6
1	B	143	GLY	2.6
1	B	407	THR	2.6
1	A	108	ASP	2.6
1	A	471	HIS	2.5
1	A	143	GLY	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	286	THR	2.5
1	B	114	HIS	2.5
1	A	287	TYR	2.5
1	B	284	GLU	2.5
1	B	441	GLY	2.5
1	B	417	HIS	2.5
1	A	408	ARG	2.4
1	A	118	ASP	2.4
1	A	413	ASP	2.4
1	A	414	ILE	2.4
1	B	119	THR	2.3
1	B	416	SER	2.3
1	A	412	GLN	2.3
1	A	472	LYS	2.3
1	B	285	PHE	2.3
1	B	394	GLY	2.3
1	B	291	SER	2.3
1	A	415	LEU	2.3
1	A	410	THR	2.3
1	B	404	GLU	2.2
1	B	451	ARG	2.2
1	A	465	PHE	2.2
1	A	117	SER	2.2
1	B	420	GLY	2.2
1	B	419	ALA	2.2
1	B	426	PHE	2.2
1	B	312	LYS	2.2
1	A	406	ASP	2.2
1	A	430	ARG	2.2
1	B	414	ILE	2.1
1	A	463	ARG	2.1
1	A	422	GLN	2.1
1	B	462	GLN	2.1
1	B	423	LEU	2.1
1	A	107	SER	2.0
1	B	454	GLU	2.0
1	A	405	PHE	2.0
1	A	116	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)


There are no monosaccharides in this entry.


6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	GOL	A	501	6/6	0.75	0.18	62,70,72,74	0
2	GOL	B	506	6/6	0.75	0.22	69,73,75,76	0
4	LYS	B	502	9/10	0.76	0.20	64,75,76,76	0
3	A1AEJ	B	503	31/31	0.85	0.18	53,62,82,85	0
4	LYS	B	501	5/10	0.85	0.18	77,81,83,84	0
3	A1AEJ	A	502	31/31	0.85	0.18	50,62,77,82	0
2	GOL	B	505	6/6	0.88	0.16	37,38,41,50	0
5	PO4	B	507	5/5	0.91	0.14	50,54,61,66	0
2	GOL	A	503	6/6	0.94	0.08	28,32,33,33	0
2	GOL	B	504	6/6	0.95	0.09	30,36,36,38	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.