W O R L D W I D E
wwPDB
PROTEIN DATA BANK

wwPDB X-ray Structure Validation Summary Report (i)

Jan 19, 2026 – 10:15 AM JST

PDB ID	:	9VYL / pdb_00009vyl
Title	:	Crystal structure of BdThsB1 with NAD
Authors	:	Hong, S.; Choe, J.
Deposited on	:	2025-07-21
Resolution	:	1.54 Å(reported)

The following versions of software and data (see references (i)) were used in the production of this report:

|		
MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.47

1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 1.54 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.

Metric	Percentile Ranks	Value
Rfree		0.183
Clashscore		4
Ramachandran outliers		0
Sidechain outliers		0
RSRZ outliers		0

Worse   *Better*

▎Percentile relative to all X-ray structures

▯Percentile relative to X-ray structures of similar resolution

Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	3511 (1.56-1.52)
Clashscore	180529	3784 (1.56-1.52)
Ramachandran outliers	177936	3720 (1.56-1.52)
Sidechain outliers	177891	3717 (1.56-1.52)
RSRZ outliers	164620	3510 (1.56-1.52)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	243	85% 7% 8%
1	B	243	85% 6% 8%
1	C	243	85% 7% 8%
1	D	243	85% 7% 8%

WORLDWIDE
wwPDB
PROTEIN DATA BANK

2　Entry composition ⓘ

There are 6 unique types of molecules in this entry. The entry contains 8622 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Putative cyclic ADP-D-ribose synthase TIR1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	223	Total	C	N	O	S	0	0	0
			1832	1162	297	367	6			
1	B	223	Total	C	N	O	S	0	0	0
			1832	1162	297	367	6			
1	C	223	Total	C	N	O	S	0	0	0
			1832	1162	297	367	6			
1	D	223	Total	C	N	O	S	0	0	0
			1832	1162	297	367	6			

There are 76 discrepancies between the modelled and reference sequences:

| Chain	Residue	Modelled	Actual	Comment	Reference
A	-18	MET	-	initiating methionine	UNP A0A5B8Z670
A	-17	LYS	-	expression tag	UNP A0A5B8Z670
A	-16	SER	-	expression tag	UNP A0A5B8Z670
A	-15	SER	-	expression tag	UNP A0A5B8Z670
A	-14	HIS	-	expression tag	UNP A0A5B8Z670
A	-13	HIS	-	expression tag	UNP A0A5B8Z670
A	-12	HIS	-	expression tag	UNP A0A5B8Z670
A	-11	HIS	-	expression tag	UNP A0A5B8Z670
A	-10	HIS	-	expression tag	UNP A0A5B8Z670
A	-9	HIS	-	expression tag	UNP A0A5B8Z670
A	-8	GLU	-	expression tag	UNP A0A5B8Z670
A	-7	ASN	-	expression tag	UNP A0A5B8Z670
A	-6	LEU	-	expression tag	UNP A0A5B8Z670
A	-5	TYR	-	expression tag	UNP A0A5B8Z670
A	-4	PHE	-	expression tag	UNP A0A5B8Z670
A	-3	GLN	-	expression tag	UNP A0A5B8Z670
A	-2	SER	-	expression tag	UNP A0A5B8Z670
A	-1	ASN	-	expression tag	UNP A0A5B8Z670
A	0	ALA	-	expression tag	UNP A0A5B8Z670
B	-18	MET	-	initiating methionine	UNP A0A5B8Z670
B	-17	LYS	-	expression tag	UNP A0A5B8Z670

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-16	SER	-	expression tag	UNP A0A5B8Z670
B	-15	SER	-	expression tag	UNP A0A5B8Z670
B	-14	HIS	-	expression tag	UNP A0A5B8Z670
B	-13	HIS	-	expression tag	UNP A0A5B8Z670
B	-12	HIS	-	expression tag	UNP A0A5B8Z670
B	-11	HIS	-	expression tag	UNP A0A5B8Z670
B	-10	HIS	-	expression tag	UNP A0A5B8Z670
B	-9	HIS	-	expression tag	UNP A0A5B8Z670
B	-8	GLU	-	expression tag	UNP A0A5B8Z670
B	-7	ASN	-	expression tag	UNP A0A5B8Z670
B	-6	LEU	-	expression tag	UNP A0A5B8Z670
B	-5	TYR	-	expression tag	UNP A0A5B8Z670
B	-4	PHE	-	expression tag	UNP A0A5B8Z670
B	-3	GLN	-	expression tag	UNP A0A5B8Z670
B	-2	SER	-	expression tag	UNP A0A5B8Z670
B	-1	ASN	-	expression tag	UNP A0A5B8Z670
B	0	ALA	-	expression tag	UNP A0A5B8Z670
C	-18	MET	-	initiating methionine	UNP A0A5B8Z670
C	-17	LYS	-	expression tag	UNP A0A5B8Z670
C	-16	SER	-	expression tag	UNP A0A5B8Z670
C	-15	SER	-	expression tag	UNP A0A5B8Z670
C	-14	HIS	-	expression tag	UNP A0A5B8Z670
C	-13	HIS	-	expression tag	UNP A0A5B8Z670
C	-12	HIS	-	expression tag	UNP A0A5B8Z670
C	-11	HIS	-	expression tag	UNP A0A5B8Z670
C	-10	HIS	-	expression tag	UNP A0A5B8Z670
C	-9	HIS	-	expression tag	UNP A0A5B8Z670
C	-8	GLU	-	expression tag	UNP A0A5B8Z670
C	-7	ASN	-	expression tag	UNP A0A5B8Z670
C	-6	LEU	-	expression tag	UNP A0A5B8Z670
C	-5	TYR	-	expression tag	UNP A0A5B8Z670
C	-4	PHE	-	expression tag	UNP A0A5B8Z670
C	-3	GLN	-	expression tag	UNP A0A5B8Z670
C	-2	SER	-	expression tag	UNP A0A5B8Z670
C	-1	ASN	-	expression tag	UNP A0A5B8Z670
C	0	ALA	-	expression tag	UNP A0A5B8Z670
D	-18	MET	-	initiating methionine	UNP A0A5B8Z670
D	-17	LYS	-	expression tag	UNP A0A5B8Z670
D	-16	SER	-	expression tag	UNP A0A5B8Z670
D	-15	SER	-	expression tag	UNP A0A5B8Z670
D	-14	HIS	-	expression tag	UNP A0A5B8Z670
D	-13	HIS	-	expression tag	UNP A0A5B8Z670

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-12	HIS	-	expression tag	UNP A0A5B8Z670
D	-11	HIS	-	expression tag	UNP A0A5B8Z670
D	-10	HIS	-	expression tag	UNP A0A5B8Z670
D	-9	HIS	-	expression tag	UNP A0A5B8Z670
D	-8	GLU	-	expression tag	UNP A0A5B8Z670
D	-7	ASN	-	expression tag	UNP A0A5B8Z670
D	-6	LEU	-	expression tag	UNP A0A5B8Z670
D	-5	TYR	-	expression tag	UNP A0A5B8Z670
D	-4	PHE	-	expression tag	UNP A0A5B8Z670
D	-3	GLN	-	expression tag	UNP A0A5B8Z670
D	-2	SER	-	expression tag	UNP A0A5B8Z670
D	-1	ASN	-	expression tag	UNP A0A5B8Z670
D	0	ALA	-	expression tag	UNP A0A5B8Z670

- Molecule 2 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (CCD ID: NAD) (formula: $C_{21}H_{27}N_7O_{14}P_2$) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	B	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	C	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	D	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 3 is SPERMIDINE (CCD ID: SPD) (formula: $C_7H_{19}N_3$) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total 10	C 7	N 3	0	0
3	A	1	Total 10	C 7	N 3	0	0
3	B	1	Total 10	C 7	N 3	0	0
3	B	1	Total 10	C 7	N 3	0	0
3	C	1	Total 10	C 7	N 3	0	0
3	C	1	Total 10	C 7	N 3	0	0
3	D	1	Total 10	C 7	N 3	0	0
3	D	1	Total 10	C 7	N 3	0	0

- Molecule 4 is ZINC ION (CCD ID: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total 1	Zn 1	0	0
4	B	1	Total 1	Zn 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	C	1	Total 1	Zn 1	0	0
4	D	1	Total 1	Zn 1	0	0

- Molecule 5 is SODIUM ION (CCD ID: NA) (formula: Na) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	6	Total 6	Na 6	0	0
5	B	6	Total 6	Na 6	0	0
5	C	6	Total 6	Na 6	0	0
5	D	6	Total 6	Na 6	0	0

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	261	Total 261	O 261	0	0
6	B	253	Total 253	O 253	0	0
6	C	246	Total 246	O 246	0	0
6	D	250	Total 250	O 250	0	0

3 Residue-property plots ⓘ

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Putative cyclic ADP-D-ribose synthase TIR1

Chain A:

• Molecule 1: Putative cyclic ADP-D-ribose synthase TIR1

Chain B:

• Molecule 1: Putative cyclic ADP-D-ribose synthase TIR1

Chain C:

• Molecule 1: Putative cyclic ADP-D-ribose synthase TIR1

Chain D:

4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α, β, γ	43.59Å 43.57Å 285.78Å 90.00° 90.03° 90.00°	Depositor
Resolution (Å)	34.67 – 1.54 34.67 – 1.54	Depositor EDS
% Data completeness (in resolution range)	99.5 (34.67-1.54) 99.6 (34.67-1.54)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	2.26 (at 1.54Å)	Xtriage
Refinement program	REFMAC 5.8.0425	Depositor
R, R_{free}	0.147 , 0.183 0.147 , 0.183	Depositor DCC
R_{free} test set	7834 reflections (4.90%)	wwPDB-VP
Wilson B-factor (Å^2)	17.8	Xtriage
Anisotropy	0.194	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.38 , 44.8	EDS
L-test for twinning[2]	$< |L| > = 0.50, < L^2 > = 0.33$	Xtriage
Estimated twinning fraction	0.477 for k,h,-l 0.467 for -k,-h,-l 0.477 for h,-k,-l	Xtriage
F_o,F_c correlation	0.97	EDS
Total number of atoms	8622	wwPDB-VP
Average B, all atoms (Å^2)	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.81% of the height of the origin peak. No significant pseudotranslation is detected.*

---

[1]Intensities estimated from amplitudes.
[2]Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, NAD, SPD, NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#$|Z|$ >5	RMSZ	#$|Z|$ >5
1	A	0.69	0/1874	1.01	2/2537 (0.1%)
1	B	0.69	0/1874	1.00	4/2537 (0.2%)
1	C	0.68	0/1874	0.98	2/2537 (0.1%)
1	D	0.67	0/1874	0.98	2/2537 (0.1%)
All	All	0.68	0/7496	0.99	10/10148 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand.A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	D	0	1

There are no bond length outliers.

The worst 5 of 10 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	201	PHE	CA-CB-CG	7.64	121.44	113.80
1	C	201	PHE	CA-CB-CG	7.47	121.27	113.80
1	A	201	PHE	CA-CB-CG	6.70	120.50	113.80
1	A	201	PHE	N-CA-CB	-6.26	100.62	109.94
1	B	201	PHE	N-CA-CB	-6.05	101.22	110.12

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	D	158	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1832	0	1742	18	0
1	B	1832	0	1742	15	0
1	C	1832	0	1742	14	0
1	D	1832	0	1742	16	0
2	A	44	0	26	0	0
2	B	44	0	26	0	0
2	C	44	0	26	0	0
2	D	44	0	26	0	0
3	A	20	0	38	2	0
3	B	20	0	38	2	0
3	C	20	0	38	3	0
3	D	20	0	38	2	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
5	A	6	0	0	0	0
5	B	6	0	0	0	0
5	C	6	0	0	0	0
5	D	6	0	0	0	0
6	A	261	0	0	1	0
6	B	253	0	0	3	0
6	C	246	0	0	2	0
6	D	250	0	0	3	0
All	All	8622	0	7224	56	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 56 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:302:SPD:N10	6:C:401:HOH:O	2.22	0.72
1:C:65:LYS:HG3	6:C:525:HOH:O	1.92	0.69
1:A:65:LYS:HG3	6:A:557:HOH:O	1.92	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:174:ASN:HD22	1:D:176:SER:H	1.43	0.66
1:A:174:ASN:HD22	1:B:176:SER:H	1.44	0.66

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	221/243 (91%)	217 (98%)	4 (2%)	0	100	100
1	B	221/243 (91%)	217 (98%)	4 (2%)	0	100	100
1	C	221/243 (91%)	217 (98%)	4 (2%)	0	100	100
1	D	221/243 (91%)	217 (98%)	4 (2%)	0	100	100
All	All	884/972 (91%)	868 (98%)	16 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	208/227 (92%)	208 (100%)	0	100	100
1	B	208/227 (92%)	208 (100%)	0	100	100
1	C	208/227 (92%)	208 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	D	208/227 (92%)	208 (100%)	0	100	100
All	All	832/908 (92%)	832 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 18 such sidechains are listed below:

Mol	Chain	Res	Type
1	C	206	GLN
1	D	206	GLN
1	D	179	ASN
1	B	179	ASN
1	C	179	ASN

5.3.3   RNA ⓘ

There are no RNA molecules in this entry.

5.4   Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5   Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6   Ligand geometry ⓘ

Of 40 ligands modelled in this entry, 28 are monoatomic - leaving 12 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	#|Z| > 2	Counts	RMSZ	#|Z| > 2
3	SPD	B	302	-	9,9,9	0.47	0	8,8,8	0.70	0
3	SPD	C	303	-	9,9,9	0.87	0	8,8,8	2.64	3 (37%)
3	SPD	A	302	-	9,9,9	0.46	0	8,8,8	0.69	0
3	SPD	A	303	-	9,9,9	0.98	1 (11%)	8,8,8	2.61	3 (37%)
2	NAD	D	301	-	42,48,48	0.77	2 (4%)	50,73,73	1.11	3 (6%)
3	SPD	D	303	-	9,9,9	1.64	1 (11%)	8,8,8	3.31	3 (37%)
3	SPD	B	303	-	9,9,9	0.93	0	8,8,8	2.53	3 (37%)
3	SPD	D	302	-	9,9,9	0.46	0	8,8,8	0.58	0
2	NAD	C	301	-	42,48,48	0.77	2 (4%)	50,73,73	1.09	3 (6%)
3	SPD	C	302	-	9,9,9	0.47	0	8,8,8	0.77	0
2	NAD	A	301	-	42,48,48	0.77	2 (4%)	50,73,73	1.09	3 (6%)
2	NAD	B	301	-	42,48,48	0.79	2 (4%)	50,73,73	1.13	3 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	SPD	B	302	-	-	4/7/7/7	-
3	SPD	C	303	-	-	2/7/7/7	-
3	SPD	A	302	-	-	5/7/7/7	-
3	SPD	A	303	-	-	2/7/7/7	-
2	NAD	D	301	-	-	4/26/62/62	0/5/5/5
3	SPD	D	303	-	-	2/7/7/7	-
3	SPD	B	303	-	-	2/7/7/7	-
3	SPD	D	302	-	-	5/7/7/7	-
2	NAD	C	301	-	-	2/26/62/62	0/5/5/5
3	SPD	C	302	-	-	4/7/7/7	-
2	NAD	A	301	-	-	4/26/62/62	0/5/5/5
2	NAD	B	301	-	-	4/26/62/62	0/5/5/5

The worst 5 of 10 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	303	SPD	C8-C9	4.28	1.72	1.51
2	B	301	NAD	C2N-N1N	2.64	1.38	1.35
2	C	301	NAD	C2N-N1N	2.44	1.37	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	301	NAD	C2N-N1N	2.42	1.37	1.35
3	A	303	SPD	C4-C3	2.25	1.64	1.51

The worst 5 of 24 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
3	D	303	SPD	C4-C5-N6	-6.17	95.49	112.14
3	D	303	SPD	C7-C8-C9	-5.74	93.24	114.28
3	A	303	SPD	C8-C7-N6	-4.58	99.79	112.14
3	C	303	SPD	C8-C7-N6	-4.54	99.90	112.14
3	C	303	SPD	C4-C5-N6	4.33	123.82	112.14

There are no chirality outliers.

5 of 40 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	302	SPD	C3-C4-C5-N6
3	B	302	SPD	C3-C4-C5-N6
3	D	302	SPD	C3-C4-C5-N6
3	C	302	SPD	C3-C4-C5-N6
3	D	303	SPD	C8-C7-N6-C5

There are no ring outliers.

8 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	302	SPD	1	0
3	C	303	SPD	2	0
3	A	302	SPD	1	0
3	A	303	SPD	2	0
3	D	303	SPD	2	0
3	B	303	SPD	2	0
3	D	302	SPD	1	0
3	C	302	SPD	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be

highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand SPD B 302

Bond lengths — Bond angles — Torsions — Rings

Ligand SPD C 303

Bond lengths — Bond angles — Torsions — Rings

Ligand SPD A 302

Bond lengths — Bond angles — Torsions — Rings

Ligand SPD A 303

Bond lengths

Bond angles

Torsions

Rings

Ligand NAD D 301

Bond lengths

Bond angles

Torsions

Rings

Ligand SPD D 303

Bond lengths

Bond angles

Torsions

Rings

Ligand SPD B 303

Bond lengths

Bond angles

Torsions

Rings

Ligand SPD D 302

Bond lengths

Bond angles

Torsions

Rings

Ligand NAD C 301

Bond lengths

Bond angles

Torsions

Rings

Ligand SPD C 302

Bond lengths

Bond angles

Torsions

Rings

Ligand NAD A 301

Bond lengths

Bond angles

Torsions

Rings

Ligand NAD B 301

Bond lengths

Bond angles

Torsions

Rings

5.7   Other polymers ⓘ

There are no such residues in this entry.

5.8   Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å^2)	Q<0.9
1	A	223/243 (91%)	-0.97	0	100	100	13, 20, 38, 63	0
1	B	223/243 (91%)	-0.93	0	100	100	13, 20, 39, 65	0
1	C	223/243 (91%)	-0.96	0	100	100	13, 20, 39, 66	0
1	D	223/243 (91%)	-0.94	0	100	100	13, 20, 38, 65	0
All	All	892/972 (91%)	-0.95	0	100	100	13, 20, 39, 66	0

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
5	NA	C	310	1/1	0.94	0.08	52,52,52,52	0
5	NA	B	310	1/1	0.96	0.08	50,50,50,50	0
5	NA	D	306	1/1	0.96	0.06	32,32,32,32	0
5	NA	A	307	1/1	0.97	0.07	31,31,31,31	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($Å^2$)	Q<0.9
5	NA	C	307	1/1	0.97	0.08	36,36,36,36	0
5	NA	C	309	1/1	0.97	0.05	38,38,38,38	0
5	NA	A	310	1/1	0.97	0.10	60,60,60,60	0
5	NA	B	309	1/1	0.97	0.06	39,39,39,39	0
5	NA	A	306	1/1	0.98	0.05	32,32,32,32	0
3	SPD	A	302	10/10	0.98	0.05	13,22,29,31	0
5	NA	A	308	1/1	0.98	0.05	29,29,29,29	0
3	SPD	A	303	10/10	0.98	0.04	14,17,22,29	0
5	NA	B	306	1/1	0.98	0.05	32,32,32,32	0
3	SPD	B	302	10/10	0.98	0.05	13,23,29,30	0
3	SPD	B	303	10/10	0.98	0.05	13,16,22,30	0
5	NA	C	306	1/1	0.98	0.06	33,33,33,33	0
3	SPD	C	302	10/10	0.98	0.05	15,23,28,31	0
5	NA	C	308	1/1	0.98	0.05	27,27,27,27	0
3	SPD	C	303	10/10	0.98	0.04	14,16,22,31	0
3	SPD	D	302	10/10	0.98	0.05	13,23,29,31	0
3	SPD	D	303	10/10	0.98	0.06	14,17,28,32	0
5	NA	D	307	1/1	0.98	0.04	31,31,31,31	0
5	NA	D	308	1/1	0.98	0.05	32,32,32,32	0
5	NA	D	309	1/1	0.98	0.06	36,36,36,36	0
5	NA	D	310	1/1	0.98	0.06	48,48,48,48	0
2	NAD	C	301	44/44	0.99	0.03	13,19,31,41	0
5	NA	A	309	1/1	0.99	0.05	38,38,38,38	0
2	NAD	D	301	44/44	0.99	0.03	14,19,32,41	0
2	NAD	B	301	44/44	0.99	0.03	14,19,32,41	0
5	NA	B	307	1/1	0.99	0.03	22,22,22,22	0
5	NA	B	308	1/1	0.99	0.04	26,26,26,26	0
5	NA	A	305	1/1	1.00	0.03	17,17,17,17	0
2	NAD	A	301	44/44	1.00	0.03	13,19,31,40	0
4	ZN	A	304	1/1	1.00	0.01	18,18,18,18	0
5	NA	D	305	1/1	1.00	0.06	17,17,17,17	0
4	ZN	B	304	1/1	1.00	0.01	18,18,18,18	0
4	ZN	C	304	1/1	1.00	0.01	18,18,18,18	0
5	NA	C	305	1/1	1.00	0.02	17,17,17,17	0
4	ZN	D	304	1/1	1.00	0.02	18,18,18,18	0
5	NA	B	305	1/1	1.00	0.01	17,17,17,17	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around NA C 310:

$2mF_o\text{-}DF_c$ (at 0.7 rmsd) in gray
$mF_o\text{-}DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)

Electron density around NA B 310:

$2mF_o\text{-}DF_c$ (at 0.7 rmsd) in gray
$mF_o\text{-}DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)

Electron density around NA D 306:

$2mF_o\text{-}DF_c$ (at 0.7 rmsd) in gray
$mF_o\text{-}DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)

Electron density around NA A 307:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

Electron density around NA C 307:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

Electron density around NA C 309:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

Electron density around NA A 310:

$2mF_o\text{-}DF_c$ (at 0.7 rmsd) in gray
$mF_o\text{-}DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)

Electron density around NA B 309:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

Electron density around NA A 306:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

Electron density around SPD A 302:

$2mF_o\text{-}DF_c$ (at 0.7 rmsd) in gray
$mF_o\text{-}DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)

Electron density around NA A 308:

$2mF_o\text{-}DF_c$ (at 0.7 rmsd) in gray
$mF_o\text{-}DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)

Electron density around SPD A 303:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

Electron density around NA B 306:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

Electron density around SPD B 302:

$2mF_o\text{-}DF_c$ (at 0.7 rmsd) in gray
$mF_o\text{-}DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)

Electron density around SPD B 303:

$2mF_o\text{-}DF_c$ (at 0.7 rmsd) in gray
$mF_o\text{-}DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)

Electron density around NA C 306:

$2mF_o\text{-}DF_c$ (at 0.7 rmsd) in gray
$mF_o\text{-}DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)

Electron density around SPD C 302:

$2mF_o\text{-}DF_c$ (at 0.7 rmsd) in gray
$mF_o\text{-}DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)

Electron density around NA C 308:

$2mF_o\text{-}DF_c$ (at 0.7 rmsd) in gray
$mF_o\text{-}DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)

Electron density around SPD C 303:

$2mF_o\text{-}DF_c$ (at 0.7 rmsd) in gray
$mF_o\text{-}DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)

Electron density around SPD D 302:

$2mF_o\text{-}DF_c$ (at 0.7 rmsd) in gray
$mF_o\text{-}DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)

Electron density around SPD D 303:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

Electron density around NA D 307:

$2mF_o\text{-}DF_c$ (at 0.7 rmsd) in gray
$mF_o\text{-}DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)

Electron density around NA D 308:

2mF$_o$-DF$_c$ (at 0.7 rmsd) in gray
mF$_o$-DF$_c$ (at 3 rmsd) in purple (negative)
and green (positive)

Electron density around NA D 309:

$2mF_o\text{-}DF_c$ (at 0.7 rmsd) in gray
$mF_o\text{-}DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)

Electron density around NA D 310:

2mF$_o$-DF$_c$ (at 0.7 rmsd) in gray
mF$_o$-DF$_c$ (at 3 rmsd) in purple (negative)
and green (positive)

Electron density around NAD C 301:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

Electron density around NA A 309:

$2mF_o\text{-}DF_c$ (at 0.7 rmsd) in gray
$mF_o\text{-}DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)

Electron density around NAD D 301:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

Electron density around NAD B 301:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

Electron density around NA B 307:

$2mF_o\text{-}DF_c$ (at 0.7 rmsd) in gray
$mF_o\text{-}DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)

Electron density around NA B 308:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

Electron density around NA A 305:

$2mF_o\text{-}DF_c$ (at 0.7 rmsd) in gray
$mF_o\text{-}DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)

Electron density around NAD A 301:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

Electron density around ZN A 304:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

Electron density around NA D 305:

$2mF_o\text{-}DF_c$ (at 0.7 rmsd) in gray
$mF_o\text{-}DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)

Electron density around ZN B 304:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

Electron density around ZN C 304:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

Electron density around NA C 305:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

Electron density around ZN D 304:

$2mF_o\text{-}DF_c$ (at 0.7 rmsd) in gray
$mF_o\text{-}DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)

Electron density around NA B 305:

$2mF_o\text{-}DF_c$ (at 0.7 rmsd) in gray
$mF_o\text{-}DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)

6.5 Other polymers ⓘ

There are no such residues in this entry.