



Full wwPDB X-ray Structure Validation Report i

Dec 24, 2024 – 06:10 PM EST

PDB ID : 8W3B
Title : TAS-120 covalent structure with FGFR2 molecular brake mutant
Authors : Hoffman, I.D.; Nelson, K.J.; Bensen, D.C.; Bailey, J.B.
Deposited on : 2024-02-22
Resolution : 2.23 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The types of validation reports are described at
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 1.21
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.004 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.40


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.23 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	3139 (2.26-2.22)
Clashscore	180529	3381 (2.26-2.22)
Ramachandran outliers	177936	3334 (2.26-2.22)
Sidechain outliers	177891	3335 (2.26-2.22)
RSRZ outliers	164620	3138 (2.26-2.22)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 9349 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Fibroblast growth factor receptor 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	279	Total 2237	C 1427	N 379	O 410	S 21	0	0	0
1	B	278	Total 2220	C 1417	N 379	O 403	S 21	0	0	0
1	C	294	Total 2363	C 1508	N 399	O 433	S 23	0	1	0
1	D	280	Total 2241	C 1431	N 381	O 408	S 21	0	0	0

There are 60 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	445	MET	-	initiating methionine	UNP P21802
A	446	GLY	-	expression tag	UNP P21802
A	447	SER	-	expression tag	UNP P21802
A	448	SER	-	expression tag	UNP P21802
A	449	HIS	-	expression tag	UNP P21802
A	450	HIS	-	expression tag	UNP P21802
A	451	HIS	-	expression tag	UNP P21802
A	452	HIS	-	expression tag	UNP P21802
A	453	HIS	-	expression tag	UNP P21802
A	454	HIS	-	expression tag	UNP P21802
A	455	SER	-	expression tag	UNP P21802
A	456	GLN	-	expression tag	UNP P21802
A	457	ASP	-	expression tag	UNP P21802
A	549	HIS	ASN	variant	UNP P21802
A	650	VAL	ASP	engineered mutation	UNP P21802
B	445	MET	-	initiating methionine	UNP P21802
B	446	GLY	-	expression tag	UNP P21802
B	447	SER	-	expression tag	UNP P21802
B	448	SER	-	expression tag	UNP P21802
B	449	HIS	-	expression tag	UNP P21802
B	450	HIS	-	expression tag	UNP P21802

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	451	HIS	-	expression tag	UNP P21802
B	452	HIS	-	expression tag	UNP P21802
B	453	HIS	-	expression tag	UNP P21802
B	454	HIS	-	expression tag	UNP P21802
B	455	SER	-	expression tag	UNP P21802
B	456	GLN	-	expression tag	UNP P21802
B	457	ASP	-	expression tag	UNP P21802
B	549	HIS	ASN	variant	UNP P21802
B	650	VAL	ASP	engineered mutation	UNP P21802
C	445	MET	-	initiating methionine	UNP P21802
C	446	GLY	-	expression tag	UNP P21802
C	447	SER	-	expression tag	UNP P21802
C	448	SER	-	expression tag	UNP P21802
C	449	HIS	-	expression tag	UNP P21802
C	450	HIS	-	expression tag	UNP P21802
C	451	HIS	-	expression tag	UNP P21802
C	452	HIS	-	expression tag	UNP P21802
C	453	HIS	-	expression tag	UNP P21802
C	454	HIS	-	expression tag	UNP P21802
C	455	SER	-	expression tag	UNP P21802
C	456	GLN	-	expression tag	UNP P21802
C	457	ASP	-	expression tag	UNP P21802
C	549	HIS	ASN	variant	UNP P21802
C	650	VAL	ASP	engineered mutation	UNP P21802
D	445	MET	-	initiating methionine	UNP P21802
D	446	GLY	-	expression tag	UNP P21802
D	447	SER	-	expression tag	UNP P21802
D	448	SER	-	expression tag	UNP P21802
D	449	HIS	-	expression tag	UNP P21802
D	450	HIS	-	expression tag	UNP P21802
D	451	HIS	-	expression tag	UNP P21802
D	452	HIS	-	expression tag	UNP P21802
D	453	HIS	-	expression tag	UNP P21802
D	454	HIS	-	expression tag	UNP P21802
D	455	SER	-	expression tag	UNP P21802
D	456	GLN	-	expression tag	UNP P21802
D	457	ASP	-	expression tag	UNP P21802
D	549	HIS	ASN	variant	UNP P21802
D	650	VAL	ASP	engineered mutation	UNP P21802

- Molecule 2 is 1-[(3S)-3-{4-amino-3-[(3,5-dimethoxyphenyl)ethynyl]-1H-pyrazolo[3,4-d]pyrimidin-1-yl}pyrrolidin-1-yl]prop-2-en-1-one (three-letter code: TZ0) (formula: C₂₂H₂₂N₆O₃) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total 31	C 22	N 6	O 3	0	0
2	B	1	Total 31	C 22	N 6	O 3	0	0
2	C	1	Total 31	C 22	N 6	O 3	0	0
2	D	1	Total 31	C 22	N 6	O 3	0	0

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total O S 5 4 1	0	0
3	B	1	Total O S 5 4 1	0	0
3	C	1	Total O S 5 4 1	0	0



- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	39	Total O 39 39	0	0
4	B	35	Total O 35 35	0	0
4	C	35	Total O 35 35	0	0
4	D	40	Total O 40 40	0	0



3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Fibroblast growth factor receptor 2




- Molecule 1: Fibroblast growth factor receptor 2




- Molecule 1: Fibroblast growth factor receptor 2





- Molecule 1: Fibroblast growth factor receptor 2



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	81.31 Å 131.40 Å 134.11 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.01 – 2.23 50.01 – 2.23	Depositor EDS
% Data completeness (in resolution range)	98.2 (50.01-2.23) 98.2 (50.01-2.23)	Depositor EDS
R_{merge}	0.20	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle^1$	2.61 (at 2.22 Å)	Xtriage
Refinement program	REFMAC 5.8.0267	Depositor
R , R_{free}	0.291 , 0.312 0.289 , 0.310	Depositor DCC
R_{free} test set	3460 reflections (4.90%)	wwPDB-VP
Wilson B-factor (Å ²)	35.5	Xtriage
Anisotropy	0.236	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 40.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.55$, $\langle L^2 \rangle = 0.39$	Xtriage
Estimated twinning fraction	0.000 for -h,l,k	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	9349	wwPDB-VP
Average B, all atoms (Å ²)	44.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 41.40 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.3746e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [\(i\)](#)

5.1 Standard geometry [\(i\)](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, TZ0

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.26	0/2283	0.55	0/3080
1	B	0.27	0/2267	0.55	0/3060
1	C	0.27	0/2418	0.55	0/3266
1	D	0.26	0/2289	0.55	0/3090
All	All	0.27	0/9257	0.55	0/12496

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2237	0	2244	17	0
1	B	2220	0	2242	14	0
1	C	2363	0	2368	13	0
1	D	2241	0	2257	13	0
2	A	31	0	0	1	0
2	B	31	0	0	1	0
2	C	31	0	0	0	0
2	D	31	0	0	0	0
3	A	5	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	5	0	0	0	0
3	C	5	0	0	0	0
4	A	39	0	0	0	0
4	B	35	0	0	0	0
4	C	35	0	0	0	0
4	D	40	0	0	0	0
All	All	9349	0	9111	57	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (57) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:492:PHE:O	1:D:517:LYS:HE2	1.73	0.89
1:C:492:PHE:O	1:C:517:LYS:HE2	1.73	0.86
1:A:492:PHE:O	1:A:517:LYS:HE3	1.78	0.84
1:B:492:PHE:O	1:B:517:LYS:HE3	1.78	0.84
1:D:466:TYR:OH	1:D:468:LEU:HD12	1.79	0.83
1:C:596:GLU:O	1:C:597:GLN:O	2.21	0.58
1:B:731:GLU:HA	1:B:734:MET:HE2	1.85	0.58
1:A:573:ARG:HH11	1:A:573:ARG:HG2	1.69	0.58
1:B:731:GLU:HA	1:B:734:MET:CE	2.35	0.57
1:A:596:GLU:O	1:A:597:GLN:O	2.22	0.56
1:A:517:LYS:HD3	1:A:531:LEU:HD13	1.87	0.55
1:A:517:LYS:HD3	1:A:531:LEU:CD1	2.39	0.52
1:B:544:HIS:HB3	1:B:547:ILE:HG12	1.91	0.52
1:B:517:LYS:HD3	1:B:531:LEU:CD1	2.40	0.52
1:C:610:LEU:HD13	1:C:692:LEU:HD21	1.89	0.52
1:A:544:HIS:HB3	1:A:547:ILE:HG12	1.91	0.52
1:A:610:LEU:HD13	1:A:692:LEU:HD21	1.90	0.52
1:D:610:LEU:HD13	1:D:692:LEU:HD21	1.90	0.52
1:C:547:ILE:HD11	1:C:617:LEU:HG	1.91	0.52
1:B:517:LYS:HD3	1:B:531:LEU:HD13	1.91	0.52
1:B:610:LEU:HD13	1:B:692:LEU:HD21	1.91	0.52
1:C:680:TYR:CE1	1:C:684:SER:HB2	2.47	0.50
1:A:680:TYR:CE1	1:A:684:SER:HB2	2.47	0.49
1:D:468:LEU:HD23	1:D:469:PRO:HD2	1.94	0.49
1:B:680:TYR:CE1	1:B:684:SER:HB2	2.47	0.49
1:D:680:TYR:CE1	1:D:684:SER:HB2	2.47	0.48
1:D:541:ILE:HG21	1:D:617:LEU:HD21	1.97	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:651:ILE:HG22	1:C:656:TYR:HD1	1.79	0.47
1:A:541:ILE:HD13	1:A:547:ILE:HD12	1.96	0.46
1:B:541:ILE:HD13	1:B:547:ILE:HD12	1.96	0.46
1:B:491:CYS:HB2	2:B:801:TZ0:C0P	2.45	0.46
1:C:571:ASN:OD1	1:C:574:GLU:HG2	2.15	0.46
1:A:651:ILE:HG22	1:A:656:TYR:HD1	1.80	0.46
1:A:571:ASN:OD1	1:A:574:GLU:HG2	2.15	0.46
1:D:571:ASN:OD1	1:D:574:GLU:HG2	2.16	0.46
1:D:617:LEU:HA	1:D:617:LEU:HD23	1.83	0.45
1:C:591:ASN:O	1:C:592:ARG:HB2	2.18	0.44
1:A:573:ARG:HG2	1:A:573:ARG:NH1	2.30	0.44
1:B:496:VAL:HG12	1:B:497:MET:O	2.18	0.43
1:D:541:ILE:HG21	1:D:617:LEU:CD2	2.49	0.43
1:A:496:VAL:HG12	1:A:497:MET:O	2.18	0.43
1:D:496:VAL:HG12	1:D:497:MET:O	2.18	0.43
1:D:571:ASN:HA	1:D:632:VAL:O	2.19	0.43
1:B:571:ASN:HA	1:B:632:VAL:O	2.18	0.43
1:D:466:TYR:HH	1:D:468:LEU:HD12	1.82	0.43
1:C:571:ASN:HA	1:C:632:VAL:O	2.18	0.43
1:C:496:VAL:HG12	1:C:497:MET:O	2.18	0.42
1:C:541:ILE:HD12	1:C:542:GLY:O	2.19	0.42
1:D:466:TYR:C	1:D:467:GLU:HG2	2.38	0.42
1:A:541:ILE:HD12	1:A:542:GLY:O	2.20	0.42
1:A:571:ASN:HA	1:A:632:VAL:O	2.19	0.42
1:C:617:LEU:HD23	1:C:617:LEU:HA	1.83	0.42
1:C:580:ARG:NH1	1:C:585:GLU:O	2.53	0.42
1:A:617:LEU:HD23	1:A:617:LEU:HA	1.83	0.42
1:B:541:ILE:HD12	1:B:542:GLY:O	2.20	0.42
1:A:491:CYS:HB2	2:A:801:TZ0:C0P	2.50	0.41
1:B:617:LEU:HD23	1:B:617:LEU:HA	1.83	0.41

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	273/324 (84%)	268 (98%)	3 (1%)	2 (1%)	19 17
1	B	272/324 (84%)	267 (98%)	4 (2%)	1 (0%)	30 31
1	C	291/324 (90%)	284 (98%)	5 (2%)	2 (1%)	19 17
1	D	274/324 (85%)	269 (98%)	4 (2%)	1 (0%)	30 31
All	All	1110/1296 (86%)	1088 (98%)	16 (1%)	6 (0%)	25 24

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	597	GLN
1	C	597	GLN
1	A	644	ASP
1	B	644	ASP
1	C	644	ASP
1	D	644	ASP

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	244/285 (86%)	242 (99%)	2 (1%)	79 85
1	B	243/285 (85%)	239 (98%)	4 (2%)	58 66
1	C	259/285 (91%)	253 (98%)	6 (2%)	45 52
1	D	245/285 (86%)	239 (98%)	6 (2%)	44 50
All	All	991/1140 (87%)	973 (98%)	18 (2%)	54 61

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	549	HIS
1	A	675	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	489	GLU
1	B	549	HIS
1	B	675	LEU
1	B	716	LEU
1	C	517	LYS
1	C	549	HIS
1	C	596	GLU
1	C	601	LYS
1	C	675	LEU
1	C	716	LEU
1	D	467	GLU
1	D	468	LEU
1	D	517	LYS
1	D	549	HIS
1	D	675	LEU
1	D	716	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	597	GLN
1	A	682	HIS
1	B	597	GLN
1	C	682	HIS
1	D	597	GLN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	SO4	B	802	-	4,4,4	0.34	0	6,6,6	0.08	0
2	TZ0	B	801	1	32,34,34	1.98	7 (21%)	34,48,48	2.17	8 (23%)
2	TZ0	C	801	1	32,34,34	1.99	6 (18%)	34,48,48	2.17	8 (23%)
2	TZ0	D	801	1	32,34,34	1.96	6 (18%)	34,48,48	2.21	7 (20%)
3	SO4	A	802	-	4,4,4	0.34	0	6,6,6	0.09	0
2	TZ0	A	801	1	32,34,34	1.99	6 (18%)	34,48,48	2.13	7 (20%)
3	SO4	C	802	-	4,4,4	0.34	0	6,6,6	0.07	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	TZ0	D	801	1	-	6/12/28/28	0/4/4/4
2	TZ0	B	801	1	-	4/12/28/28	0/4/4/4
2	TZ0	C	801	1	-	2/12/28/28	0/4/4/4
2	TZ0	A	801	1	-	2/12/28/28	0/4/4/4

All (25) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	801	TZ0	C0L-N08	5.61	1.40	1.32
2	C	801	TZ0	C0L-N08	5.54	1.40	1.32
2	D	801	TZ0	C0L-N08	5.42	1.40	1.32
2	B	801	TZ0	C0L-N08	5.37	1.40	1.32
2	B	801	TZ0	C0G-C0A	-5.11	1.33	1.41
2	D	801	TZ0	C0G-C0A	-5.09	1.33	1.41
2	C	801	TZ0	C0G-C0A	-5.08	1.33	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	801	TZ0	C0G-C0A	-4.96	1.34	1.41
2	A	801	TZ0	C0V-C0M	4.96	1.54	1.30
2	D	801	TZ0	C0V-C0M	4.91	1.54	1.30
2	C	801	TZ0	C0V-C0M	4.86	1.53	1.30
2	B	801	TZ0	C0V-C0M	4.85	1.53	1.30
2	A	801	TZ0	C0L-N06	3.70	1.40	1.33
2	B	801	TZ0	C0L-N06	3.61	1.40	1.33
2	C	801	TZ0	C0L-N06	3.60	1.40	1.33
2	D	801	TZ0	C0L-N06	3.34	1.39	1.33
2	D	801	TZ0	N09-N04	-3.18	1.33	1.37
2	C	801	TZ0	C0A-C0B	-3.13	1.34	1.43
2	D	801	TZ0	C0A-C0B	-3.11	1.34	1.43
2	B	801	TZ0	C0A-C0B	-3.05	1.34	1.43
2	A	801	TZ0	C0A-C0B	-2.96	1.35	1.43
2	A	801	TZ0	N09-N04	-2.86	1.34	1.37
2	B	801	TZ0	N09-N04	-2.85	1.34	1.37
2	C	801	TZ0	N09-N04	-2.74	1.34	1.37
2	B	801	TZ0	C0G-C0H	-2.17	1.41	1.43

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	801	TZ0	N08-C0L-N06	-8.00	117.81	128.67
2	B	801	TZ0	N08-C0L-N06	-7.95	117.88	128.67
2	C	801	TZ0	N08-C0L-N06	-7.68	118.24	128.67
2	A	801	TZ0	N08-C0L-N06	-7.53	118.45	128.67
2	D	801	TZ0	C0V-C0M-C0P	-5.60	109.91	121.27
2	A	801	TZ0	C0V-C0M-C0P	-5.46	110.19	121.27
2	B	801	TZ0	C0V-C0M-C0P	-5.42	110.27	121.27
2	C	801	TZ0	C0V-C0M-C0P	-5.35	110.42	121.27
2	D	801	TZ0	C0T-N07-C0I	-4.07	107.62	112.38
2	D	801	TZ0	C0G-N09-N04	3.83	107.06	104.32
2	A	801	TZ0	C0G-N09-N04	3.82	107.05	104.32
2	C	801	TZ0	C0G-N09-N04	3.73	106.99	104.32
2	B	801	TZ0	C0G-N09-N04	3.52	106.83	104.32
2	C	801	TZ0	C0K-N04-N09	3.32	125.68	119.35
2	B	801	TZ0	C0K-N04-N09	3.11	125.28	119.35
2	A	801	TZ0	C0T-N07-C0I	-2.96	108.93	112.38
2	C	801	TZ0	C0Q-C0T-N07	2.92	106.69	102.93
2	D	801	TZ0	C0K-N04-N09	2.89	124.86	119.35
2	B	801	TZ0	C0Q-C0T-N07	2.79	106.53	102.93
2	A	801	TZ0	C0K-N04-N09	2.73	124.56	119.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	801	TZ0	C0A-C0F-N05	-2.73	117.85	122.70
2	D	801	TZ0	C0A-C0F-N05	-2.65	117.99	122.70
2	A	801	TZ0	C0A-C0F-N05	-2.56	118.14	122.70
2	B	801	TZ0	C0A-C0F-N05	-2.51	118.23	122.70
2	C	801	TZ0	C0Q-C0K-C0I	2.47	106.39	102.22
2	B	801	TZ0	C0T-N07-C0I	-2.42	109.55	112.38
2	C	801	TZ0	C0T-N07-C0I	-2.22	109.79	112.38
2	A	801	TZ0	C0Q-C0K-N04	-2.11	109.26	112.11
2	D	801	TZ0	C0Q-C0K-C0I	2.10	105.75	102.22
2	B	801	TZ0	C0Q-C0K-N04	-2.06	109.32	112.11

There are no chirality outliers.

All (14) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	D	801	TZ0	C0O-C0E-O01-C0N
2	D	801	TZ0	C0C-C0E-O01-C0N
2	D	801	TZ0	C0V-C0M-C0P-O03
2	B	801	TZ0	C0V-C0M-C0P-N07
2	B	801	TZ0	C0C-C0D-O02-C0U
2	B	801	TZ0	C0R-C0D-O02-C0U
2	B	801	TZ0	C0V-C0M-C0P-O03
2	A	801	TZ0	C0V-C0M-C0P-N07
2	D	801	TZ0	C0V-C0M-C0P-N07
2	C	801	TZ0	C0V-C0M-C0P-N07
2	D	801	TZ0	C0C-C0D-O02-C0U
2	D	801	TZ0	C0R-C0D-O02-C0U
2	A	801	TZ0	C0V-C0M-C0P-O03
2	C	801	TZ0	C0V-C0M-C0P-O03


There are no ring outliers.


2 monomers are involved in 2 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	801	TZ0	1	0
2	A	801	TZ0	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier.

Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	279/324 (86%)	1.24	54 (19%) 4 3	26, 45, 74, 99	0
1	B	278/324 (85%)	1.22	48 (17%) 5 5	24, 42, 68, 82	0
1	C	294/324 (90%)	1.13	47 (15%) 6 5	21, 41, 71, 84	1 (0%)
1	D	280/324 (86%)	1.37	61 (21%) 3 3	25, 44, 69, 88	0
All	All	1131/1296 (87%)	1.24	210 (18%) 4 4	21, 43, 71, 99	1 (0%)

All (210) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	470	GLU	5.2
1	A	764	THR	4.9
1	C	581	PRO	4.8
1	D	764	THR	4.8
1	A	509	LYS	4.8
1	A	728	CYS	4.7
1	C	764	THR	4.5
1	A	508	PRO	4.5
1	B	468	LEU	4.4
1	A	595	GLU	4.4
1	B	540	MET	4.4
1	A	763	LEU	4.4
1	D	582	PRO	4.2
1	C	590	ILE	4.2
1	B	467	GLU	4.2
1	D	650	VAL	4.1
1	A	734	MET	4.1
1	D	726	ALA	4.0
1	B	508	PRO	4.0
1	D	663	GLY	4.0
1	C	586	TYR	4.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	764	THR	4.0
1	C	592	ARG	4.0
1	B	651	ILE	4.0
1	A	520	LYS	3.9
1	D	622	CYS	3.9
1	B	592	ARG	3.9
1	B	509	LYS	3.8
1	C	582	PRO	3.8
1	D	600	PHE	3.8
1	B	581	PRO	3.8
1	A	505	LYS	3.8
1	D	606	CYS	3.7
1	B	506	ASP	3.7
1	C	467	GLU	3.7
1	B	622	CYS	3.7
1	D	467	GLU	3.7
1	C	658	LYS	3.7
1	A	467	GLU	3.6
1	C	594	PRO	3.6
1	D	466	TYR	3.6
1	D	468	LEU	3.6
1	C	588	TYR	3.5
1	D	760	ILE	3.5
1	C	470	GLU	3.5
1	D	713	PHE	3.5
1	D	734	MET	3.5
1	A	574	GLU	3.4
1	A	596	GLU	3.4
1	D	742	ALA	3.3
1	C	763	LEU	3.3
1	C	593	VAL	3.2
1	D	469	PRO	3.2
1	D	540	MET	3.2
1	D	727	ASN	3.2
1	B	582	PRO	3.2
1	A	598	MET	3.1
1	B	750	PHE	3.1
1	B	650	VAL	3.1
1	D	731	GLU	3.1
1	A	468	LEU	3.1
1	A	489	GLU	3.1
1	C	596	GLU	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	763	LEU	3.0
1	D	716	LEU	3.0
1	B	623	ILE	3.0
1	A	472	PRO	3.0
1	C	541	ILE	2.9
1	D	714	LYS	2.9
1	B	663	GLY	2.9
1	B	717	LYS	2.9
1	D	490	GLY	2.9
1	B	763	LEU	2.9
1	D	541	ILE	2.9
1	B	469	PRO	2.9
1	C	490	GLY	2.9
1	C	597	GLN	2.9
1	D	723	ASP	2.8
1	A	606	CYS	2.8
1	C	520	LYS	2.8
1	D	675	LEU	2.8
1	B	537	MET	2.8
1	B	727	ASN	2.8
1	C	521	ASP	2.8
1	D	679	VAL	2.8
1	C	728	CYS	2.8
1	A	652	ASN	2.8
1	A	507	LYS	2.8
1	C	540	MET	2.8
1	D	680	TYR	2.8
1	D	757	LEU	2.8
1	C	591	ASN	2.8
1	D	724	LYS	2.7
1	B	664	ARG	2.7
1	A	494	GLN	2.7
1	D	592	ARG	2.7
1	B	490	GLY	2.7
1	D	488	GLY	2.7
1	D	732	LEU	2.7
1	B	547	ILE	2.7
1	B	713	PHE	2.7
1	D	762	THR	2.6
1	B	606	CYS	2.6
1	A	503	ILE	2.6
1	A	469	PRO	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	521	ASP	2.6
1	B	507	LYS	2.6
1	C	678	ARG	2.6
1	B	472	PRO	2.6
1	B	549	HIS	2.6
1	D	651	ILE	2.6
1	A	506	ASP	2.6
1	A	522	ASP	2.6
1	C	489	GLU	2.6
1	D	717	LYS	2.6
1	D	677	ASP	2.5
1	D	676	PHE	2.5
1	B	520	LYS	2.5
1	B	594	PRO	2.5
1	C	587	SER	2.5
1	A	599	THR	2.5
1	D	729	THR	2.5
1	C	713	PHE	2.5
1	D	697	PHE	2.5
1	C	469	PRO	2.5
1	B	481	LEU	2.4
1	D	682	HIS	2.4
1	A	678	ARG	2.4
1	D	664	ARG	2.4
1	C	584	MET	2.4
1	C	598	MET	2.4
1	C	529	SER	2.4
1	C	479	ASP	2.4
1	B	675	LEU	2.4
1	C	468	LEU	2.4
1	C	522	ASP	2.4
1	A	502	GLY	2.4
1	D	671	ALA	2.4
1	D	715	LEU	2.4
1	D	694	TRP	2.4
1	B	598	MET	2.4
1	D	711	GLU	2.4
1	B	505	LYS	2.4
1	C	509	LYS	2.4
1	A	479	ASP	2.4
1	C	664	ARG	2.4
1	D	699	LEU	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	581	PRO	2.3
1	D	670	MET	2.3
1	A	664	ARG	2.3
1	A	487	LEU	2.3
1	A	512	VAL	2.3
1	A	543	LYS	2.3
1	A	504	ASP	2.3
1	B	541	ILE	2.3
1	D	627	LEU	2.3
1	A	496	VAL	2.3
1	A	497	MET	2.3
1	C	526	LYS	2.3
1	A	541	ILE	2.3
1	B	543	LYS	2.2
1	A	540	MET	2.2
1	D	465	GLU	2.2
1	A	519	LEU	2.2
1	D	761	LEU	2.2
1	B	741	HIS	2.2
1	B	479	ASP	2.2
1	D	470	GLU	2.2
1	D	741	HIS	2.2
1	C	585	GLU	2.2
1	C	595	GLU	2.2
1	A	511	ALA	2.2
1	A	523	ALA	2.2
1	B	593	VAL	2.2
1	C	533	SER	2.2
1	D	521	ASP	2.2
1	A	712	LEU	2.2
1	D	712	LEU	2.2
1	A	726	ALA	2.2
1	B	676	PHE	2.2
1	D	489	GLU	2.1
1	B	649	ARG	2.1
1	A	761	LEU	2.1
1	D	753	LEU	2.1
1	C	523	ALA	2.1
1	C	762	THR	2.1
1	A	525	GLU	2.1
1	A	557	ASP	2.1
1	B	504	ASP	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	490	GLY	2.1
1	A	560	LEU	2.1
1	B	526	LYS	2.1
1	A	657	TYR	2.1
1	B	510	GLU	2.1
1	A	481	LEU	2.1
1	C	652	ASN	2.1
1	D	603	LEU	2.1
1	B	489	GLU	2.1
1	A	547	ILE	2.1
1	C	714	LYS	2.1
1	C	525	GLU	2.0
1	A	485	LYS	2.0
1	A	559	PRO	2.0
1	C	560	LEU	2.0
1	C	499	GLU	2.0
1	D	678	ARG	2.0
1	C	471	ASP	2.0
1	D	719	GLY	2.0
1	B	714	LYS	2.0
1	A	597	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	SO4	B	802	5/5	0.53	0.26	106,108,112,115	0
3	SO4	A	802	5/5	0.76	0.15	79,82,85,85	0


Continued on next page...


Continued from previous page...


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	SO4	C	802	5/5	0.81	0.14	72,77,79,79	0
2	TZ0	C	801	31/31	0.91	0.09	26,29,33,37	0
2	TZ0	A	801	31/31	0.92	0.09	26,31,35,38	0
2	TZ0	D	801	31/31	0.94	0.08	23,25,29,31	0
2	TZ0	B	801	31/31	0.94	0.08	23,27,28,31	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.









6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.