



# wwPDB EM Validation Summary Report i

Jul 16, 2025 – 01:13 AM JST

PDB ID : 8WI3 / pdb\_00008wi3  
EMDB ID : EMD-37556  
Title : ND-hMRP5-inward open  
Authors : Liu, Z.M.; Huang, Y.  
Deposited on : 2023-09-24  
Resolution : 3.38 Å (reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>  
with specific help available everywhere you see the i symbol.

The types of validation reports are described at  
<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references](#) i) were used in the production of this report:

EMDB validation analysis : **FAILED**  
MolProbitY : 4-5-2 with Phenix2.0rc1  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
MapQ : **FAILED**  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.44


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.38 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$

Mol	Chain	Length	Quality of chain		
1	A	1473		69%	13% 18%

## 2 Entry composition (i)

There is only 1 type of molecule in this entry. The entry contains 9489 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ATP-binding cassette sub-family C member 5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	1208	9489	6099	1616	1716	58	0	0

There are 36 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1438	LEU	-	expression tag	UNP O15440
A	1439	GLU	-	expression tag	UNP O15440
A	1440	GLY	-	expression tag	UNP O15440
A	1441	GLY	-	expression tag	UNP O15440
A	1442	GLY	-	expression tag	UNP O15440
A	1443	SER	-	expression tag	UNP O15440
A	1444	GLY	-	expression tag	UNP O15440
A	1445	GLY	-	expression tag	UNP O15440
A	1446	GLY	-	expression tag	UNP O15440
A	1447	SER	-	expression tag	UNP O15440
A	1448	TRP	-	expression tag	UNP O15440
A	1449	SER	-	expression tag	UNP O15440
A	1450	HIS	-	expression tag	UNP O15440
A	1451	PRO	-	expression tag	UNP O15440
A	1452	GLN	-	expression tag	UNP O15440
A	1453	PHE	-	expression tag	UNP O15440
A	1454	GLU	-	expression tag	UNP O15440
A	1455	LYS	-	expression tag	UNP O15440
A	1456	GLY	-	expression tag	UNP O15440
A	1457	ALA	-	expression tag	UNP O15440
A	1458	ARG	-	expression tag	UNP O15440
A	1459	GLY	-	expression tag	UNP O15440
A	1460	GLY	-	expression tag	UNP O15440
A	1461	SER	-	expression tag	UNP O15440
A	1462	GLY	-	expression tag	UNP O15440
A	1463	GLY	-	expression tag	UNP O15440
A	1464	GLY	-	expression tag	UNP O15440
A	1465	SER	-	expression tag	UNP O15440

*Continued on next page...*


*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	1466	TRP	-	expression tag	UNP O15440
A	1467	SER	-	expression tag	UNP O15440
A	1468	HIS	-	expression tag	UNP O15440
A	1469	PRO	-	expression tag	UNP O15440
A	1470	GLN	-	expression tag	UNP O15440
A	1471	PHE	-	expression tag	UNP O15440
A	1472	GLU	-	expression tag	UNP O15440
A	1473	LYS	-	expression tag	UNP O15440

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: ATP-binding cassette sub-family C member 5



## 4 Experimental information i

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	865700	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	50	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	1200	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor

## 5 Model quality i

### 5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.22	0/9672	0.41	0/13091

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	9489	0	9703	119	0
All	All	9489	0	9703	119	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

The worst 5 of 119 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:261:LYS:NZ	1:A:475:GLU:OE1	2.19	0.76
1:A:279:ILE:HD13	1:A:470:LEU:HD22	1.76	0.68
1:A:355:VAL:HG21	1:A:976:SER:HB3	1.76	0.67
1:A:960:MET:SD	1:A:960:MET:N	2.68	0.67
1:A:1369:GLN:HB3	1:A:1373:ARG:HH21	1.61	0.66

There are no symmetry-related clashes.

### 5.3 Torsion angles [\(i\)](#)

#### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	1200/1473 (82%)	1120 (93%)	79 (7%)	1 (0%)	48 <span style="background-color: #0070C0; color: white; border: 1px solid black; padding: 2px;">77</span>

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	634	ILE

#### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	1040/1263 (82%)	1036 (100%)	4 (0%)	89 <span style="background-color: #0070C0; color: white; border: 1px solid black; padding: 2px;">93</span>

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	429	THR
1	A	1111	THR
1	A	1166	TYR
1	A	1205	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 10 such sidechains are listed below:

Mol	Chain	Res	Type
1	A	1326	ASN
1	A	1404	GLN
1	A	1417	ASN
1	A	689	GLN
1	A	869	ASN

### 5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [\(i\)](#)

There are no oligosaccharides in this entry.

### 5.6 Ligand geometry [\(i\)](#)

There are no ligands in this entry.

### 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.