Full wwPDB X-ray Structure Validation Report ⓘ

Feb 10, 2026 – 04:55 PM JST

PDB ID	:	9WLP / pdb_00009wlp
Title	:	Crystal structure of monkeypox virus A30/H2 sub-complex at pH 6.8
Authors	:	Lin, S.; Jia, X.H.; Lu, G.W.
Deposited on	:	2025-09-02
Resolution	:	2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references ⓘ) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.48

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	5504 (2.50-2.50)
Clashscore	180529	6282 (2.50-2.50)
Ramachandran outliers	177936	6191 (2.50-2.50)
Sidechain outliers	177891	6193 (2.50-2.50)
RSRZ outliers	164620	5504 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	168	2% 70% 7% 22%
1	C	168	3% 65% 7% 27%
1	E	168	2% 71% 24%
2	B	119	10% 69% 12% 18%
2	D	119	8% 72% 7% 21%
2	F	119	10% 68% 11% 21%

2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 5447 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called MPXVgp092.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	131	Total	C	N	O	S	0	0	0
			1055	668	183	194	10			
1	C	123	Total	C	N	O	S	0	0	0
			981	622	169	182	8			
1	E	128	Total	C	N	O	S	0	0	0
			1030	652	180	189	9			

There are 87 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	47	GLY	-	expression tag	UNP A0A7H0DN79
A	48	PRO	-	expression tag	UNP A0A7H0DN79
A	49	LEU	-	expression tag	UNP A0A7H0DN79
A	50	GLY	-	expression tag	UNP A0A7H0DN79
A	190	GLY	-	expression tag	UNP A0A7H0DN79
A	191	GLY	-	expression tag	UNP A0A7H0DN79
A	192	GLY	-	expression tag	UNP A0A7H0DN79
A	193	GLY	-	expression tag	UNP A0A7H0DN79
A	194	SER	-	expression tag	UNP A0A7H0DN79
A	195	GLY	-	expression tag	UNP A0A7H0DN79
A	196	GLY	-	expression tag	UNP A0A7H0DN79
A	197	GLY	-	expression tag	UNP A0A7H0DN79
A	198	GLY	-	expression tag	UNP A0A7H0DN79
A	199	SER	-	expression tag	UNP A0A7H0DN79
A	200	GLY	-	expression tag	UNP A0A7H0DN79
A	201	GLY	-	expression tag	UNP A0A7H0DN79
A	202	GLY	-	expression tag	UNP A0A7H0DN79
A	203	GLY	-	expression tag	UNP A0A7H0DN79
A	204	SER	-	expression tag	UNP A0A7H0DN79
A	205	GLY	-	expression tag	UNP A0A7H0DN79
A	206	GLY	-	expression tag	UNP A0A7H0DN79
A	207	GLY	-	expression tag	UNP A0A7H0DN79
A	208	GLY	-	expression tag	UNP A0A7H0DN79

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	209	SER	-	expression tag	UNP A0A7H0DN79
A	210	GLY	-	expression tag	UNP A0A7H0DN79
A	211	GLY	-	expression tag	UNP A0A7H0DN79
A	212	GLY	-	expression tag	UNP A0A7H0DN79
A	213	GLY	-	expression tag	UNP A0A7H0DN79
A	214	SER	-	expression tag	UNP A0A7H0DN79
C	47	GLY	-	expression tag	UNP A0A7H0DN79
C	48	PRO	-	expression tag	UNP A0A7H0DN79
C	49	LEU	-	expression tag	UNP A0A7H0DN79
C	50	GLY	-	expression tag	UNP A0A7H0DN79
C	190	GLY	-	expression tag	UNP A0A7H0DN79
C	191	GLY	-	expression tag	UNP A0A7H0DN79
C	192	GLY	-	expression tag	UNP A0A7H0DN79
C	193	GLY	-	expression tag	UNP A0A7H0DN79
C	194	SER	-	expression tag	UNP A0A7H0DN79
C	195	GLY	-	expression tag	UNP A0A7H0DN79
C	196	GLY	-	expression tag	UNP A0A7H0DN79
C	197	GLY	-	expression tag	UNP A0A7H0DN79
C	198	GLY	-	expression tag	UNP A0A7H0DN79
C	199	SER	-	expression tag	UNP A0A7H0DN79
C	200	GLY	-	expression tag	UNP A0A7H0DN79
C	201	GLY	-	expression tag	UNP A0A7H0DN79
C	202	GLY	-	expression tag	UNP A0A7H0DN79
C	203	GLY	-	expression tag	UNP A0A7H0DN79
C	204	SER	-	expression tag	UNP A0A7H0DN79
C	205	GLY	-	expression tag	UNP A0A7H0DN79
C	206	GLY	-	expression tag	UNP A0A7H0DN79
C	207	GLY	-	expression tag	UNP A0A7H0DN79
C	208	GLY	-	expression tag	UNP A0A7H0DN79
C	209	SER	-	expression tag	UNP A0A7H0DN79
C	210	GLY	-	expression tag	UNP A0A7H0DN79
C	211	GLY	-	expression tag	UNP A0A7H0DN79
C	212	GLY	-	expression tag	UNP A0A7H0DN79
C	213	GLY	-	expression tag	UNP A0A7H0DN79
C	214	SER	-	expression tag	UNP A0A7H0DN79
E	47	GLY	-	expression tag	UNP A0A7H0DN79
E	48	PRO	-	expression tag	UNP A0A7H0DN79
E	49	LEU	-	expression tag	UNP A0A7H0DN79
E	50	GLY	-	expression tag	UNP A0A7H0DN79
E	190	GLY	-	expression tag	UNP A0A7H0DN79
E	191	GLY	-	expression tag	UNP A0A7H0DN79
E	192	GLY	-	expression tag	UNP A0A7H0DN79

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	193	GLY	-	expression tag	UNP A0A7H0DN79
E	194	SER	-	expression tag	UNP A0A7H0DN79
E	195	GLY	-	expression tag	UNP A0A7H0DN79
E	196	GLY	-	expression tag	UNP A0A7H0DN79
E	197	GLY	-	expression tag	UNP A0A7H0DN79
E	198	GLY	-	expression tag	UNP A0A7H0DN79
E	199	SER	-	expression tag	UNP A0A7H0DN79
E	200	GLY	-	expression tag	UNP A0A7H0DN79
E	201	GLY	-	expression tag	UNP A0A7H0DN79
E	202	GLY	-	expression tag	UNP A0A7H0DN79
E	203	GLY	-	expression tag	UNP A0A7H0DN79
E	204	SER	-	expression tag	UNP A0A7H0DN79
E	205	GLY	-	expression tag	UNP A0A7H0DN79
E	206	GLY	-	expression tag	UNP A0A7H0DN79
E	207	GLY	-	expression tag	UNP A0A7H0DN79
E	208	GLY	-	expression tag	UNP A0A7H0DN79
E	209	SER	-	expression tag	UNP A0A7H0DN79
E	210	GLY	-	expression tag	UNP A0A7H0DN79
E	211	GLY	-	expression tag	UNP A0A7H0DN79
E	212	GLY	-	expression tag	UNP A0A7H0DN79
E	213	GLY	-	expression tag	UNP A0A7H0DN79
E	214	SER	-	expression tag	UNP A0A7H0DN79

- Molecule 2 is a protein called Envelope protein OPG155.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	97	Total	C	N	O	S	0	0	0
			765	480	135	145	5			
2	D	94	Total	C	N	O	S	0	0	0
			750	472	132	141	5			
2	F	94	Total	C	N	O	S	0	0	0
			750	472	132	141	5			

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	17	Total	O	0	0
			17	17		
3	B	21	Total	O	0	0
			21	21		
3	C	23	Total	O	0	0
			23	23		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	D	12	Total O 12 12	0	0
3	E	25	Total O 25 25	0	0
3	F	18	Total O 18 18	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: MPXVgp092

Chain A:



• Molecule 1: MPXVgp092

Chain C:



• Molecule 1: MPXVgp092

Chain E:



• Molecule 2: Envelope protein OPG155

Chain B:



• Molecule 2: Envelope protein OPG155

Chain D:



• Molecule 2: Envelope protein OPG155

Chain F:



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 2 21 21	Depositor
Cell constants a, b, c, α, β, γ	60.41Å 116.21Å 125.19Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.22 – 2.50 30.22 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.9 (30.22-2.50) 99.8 (30.22-2.50)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	2.39 (at 2.51Å)	Xtriage
Refinement program	PHENIX 1.19.2_4158	Depositor
R, R_{free}	0.216 , 0.256 0.220 , 0.257	Depositor DCC
R_{free} test set	1573 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å^2)	50.0	Xtriage
Anisotropy	0.096	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.34 , 42.7	EDS
L-test for twinning[2]	$< \|L\| > = 0.50$, $< L^2 > = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o,F_c correlation	0.94	EDS
Total number of atoms	5447	wwPDB-VP
Average B, all atoms (Å^2)	54.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 45.64 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.2833e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

[1] Intensities estimated from amplitudes.

[2] Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#$\|Z\|>5$	RMSZ	#$\|Z\|>5$
1	A	0.31	0/1077	0.55	0/1446
1	C	0.32	0/1002	0.57	0/1347
1	E	0.30	0/1052	0.53	0/1413
2	B	0.44	0/780	0.74	0/1057
2	D	0.22	0/765	0.46	0/1036
2	F	0.30	0/765	0.60	0/1036
All	All	0.32	0/5441	0.58	0/7335

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1055	0	1041	8	0
1	C	981	0	964	8	0
1	E	1030	0	1015	4	0
2	B	765	0	743	10	0
2	D	750	0	731	3	0
2	F	750	0	731	7	0
3	A	17	0	0	1	0
3	B	21	0	0	1	0
3	C	23	0	0	2	0
3	D	12	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	E	25	0	0	1	0
3	F	18	0	0	2	0
All	All	5447	0	5225	36	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (36) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:66:ILE:O	3:B:201:HOH:O	2.00	0.79
1:C:175:TYR:O	3:C:301:HOH:O	2.04	0.74
1:E:145:GLN:NE2	1:E:149:GLN:OE1	2.24	0.69
2:B:119:ASP:OD1	2:B:119:ASP:N	2.25	0.67
2:F:61:ASP:OD2	3:F:201:HOH:O	2.13	0.66
1:A:145:GLN:OE1	1:A:149:GLN:NE2	2.30	0.64
2:F:135:ASN:HB3	2:F:138:GLU:HB2	1.82	0.60
1:A:153:LYS:HE3	2:B:110:ARG:HD2	1.84	0.60
2:B:121:ILE:HG13	2:B:122:ASN:H	1.65	0.60
2:B:81:ASN:HB2	2:B:105:LYS:HD3	1.85	0.59
1:A:112:MET:HE1	1:A:185:LEU:HD11	1.85	0.59
1:E:132:TRP:O	3:E:301:HOH:O	2.17	0.59
1:E:153:LYS:HE3	2:F:110:ARG:HH11	1.69	0.58
2:B:119:ASP:HB2	1:C:116:LYS:HG3	1.87	0.56
2:F:93:ALA:O	2:F:104:ARG:NH1	2.38	0.55
2:D:101:ARG:NH1	2:D:125:ILE:O	2.40	0.55
1:C:80:THR:HG23	1:C:120:LEU:HD11	1.91	0.52
1:C:181:TRP:O	1:C:185:LEU:HD22	2.12	0.50
2:B:101:ARG:NH1	2:B:124:ASP:HB3	2.27	0.49
2:D:135:ASN:HB3	2:D:138:GLU:HB2	1.94	0.49
2:F:110:ARG:CZ	3:F:205:HOH:O	2.61	0.48
2:B:93:ALA:O	2:B:104:ARG:NH1	2.48	0.46
1:A:58:GLU:HG3	1:A:59:LEU:HD13	1.98	0.46
2:D:101:ARG:NH1	2:D:125:ILE:H	2.14	0.45
2:F:101:ARG:NH1	2:F:125:ILE:H	2.15	0.45
1:E:126:ARG:NH2	2:F:64:ASP:OD2	2.47	0.43
1:A:58:GLU:HG3	1:A:59:LEU:N	2.34	0.43
1:C:110:ILE:HD11	1:C:133:MET:HG2	2.01	0.43
1:A:84:SER:OG	1:A:118:THR:O	2.30	0.43
1:C:112:MET:HE3	1:C:112:MET:HB2	1.86	0.42
1:A:98:PHE:O	1:A:113:ARG:HD2	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:101:ARG:CZ	2:B:124:ASP:HB3	2.50	0.41
1:C:95:ASP:N	3:C:305:HOH:O	2.54	0.41
1:A:110:ILE:HD11	1:A:133:MET:HG2	2.03	0.41
2:B:135:ASN:HB3	2:B:138:GLU:HB2	2.03	0.41
3:A:302:HOH:O	1:C:153:LYS:NZ	2.54	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	129/168 (77%)	126 (98%)	3 (2%)	0	100	100
1	C	121/168 (72%)	118 (98%)	3 (2%)	0	100	100
1	E	126/168 (75%)	123 (98%)	3 (2%)	0	100	100
2	B	95/119 (80%)	90 (95%)	5 (5%)	0	100	100
2	D	92/119 (77%)	88 (96%)	4 (4%)	0	100	100
2	F	92/119 (77%)	87 (95%)	5 (5%)	0	100	100
All	All	655/861 (76%)	632 (96%)	23 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	114/129 (88%)	111 (97%)	3 (3%)	41	68
1	C	106/129 (82%)	102 (96%)	4 (4%)	28	53
1	E	111/129 (86%)	107 (96%)	4 (4%)	30	56
2	B	87/105 (83%)	84 (97%)	3 (3%)	32	58
2	D	86/105 (82%)	82 (95%)	4 (5%)	22	44
2	F	86/105 (82%)	82 (95%)	4 (5%)	22	44
All	All	590/702 (84%)	568 (96%)	22 (4%)	29	55

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	69	VAL
1	A	84	SER
1	A	145	GLN
2	B	57	ARG
2	B	119	ASP
2	B	136	ASN
1	C	67	ASN
1	C	116	LYS
1	C	145	GLN
1	C	185	LEU
2	D	100	THR
2	D	121	ILE
2	D	122	ASN
2	D	123	ILE
1	E	69	VAL
1	E	90	LEU
1	E	139	LYS
1	E	145	GLN
2	F	105	LYS
2	F	121	ILE
2	F	123	ILE
2	F	136	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	70	ASN
1	A	145	GLN
1	A	149	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	92	GLN
2	B	98	ASN
1	C	157	ASN
1	E	187	ASN
2	F	71	GLN
2	F	111	GLN

5.3.3 RNA

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates

There are no oligosaccharides in this entry.

5.6 Ligand geometry

There are no ligands in this entry.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å^2)	Q<0.9
1	A	131/168 (77%)	0.21	4 (3%) 51 48	36, 50, 84, 103	0
1	C	123/168 (73%)	0.35	5 (4%) 42 39	31, 50, 90, 105	0
1	E	128/168 (76%)	0.13	3 (2%) 61 58	32, 48, 71, 76	0
2	B	97/119 (81%)	0.76	12 (12%) 9 9	30, 49, 103, 118	0
2	D	94/119 (78%)	0.55	10 (10%) 13 12	31, 54, 106, 128	0
2	F	94/119 (78%)	0.69	12 (12%) 9 8	34, 51, 112, 138	0
All	All	667/861 (77%)	0.42	46 (6%) 24 22	30, 50, 92, 138	0

All (46) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	51	GLY	6.1
2	B	50	GLY	5.4
2	F	122	ASN	5.1
2	B	52	THR	5.0
2	B	121	ILE	4.3
2	D	122	ASN	4.2
2	D	97	PRO	4.2
1	C	65	ILE	4.1
2	F	97	PRO	3.8
1	C	92	ALA	3.6
2	F	123	ILE	3.6
2	D	95	VAL	3.5
2	D	123	ILE	3.3
2	D	131	ALA	3.3
2	D	121	ILE	3.3
2	B	97	PRO	3.2
2	B	120	VAL	3.2
2	D	134	ILE	3.1
1	A	58	GLU	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	119	ASP	3.1
2	D	133	ASN	2.9
1	A	59	LEU	2.8
2	B	123	ILE	2.8
2	F	133	ASN	2.8
2	F	98	ASN	2.8
2	F	134	ILE	2.7
2	F	131	ALA	2.7
2	F	121	ILE	2.6
2	F	95	VAL	2.6
2	F	100	THR	2.6
1	A	188	MET	2.6
1	C	91	ALA	2.6
1	E	91	ALA	2.6
2	F	53	PRO	2.5
1	A	89	LEU	2.5
2	B	132	PRO	2.5
1	C	69	VAL	2.4
1	C	93	GLY	2.4
2	F	132	PRO	2.3
1	E	60	THR	2.3
1	E	177	MET	2.3
2	D	100	THR	2.2
2	D	57	ARG	2.2
2	B	122	ASN	2.2
2	B	124	ASP	2.1
2	B	98	ASN	2.1

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no oligosaccharides in this entry.

6.4 Ligands (i)

There are no ligands in this entry.

6.5 Other polymers (i)

There are no such residues in this entry.