



wwPDB EM Validation Summary Report ⓘ

Mar 24, 2026 – 01:46 AM JST

PDB ID : 9X69 / pdb_00009x69
EMDB ID : EMD-66304
Title : The structure of phycobilisome with a bicylindrical core from the cyanobacterium *Synechococcus elongatus* PCC 7942
Authors : Zheng, Z.G.; Ma, C.Y.; Wang, H.R.; Wang, G.P.; Dong, C.X.; Gao, N.; Zhao, J.D.
Deposited on : 2025-10-15
Resolution : 3.00 Å (reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.48.1

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	210492	15764	-
Ramachandran outliers	207382	16835	-
Sidechain outliers	206894	16415	-
Q-score	-	25397	13236 (2.48 - 3.48)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	0	67	<p>51% (red), 73% (green), 25% (yellow), . (grey)</p>
1	Y	67	<p>. (red), 81% (green), 19% (yellow)</p>
1	Z	67	<p>51% (red), 64% (green), 33% (yellow), . (grey)</p>
1	z	67	<p>. (red), 73% (green), 27% (yellow)</p>


























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	1	110	27% 5% 66%
2	b	110	30% 5% 66%
3	2	250	17% 6% 77%
3	3	250	18% 5% 77%
3	4	250	8% 20% 78%
3	5	250	9% 18% 78%
4	A	161	18% 76% 23%
4	B	161	39% 78% 21%
4	C	161	32% 73% 25%
4	F	161	77% 22%
4	K	161	77% 22%
4	L	161	81% 18%
4	M	161	81% 19%
4	O	161	76% 22%
4	T	161	76% 23%
4	V	161	80% 20%
4	X	161	79% 21%
4	a	161	17% 80% 18%
4	c	161	30% 75% 24%
4	d	161	24% 78% 22%
4	g	161	73% 27%
4	l	161	80% 20%
4	m	161	75% 24%
4	n	161	82% 17%
4	p	161	80% 19%





Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	u	161	 79% 20%
4	w	161	 85% 15%
4	y	161	 74% 26%
5	D	161	 71% 27%
5	E	161	 77% 22%
5	G	161	 78% 20%
5	H	161	 42% 71% 27%
5	I	161	 75% 71% 29%
5	J	161	 29% 79% 20%
5	Q	161	 71% 27%
5	R	161	 69% 30%
5	U	161	 77% 22%
5	W	161	 71% 28%
5	e	161	 74% 24%
5	f	161	 76% 22%
5	h	161	 79% 20%
5	i	161	 48% 71% 27%
5	j	161	 68% 75% 24%
5	k	161	 30% 77% 22%
5	r	161	 73% 24%
5	s	161	 71% 29%
5	v	161	 77% 23%
5	x	161	 74% 25%
6	N	705	 5% 73% 20% 7%
6	o	705	 72% 21% 7%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
7	P	169	
7	q	169	
8	S	163	
8	t	163	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
9	CYC	A	201	-	-	X	-
9	CYC	B	201	-	-	X	-
9	CYC	C	201	-	-	X	-
9	CYC	D	201	-	-	X	-
9	CYC	H	201	-	-	X	-
9	CYC	I	201	-	-	X	-
9	CYC	Q	201	-	-	X	-
9	CYC	R	201	-	-	X	-
9	CYC	j	201	-	-	X	-
9	CYC	t	201	-	-	X	-

2 Entry composition [i](#)

There are 9 unique types of molecules in this entry. The entry contains 73424 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Phycobilisome 7.8 kDa linker polypeptide, allophycocyanin-associated, core.

Mol	Chain	Residues	Atoms				AltConf	Trace	
			Total	C	N	O			S
1	0	67	549	350	102	94	3	0	0
1	Y	67	549	350	102	94	3	0	0
1	Z	67	549	350	102	94	3	0	0
1	z	67	549	350	102	94	3	0	0

- Molecule 2 is a protein called ApcG.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
2	1	37	274	176	46	52	0	0
2	b	37	274	176	46	52	0	0

- Molecule 3 is a protein called Phycobilisome rod-core linker polypeptide.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
3	2	57	417	267	76	74	0	0
3	3	57	417	267	76	74	0	0
3	4	56	408	261	74	73	0	0
3	5	56	408	261	74	73	0	0

- Molecule 4 is a protein called Allophycocyanin, beta subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	A	161	Total 1221	C 766	N 207	O 243	S 5	0	0
4	B	161	Total 1221	C 766	N 207	O 243	S 5	0	0
4	C	161	Total 1221	C 766	N 207	O 243	S 5	0	0
4	F	161	Total 1221	C 766	N 207	O 243	S 5	0	0
4	K	161	Total 1221	C 766	N 207	O 243	S 5	0	0
4	L	161	Total 1221	C 766	N 207	O 243	S 5	0	0
4	M	161	Total 1221	C 766	N 207	O 243	S 5	0	0
4	O	161	Total 1221	C 766	N 207	O 243	S 5	0	0
4	T	161	Total 1221	C 766	N 207	O 243	S 5	0	0
4	V	161	Total 1221	C 766	N 207	O 243	S 5	0	0
4	X	161	Total 1221	C 766	N 207	O 243	S 5	0	0
4	a	161	Total 1221	C 766	N 207	O 243	S 5	0	0
4	c	161	Total 1221	C 766	N 207	O 243	S 5	0	0
4	d	161	Total 1221	C 766	N 207	O 243	S 5	0	0
4	g	161	Total 1221	C 766	N 207	O 243	S 5	0	0
4	l	161	Total 1221	C 766	N 207	O 243	S 5	0	0
4	m	161	Total 1221	C 766	N 207	O 243	S 5	0	0
4	n	161	Total 1221	C 766	N 207	O 243	S 5	0	0
4	p	161	Total 1221	C 766	N 207	O 243	S 5	0	0
4	u	161	Total 1221	C 766	N 207	O 243	S 5	0	0
4	w	161	Total 1221	C 766	N 207	O 243	S 5	0	0
4	y	161	Total 1221	C 766	N 207	O 243	S 5	0	0

- Molecule 5 is a protein called Allophycocyanin alpha chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	D	161	Total	C	N	O	S	0	0
			1224	766	210	244	4		
5	E	161	Total	C	N	O	S	0	0
			1224	766	210	244	4		
5	G	161	Total	C	N	O	S	0	0
			1224	766	210	244	4		
5	H	161	Total	C	N	O	S	0	0
			1224	766	210	244	4		
5	I	161	Total	C	N	O	S	0	0
			1224	766	210	244	4		
5	J	161	Total	C	N	O	S	0	0
			1224	766	210	244	4		
5	Q	161	Total	C	N	O	S	0	0
			1224	766	210	244	4		
5	R	161	Total	C	N	O	S	0	0
			1224	766	210	244	4		
5	U	161	Total	C	N	O	S	0	0
			1224	766	210	244	4		
5	W	160	Total	C	N	O	S	0	0
			1216	761	209	243	3		
5	e	161	Total	C	N	O	S	0	0
			1224	766	210	244	4		
5	f	161	Total	C	N	O	S	0	0
			1224	766	210	244	4		
5	h	161	Total	C	N	O	S	0	0
			1224	766	210	244	4		
5	i	161	Total	C	N	O	S	0	0
			1224	766	210	244	4		
5	j	161	Total	C	N	O	S	0	0
			1224	766	210	244	4		
5	k	161	Total	C	N	O	S	0	0
			1224	766	210	244	4		
5	r	161	Total	C	N	O	S	0	0
			1224	766	210	244	4		
5	s	161	Total	C	N	O	S	0	0
			1224	766	210	244	4		
5	v	161	Total	C	N	O	S	0	0
			1224	766	210	244	4		
5	x	160	Total	C	N	O	S	0	0
			1216	761	209	243	3		

- Molecule 6 is a protein called Phycobiliprotein ApcE.

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
9	B	1	Total 43	C 33	N 4	O 6	0
9	C	1	Total 43	C 33	N 4	O 6	0
9	D	1	Total 43	C 33	N 4	O 6	0
9	E	1	Total 43	C 33	N 4	O 6	0
9	F	1	Total 43	C 33	N 4	O 6	0
9	G	1	Total 43	C 33	N 4	O 6	0
9	H	1	Total 43	C 33	N 4	O 6	0
9	I	1	Total 43	C 33	N 4	O 6	0
9	L	1	Total 43	C 33	N 4	O 6	0
9	M	1	Total 43	C 33	N 4	O 6	0
9	N	1	Total 43	C 33	N 4	O 6	0
9	N	1	Total 43	C 33	N 4	O 6	0
9	O	1	Total 43	C 33	N 4	O 6	0
9	P	1	Total 43	C 33	N 4	O 6	0
9	Q	1	Total 43	C 33	N 4	O 6	0
9	R	1	Total 43	C 33	N 4	O 6	0
9	S	1	Total 43	C 33	N 4	O 6	0
9	T	1	Total 43	C 33	N 4	O 6	0
9	U	1	Total 43	C 33	N 4	O 6	0
9	V	1	Total 43	C 33	N 4	O 6	0
9	W	1	Total 43	C 33	N 4	O 6	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
9	X	1	Total 43	C 33	N 4	O 6	0
9	Z	1	Total 43	C 33	N 4	O 6	0
9	a	1	Total 43	C 33	N 4	O 6	0
9	c	1	Total 43	C 33	N 4	O 6	0
9	d	1	Total 43	C 33	N 4	O 6	0
9	e	1	Total 43	C 33	N 4	O 6	0
9	f	1	Total 43	C 33	N 4	O 6	0
9	g	1	Total 43	C 33	N 4	O 6	0
9	h	1	Total 43	C 33	N 4	O 6	0
9	i	1	Total 43	C 33	N 4	O 6	0
9	j	1	Total 43	C 33	N 4	O 6	0
9	k	1	Total 43	C 33	N 4	O 6	0
9	l	1	Total 43	C 33	N 4	O 6	0
9	m	1	Total 43	C 33	N 4	O 6	0
9	n	1	Total 43	C 33	N 4	O 6	0
9	o	1	Total 43	C 33	N 4	O 6	0
9	p	1	Total 43	C 33	N 4	O 6	0
9	q	1	Total 43	C 33	N 4	O 6	0
9	r	1	Total 43	C 33	N 4	O 6	0
9	s	1	Total 43	C 33	N 4	O 6	0
9	t	1	Total 43	C 33	N 4	O 6	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
9	v	1	Total 43	C 33	N 4	O 6	0
9	w	1	Total 43	C 33	N 4	O 6	0
9	x	1	Total 43	C 33	N 4	O 6	0
9	y	1	Total 43	C 33	N 4	O 6	0
9	z	1	Total 43	C 33	N 4	O 6	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Phycobilisome 7.8 kDa linker polypeptide, allophycocyanin-associated, core




- Molecule 1: Phycobilisome 7.8 kDa linker polypeptide, allophycocyanin-associated, core



- Molecule 1: Phycobilisome 7.8 kDa linker polypeptide, allophycocyanin-associated, core



- Molecule 1: Phycobilisome 7.8 kDa linker polypeptide, allophycocyanin-associated, core



- Molecule 2: ApcG




MET VAL LEU LEU LYS PHE GLY LYS LYS LYS LYS LYS PHE PHE LEU LEU LEU ILE ASP ASP SER SER ALA ALA SER SER THR THR ALA ALA VAL VAL THR THR ALA ALA VAL VAL THR THR PRO PRO VAL VAL ALA ALA ALA ALA ALA ALA ALA ALA THR THR PRO PRO THR THR ALA ALA ALA ALA GLY GLY VAL VAL ALA ALA THR THR PRO PRO GLU GLU THR THR ALA ALA



• Molecule 2: ApcG



MET VAL LEU LEU LYS PHE GLY LYS LYS LYS LYS PHE PHE LEU LEU LEU ILE ASP ASP SER SER ALA ALA SER SER THR THR ALA ALA VAL VAL THR THR ALA ALA VAL VAL THR THR PRO PRO VAL VAL ALA ALA ALA ALA ALA ALA THR THR PRO PRO THR THR ALA ALA ALA ALA GLY GLY VAL VAL ALA ALA THR THR PRO PRO GLU GLU THR THR ALA ALA



• Molecule 3: Phycobilisome rod-core linker polypeptide



MET ALA LEU LEU LYS PHE GLY LYS LYS LYS LYS PHE PHE LEU LEU LEU ILE ASP ASP SER SER ALA ALA SER SER THR THR ALA ALA VAL VAL THR THR ALA ALA VAL VAL THR THR PRO PRO VAL VAL ALA ALA ALA ALA ALA ALA THR THR PRO PRO THR THR ALA ALA ALA ALA GLY GLY VAL VAL ALA ALA THR THR PRO PRO GLU GLU THR THR ALA ALA

ASP ARG GLN THR VAL LEU LEU SER LEU LEU ASP ASP PHE PHE ILE LEU LEU VAL VAL THR THR ALA ALA SER SER THR THR ALA ALA VAL VAL THR THR PRO PRO VAL VAL ALA ALA ALA ALA THR THR PRO PRO THR THR ALA ALA ALA ALA GLY GLY VAL VAL ALA ALA THR THR PRO PRO GLU GLU THR THR ALA ALA

GLU LYS ILE ALA TRP LEU LEU SER LEU LEU ASP ASP PHE PHE ILE LEU LEU VAL VAL THR THR ALA ALA SER SER THR THR ALA ALA VAL VAL THR THR PRO PRO VAL VAL ALA ALA ALA ALA THR THR PRO PRO THR THR ALA ALA ALA ALA GLY GLY VAL VAL ALA ALA THR THR PRO PRO GLU GLU THR THR ALA ALA




• Molecule 3: Phycobilisome rod-core linker polypeptide



MET ALA LEU LEU LYS PHE GLY LYS LYS LYS LYS PHE PHE LEU LEU LEU ILE ASP ASP SER SER ALA ALA SER SER THR THR ALA ALA VAL VAL THR THR ALA ALA VAL VAL THR THR PRO PRO VAL VAL ALA ALA ALA ALA ALA ALA THR THR PRO PRO THR THR ALA ALA ALA ALA GLY GLY VAL VAL ALA ALA THR THR PRO PRO GLU GLU THR THR ALA ALA





ASP ARG GLN THR VAL LEU LEU SER LEU LEU ASP ASP PHE PHE ILE LEU LEU VAL VAL THR THR ALA ALA SER SER THR THR ALA ALA VAL VAL THR THR PRO PRO VAL VAL ALA ALA ALA ALA THR THR PRO PRO THR THR ALA ALA ALA ALA GLY GLY VAL VAL ALA ALA THR THR PRO PRO GLU GLU THR THR ALA ALA


GLU LYS ILE ALA TRP LEU LEU SER LEU LEU ASP ASP PHE PHE ILE LEU LEU VAL VAL THR THR ALA ALA SER SER THR THR ALA ALA VAL VAL THR THR PRO PRO VAL VAL ALA ALA ALA ALA THR THR PRO PRO THR THR ALA ALA ALA ALA GLY GLY VAL VAL ALA ALA THR THR PRO PRO GLU GLU THR THR ALA ALA





• Molecule 3: Phycobilisome rod-core linker polypeptide










• Molecule 4: Allophycocyanin, beta subunit





• Molecule 4: Allophycocyanin, beta subunit




• Molecule 4: Allophycocyanin, beta subunit




• Molecule 4: Allophycocyanin, beta subunit




• Molecule 4: Allophycocyanin, beta subunit




• Molecule 4: Allophycocyanin, beta subunit




• Molecule 4: Allophycocyanin, beta subunit



• Molecule 4: Allophycocyanin, beta subunit




• Molecule 4: Allophycocyanin, beta subunit








• Molecule 4: Allophycocyanin, beta subunit





• Molecule 4: Allophycocyanin, beta subunit



• Molecule 4: Allophycocyanin, beta subunit



• Molecule 4: Allophycocyanin, beta subunit



• Molecule 4: Allophycocyanin, beta subunit




• Molecule 5: Allophycocyanin alpha chain









• Molecule 5: Allophycocyanin alpha chain



• Molecule 5: Allophycocyanin alpha chain




• Molecule 5: Allophycocyanin alpha chain





• Molecule 5: Allophycocyanin alpha chain







• Molecule 5: Allophycocyanin alpha chain




• Molecule 5: Allophycocyanin alpha chain




• Molecule 5: Allophycocyanin alpha chain




• Molecule 5: Allophycocyanin alpha chain








• Molecule 5: Allophycocyanin alpha chain




• Molecule 5: Allophycocyanin alpha chain



• Molecule 5: Allophycocyanin alpha chain




• Molecule 5: Allophycocyanin alpha chain



S161


• Molecule 5: Allophycocyanin alpha chain



• Molecule 5: Allophycocyanin alpha chain




• Molecule 5: Allophycocyanin alpha chain




• Molecule 5: Allophycocyanin alpha chain








• Molecule 5: Allophycocyanin alpha chain




• Molecule 5: Allophycocyanin alpha chain




• Molecule 5: Allophycocyanin alpha chain




• Molecule 6: Phycobiliprotein ApcE







• Molecule 6: Phycobiliprotein ApcE






• Molecule 7: Allophycocyanin, beta subunit





• Molecule 7: Allophycocyanin, beta subunit



• Molecule 8: Allophycocyanin alpha-B chain



• Molecule 8: Allophycocyanin alpha-B chain



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	258722	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	60	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	1600	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.053	Depositor
Minimum map value	-0.017	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.001	Depositor
Recommended contour level	0.00986	Depositor
Map size (\AA)	599.2, 599.2, 599.2	wwPDB
Map dimensions	560, 560, 560	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.07, 1.07, 1.07	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CYC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	0	0.10	0/559	0.29	0/750
1	Y	0.11	0/559	0.23	0/750
1	Z	0.10	0/559	0.23	0/750
1	z	0.11	0/559	0.25	0/750
2	1	0.09	0/280	0.25	0/386
2	b	0.12	0/280	0.29	0/386
3	2	0.10	0/426	0.31	0/573
3	3	0.10	0/426	0.27	0/573
3	4	0.09	0/417	0.22	0/562
3	5	0.12	0/417	0.26	0/562
4	A	0.08	0/1236	0.22	0/1673
4	B	0.32	0/1236	0.43	0/1673
4	C	0.08	0/1236	0.23	0/1673
4	F	0.12	0/1236	0.22	0/1673
4	K	0.13	0/1236	0.25	0/1673
4	L	0.32	0/1236	0.49	0/1673
4	M	0.34	0/1236	0.49	0/1673
4	O	0.13	0/1236	0.23	0/1673
4	T	0.10	0/1236	0.21	0/1673
4	V	0.11	0/1236	0.22	0/1673
4	X	0.11	0/1236	0.26	0/1673
4	a	0.08	0/1236	0.23	0/1673
4	c	0.32	0/1236	0.44	0/1673
4	d	0.10	0/1236	0.27	0/1673
4	g	0.12	0/1236	0.23	0/1673
4	l	0.21	0/1236	0.40	0/1673
4	m	0.28	0/1236	0.40	0/1673
4	n	0.36	0/1236	0.48	0/1673
4	p	0.14	0/1236	0.23	0/1673
4	u	0.10	0/1236	0.20	0/1673
4	w	0.11	0/1236	0.23	0/1673
4	y	0.10	0/1236	0.24	0/1673

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
5	D	0.11	0/1239	0.22	0/1674
5	E	0.11	0/1239	0.22	0/1674
5	G	0.11	0/1239	0.25	0/1674
5	H	0.08	0/1239	0.22	0/1674
5	I	0.07	0/1239	0.20	0/1674
5	J	0.09	0/1239	0.24	0/1674
5	Q	0.11	0/1239	0.23	0/1674
5	R	0.12	0/1239	0.25	0/1674
5	U	0.13	0/1239	0.25	0/1674
5	W	0.09	0/1231	0.24	0/1664
5	e	0.11	0/1239	0.22	0/1674
5	f	0.31	0/1239	0.46	0/1674
5	h	0.11	0/1239	0.22	0/1674
5	i	0.09	0/1239	0.23	0/1674
5	j	0.08	0/1239	0.24	0/1674
5	k	0.09	0/1239	0.26	0/1674
5	r	0.29	0/1239	0.48	0/1674
5	s	0.12	0/1239	0.25	0/1674
5	v	0.12	0/1239	0.24	0/1674
5	x	0.29	0/1231	0.45	0/1664
6	N	0.12	0/5348	0.24	0/7227
6	o	0.32	0/5348	0.49	0/7227
7	P	0.13	0/1329	0.24	0/1803
7	q	0.13	0/1329	0.24	0/1803
8	S	0.11	0/1290	0.24	0/1741
8	t	0.27	0/1290	0.41	0/1741
All	All	0.18	0/72372	0.31	0/97850

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	0	549	0	580	14	0
1	Y	549	0	580	12	0
1	Z	549	0	580	34	0
1	z	549	0	580	15	0
2	1	274	0	280	5	0
2	b	274	0	280	2	0
3	2	417	0	427	13	0
3	3	417	0	427	12	0
3	4	408	0	414	6	0
3	5	408	0	414	9	0
4	A	1221	0	1234	44	0
4	B	1221	0	1234	61	0
4	C	1221	0	1234	53	0
4	F	1221	0	1234	41	0
4	K	1221	0	1234	31	0
4	L	1221	0	1234	31	0
4	M	1221	0	1234	41	0
4	O	1221	0	1234	41	0
4	T	1221	0	1234	44	0
4	V	1221	0	1234	41	0
4	X	1221	0	1234	29	0
4	a	1221	0	1234	31	0
4	c	1221	0	1234	46	0
4	d	1221	0	1234	41	0
4	g	1221	0	1234	41	0
4	l	1221	0	1234	26	0
4	m	1221	0	1234	32	0
4	n	1221	0	1234	27	0
4	p	1221	0	1234	29	0
4	u	1221	0	1234	32	0
4	w	1221	0	1234	23	0
4	y	1221	0	1234	47	0
5	D	1224	0	1232	47	0
5	E	1224	0	1232	33	0
5	G	1224	0	1232	37	0
5	H	1224	0	1232	55	0
5	I	1224	0	1232	72	0
5	J	1224	0	1232	35	0
5	Q	1224	0	1232	55	0
5	R	1224	0	1232	58	0
5	U	1224	0	1232	29	0
5	W	1216	0	1220	40	0
5	e	1224	0	1232	38	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	f	1224	0	1232	39	0
5	h	1224	0	1232	30	0
5	i	1224	0	1232	39	0
5	j	1224	0	1232	45	0
5	k	1224	0	1232	43	0
5	r	1224	0	1232	38	0
5	s	1224	0	1232	37	0
5	v	1224	0	1232	29	0
5	x	1216	0	1220	32	0
6	N	5242	0	5263	113	0
6	o	5242	0	5263	121	0
7	P	1310	0	1297	30	0
7	q	1310	0	1297	29	0
8	S	1268	0	1283	47	0
8	t	1268	0	1283	48	0
9	A	43	0	38	24	0
9	B	43	0	38	27	0
9	C	43	0	38	25	0
9	D	43	0	38	22	0
9	E	43	0	38	12	0
9	F	43	0	38	17	0
9	G	43	0	38	12	0
9	H	43	0	38	29	0
9	I	43	0	38	45	0
9	L	43	0	38	8	0
9	M	43	0	38	20	0
9	N	86	0	76	14	0
9	O	43	0	38	16	0
9	P	43	0	38	12	0
9	Q	43	0	38	27	0
9	R	43	0	38	26	0
9	S	43	0	38	19	0
9	T	43	0	38	14	0
9	U	43	0	38	9	0
9	V	43	0	38	14	0
9	W	43	0	38	15	0
9	X	43	0	38	3	0
9	Z	43	0	38	20	0
9	a	43	0	38	7	0
9	c	43	0	38	16	0
9	d	43	0	38	12	0
9	e	43	0	38	9	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
9	f	43	0	38	17	0
9	g	43	0	38	12	0
9	h	43	0	38	7	0
9	i	43	0	38	13	0
9	j	43	0	38	26	0
9	k	43	0	38	20	0
9	l	43	0	38	8	0
9	m	43	0	38	10	0
9	n	43	0	38	8	0
9	o	43	0	38	5	0
9	p	43	0	38	8	0
9	q	43	0	38	4	0
9	r	43	0	38	5	0
9	s	43	0	38	5	0
9	t	43	0	38	33	0
9	v	43	0	38	6	0
9	w	43	0	38	4	0
9	x	43	0	38	10	0
9	y	43	0	38	9	0
9	z	43	0	38	9	0
All	All	73424	0	73836	1897	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

The worst 5 of 1897 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:C:81:CYS:SG	9:C:201:CYC:H2C	1.72	1.28
5:I:81:CYS:CB	9:I:201:CYC:HAC1	1.68	1.23
5:j:81:CYS:SG	9:j:201:CYC:HAC1	1.81	1.18
5:D:81:CYS:HA	9:D:201:CYC:HHD	1.24	1.17
4:B:81:CYS:HB3	9:B:201:CYC:HAC2	1.24	1.12

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	0	65/67 (97%)	60 (92%)	5 (8%)	0	100	100
1	Y	65/67 (97%)	64 (98%)	1 (2%)	0	100	100
1	Z	65/67 (97%)	63 (97%)	2 (3%)	0	100	100
1	z	65/67 (97%)	62 (95%)	3 (5%)	0	100	100
2	1	35/110 (32%)	33 (94%)	2 (6%)	0	100	100
2	b	35/110 (32%)	31 (89%)	4 (11%)	0	100	100
3	2	55/250 (22%)	52 (94%)	3 (6%)	0	100	100
3	3	55/250 (22%)	52 (94%)	3 (6%)	0	100	100
3	4	54/250 (22%)	51 (94%)	3 (6%)	0	100	100
3	5	54/250 (22%)	51 (94%)	3 (6%)	0	100	100
4	A	159/161 (99%)	159 (100%)	0	0	100	100
4	B	159/161 (99%)	157 (99%)	2 (1%)	0	100	100
4	C	159/161 (99%)	155 (98%)	4 (2%)	0	100	100
4	F	159/161 (99%)	153 (96%)	6 (4%)	0	100	100
4	K	159/161 (99%)	155 (98%)	4 (2%)	0	100	100
4	L	159/161 (99%)	156 (98%)	3 (2%)	0	100	100
4	M	159/161 (99%)	158 (99%)	1 (1%)	0	100	100
4	O	159/161 (99%)	156 (98%)	3 (2%)	0	100	100
4	T	159/161 (99%)	158 (99%)	1 (1%)	0	100	100
4	V	159/161 (99%)	155 (98%)	4 (2%)	0	100	100
4	X	159/161 (99%)	155 (98%)	4 (2%)	0	100	100
4	a	159/161 (99%)	158 (99%)	1 (1%)	0	100	100
4	c	159/161 (99%)	158 (99%)	1 (1%)	0	100	100
4	d	159/161 (99%)	156 (98%)	3 (2%)	0	100	100
4	g	159/161 (99%)	154 (97%)	5 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
4	l	159/161 (99%)	154 (97%)	4 (2%)	1 (1%)	22	57
4	m	159/161 (99%)	154 (97%)	4 (2%)	1 (1%)	22	57
4	n	159/161 (99%)	158 (99%)	1 (1%)	0	100	100
4	p	159/161 (99%)	155 (98%)	4 (2%)	0	100	100
4	u	159/161 (99%)	158 (99%)	1 (1%)	0	100	100
4	w	159/161 (99%)	155 (98%)	4 (2%)	0	100	100
4	y	159/161 (99%)	155 (98%)	4 (2%)	0	100	100
5	D	159/161 (99%)	158 (99%)	1 (1%)	0	100	100
5	E	159/161 (99%)	158 (99%)	1 (1%)	0	100	100
5	G	159/161 (99%)	159 (100%)	0	0	100	100
5	H	159/161 (99%)	159 (100%)	0	0	100	100
5	I	159/161 (99%)	159 (100%)	0	0	100	100
5	J	159/161 (99%)	159 (100%)	0	0	100	100
5	Q	159/161 (99%)	159 (100%)	0	0	100	100
5	R	159/161 (99%)	157 (99%)	2 (1%)	0	100	100
5	U	159/161 (99%)	157 (99%)	2 (1%)	0	100	100
5	W	158/161 (98%)	158 (100%)	0	0	100	100
5	e	159/161 (99%)	158 (99%)	1 (1%)	0	100	100
5	f	159/161 (99%)	158 (99%)	1 (1%)	0	100	100
5	h	159/161 (99%)	159 (100%)	0	0	100	100
5	i	159/161 (99%)	158 (99%)	1 (1%)	0	100	100
5	j	159/161 (99%)	157 (99%)	2 (1%)	0	100	100
5	k	159/161 (99%)	159 (100%)	0	0	100	100
5	r	159/161 (99%)	159 (100%)	0	0	100	100
5	s	159/161 (99%)	157 (99%)	2 (1%)	0	100	100
5	v	159/161 (99%)	158 (99%)	1 (1%)	0	100	100
5	x	158/161 (98%)	157 (99%)	1 (1%)	0	100	100
6	N	654/705 (93%)	635 (97%)	19 (3%)	0	100	100
6	o	654/705 (93%)	630 (96%)	24 (4%)	0	100	100
7	P	167/169 (99%)	163 (98%)	4 (2%)	0	100	100
7	q	167/169 (99%)	164 (98%)	3 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
8	S	160/163 (98%)	159 (99%)	1 (1%)	0	100	100
8	t	160/163 (98%)	160 (100%)	0	0	100	100
All	All	9186/10324 (89%)	9025 (98%)	159 (2%)	2 (0%)	100	100

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
4	l	74	THR
4	m	74	THR

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	0	60/60 (100%)	59 (98%)	1 (2%)	56	81
1	Y	60/60 (100%)	60 (100%)	0	100	100
1	Z	60/60 (100%)	58 (97%)	2 (3%)	33	67
1	z	60/60 (100%)	60 (100%)	0	100	100
2	1	32/86 (37%)	31 (97%)	1 (3%)	35	68
2	b	32/86 (37%)	31 (97%)	1 (3%)	35	68
3	2	38/208 (18%)	37 (97%)	1 (3%)	41	72
3	3	38/208 (18%)	38 (100%)	0	100	100
3	4	37/208 (18%)	37 (100%)	0	100	100
3	5	37/208 (18%)	36 (97%)	1 (3%)	40	71
4	A	128/128 (100%)	125 (98%)	3 (2%)	45	75
4	B	128/128 (100%)	126 (98%)	2 (2%)	58	82
4	C	128/128 (100%)	125 (98%)	3 (2%)	45	75
4	F	128/128 (100%)	127 (99%)	1 (1%)	79	90
4	K	128/128 (100%)	126 (98%)	2 (2%)	58	82
4	L	128/128 (100%)	126 (98%)	2 (2%)	58	82

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
4	M	128/128 (100%)	128 (100%)	0	100	100
4	O	128/128 (100%)	125 (98%)	3 (2%)	45	75
4	T	128/128 (100%)	127 (99%)	1 (1%)	79	90
4	V	128/128 (100%)	128 (100%)	0	100	100
4	X	128/128 (100%)	128 (100%)	0	100	100
4	a	128/128 (100%)	125 (98%)	3 (2%)	45	75
4	c	128/128 (100%)	124 (97%)	4 (3%)	35	68
4	d	128/128 (100%)	127 (99%)	1 (1%)	79	90
4	g	128/128 (100%)	127 (99%)	1 (1%)	79	90
4	l	128/128 (100%)	127 (99%)	1 (1%)	79	90
4	m	128/128 (100%)	126 (98%)	2 (2%)	58	82
4	n	128/128 (100%)	125 (98%)	3 (2%)	45	75
4	p	128/128 (100%)	126 (98%)	2 (2%)	58	82
4	u	128/128 (100%)	127 (99%)	1 (1%)	79	90
4	w	128/128 (100%)	128 (100%)	0	100	100
4	y	128/128 (100%)	127 (99%)	1 (1%)	79	90
5	D	128/128 (100%)	124 (97%)	4 (3%)	35	68
5	E	128/128 (100%)	126 (98%)	2 (2%)	58	82
5	G	128/128 (100%)	122 (95%)	6 (5%)	22	56
5	H	128/128 (100%)	123 (96%)	5 (4%)	27	61
5	I	128/128 (100%)	124 (97%)	4 (3%)	35	68
5	J	128/128 (100%)	126 (98%)	2 (2%)	58	82
5	Q	128/128 (100%)	125 (98%)	3 (2%)	45	75
5	R	128/128 (100%)	126 (98%)	2 (2%)	58	82
5	U	128/128 (100%)	126 (98%)	2 (2%)	58	82
5	W	127/128 (99%)	123 (97%)	4 (3%)	35	68
5	e	128/128 (100%)	125 (98%)	3 (2%)	45	75
5	f	128/128 (100%)	124 (97%)	4 (3%)	35	68
5	h	128/128 (100%)	124 (97%)	4 (3%)	35	68
5	i	128/128 (100%)	123 (96%)	5 (4%)	27	61
5	j	128/128 (100%)	125 (98%)	3 (2%)	45	75

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
5	k	128/128 (100%)	125 (98%)	3 (2%)	45	75
5	r	128/128 (100%)	123 (96%)	5 (4%)	27	61
5	s	128/128 (100%)	126 (98%)	2 (2%)	58	82
5	v	128/128 (100%)	127 (99%)	1 (1%)	79	90
5	x	127/128 (99%)	122 (96%)	5 (4%)	27	61
6	N	553/584 (95%)	548 (99%)	5 (1%)	75	89
6	o	553/584 (95%)	547 (99%)	6 (1%)	70	87
7	P	133/133 (100%)	131 (98%)	2 (2%)	60	83
7	q	133/133 (100%)	132 (99%)	1 (1%)	79	90
8	S	132/133 (99%)	131 (99%)	1 (1%)	79	90
8	t	132/133 (99%)	129 (98%)	3 (2%)	45	75
All	All	7464/8320 (90%)	7334 (98%)	130 (2%)	56	81

5 of 130 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
5	r	102	THR
8	t	71	ASN
7	P	82	CYS
4	O	87	TYR
8	t	102	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 38 such sidechains are listed below:

Mol	Chain	Res	Type
6	o	306	GLN
4	y	47	ASN
6	o	445	GLN
5	r	10	ASN
1	z	24	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

48 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
9	CYC	W	201	-	42,46,46	7.19	20 (47%)	50,67,67	4.45	11 (22%)
9	CYC	k	201	-	42,46,46	7.18	21 (50%)	50,67,67	4.60	11 (22%)
9	CYC	X	201	-	42,46,46	7.24	20 (47%)	50,67,67	4.47	11 (22%)
9	CYC	B	201	-	42,46,46	7.22	20 (47%)	50,67,67	4.41	9 (18%)
9	CYC	d	201	-	42,46,46	7.20	20 (47%)	50,67,67	4.51	10 (20%)
9	CYC	w	201	-	42,46,46	7.19	20 (47%)	50,67,67	4.43	12 (24%)
9	CYC	h	201	-	42,46,46	7.18	20 (47%)	50,67,67	4.48	10 (20%)
9	CYC	l	201	-	42,46,46	7.13	20 (47%)	50,67,67	4.46	13 (26%)
9	CYC	N	801	-	42,46,46	7.20	20 (47%)	50,67,67	4.32	13 (26%)
9	CYC	e	201	-	42,46,46	7.20	20 (47%)	50,67,67	4.54	13 (26%)
9	CYC	D	201	-	42,46,46	7.20	20 (47%)	50,67,67	4.45	14 (28%)
9	CYC	N	802	-	42,46,46	7.22	20 (47%)	50,67,67	4.62	11 (22%)
9	CYC	U	201	-	42,46,46	7.18	20 (47%)	50,67,67	4.24	11 (22%)
9	CYC	o	901	-	42,46,46	0.99	2 (4%)	50,67,67	1.24	4 (8%)
9	CYC	s	201	-	42,46,46	7.21	20 (47%)	50,67,67	4.52	14 (28%)
9	CYC	V	201	-	42,46,46	7.17	20 (47%)	50,67,67	4.31	11 (22%)
9	CYC	v	201	-	42,46,46	7.22	20 (47%)	50,67,67	4.38	12 (24%)
9	CYC	g	201	-	42,46,46	7.09	20 (47%)	50,67,67	4.28	11 (22%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
9	CYC	Z	201	-	42,46,46	7.22	20 (47%)	50,67,67	4.43	9 (18%)
9	CYC	j	201	-	42,46,46	1.09	2 (4%)	50,67,67	1.25	5 (10%)
9	CYC	E	201	-	42,46,46	7.22	20 (47%)	50,67,67	4.54	12 (24%)
9	CYC	c	201	-	42,46,46	7.15	20 (47%)	50,67,67	4.34	10 (20%)
9	CYC	r	201	-	42,46,46	7.19	20 (47%)	50,67,67	4.48	13 (26%)
9	CYC	H	201	-	42,46,46	7.16	20 (47%)	50,67,67	4.55	10 (20%)
9	CYC	P	201	-	42,46,46	7.19	20 (47%)	50,67,67	4.38	11 (22%)
9	CYC	S	201	-	42,46,46	7.23	20 (47%)	50,67,67	4.38	12 (24%)
9	CYC	t	201	-	42,46,46	7.16	20 (47%)	50,67,67	4.40	11 (22%)
9	CYC	R	201	-	42,46,46	7.22	20 (47%)	50,67,67	4.52	14 (28%)
9	CYC	p	201	-	42,46,46	7.18	20 (47%)	50,67,67	4.42	12 (24%)
9	CYC	x	201	-	42,46,46	7.25	20 (47%)	50,67,67	4.48	13 (26%)
9	CYC	I	201	-	42,46,46	7.12	20 (47%)	50,67,67	4.38	8 (16%)
9	CYC	T	201	-	42,46,46	7.16	21 (50%)	50,67,67	4.60	11 (22%)
9	CYC	f	201	-	42,46,46	7.21	20 (47%)	50,67,67	4.50	13 (26%)
9	CYC	L	201	-	42,46,46	7.12	20 (47%)	50,67,67	4.44	11 (22%)
9	CYC	G	201	-	42,46,46	7.15	20 (47%)	50,67,67	4.47	9 (18%)
9	CYC	Q	201	-	42,46,46	7.18	20 (47%)	50,67,67	4.46	12 (24%)
9	CYC	m	201	-	42,46,46	7.17	20 (47%)	50,67,67	4.60	13 (26%)
9	CYC	z	201	-	42,46,46	7.13	20 (47%)	50,67,67	4.31	13 (26%)
9	CYC	y	201	-	42,46,46	7.21	20 (47%)	50,67,67	4.42	12 (24%)
9	CYC	O	201	-	42,46,46	7.18	20 (47%)	50,67,67	4.39	11 (22%)
9	CYC	C	201	-	42,46,46	7.14	20 (47%)	50,67,67	4.60	12 (24%)
9	CYC	i	201	-	42,46,46	7.13	20 (47%)	50,67,67	4.44	13 (26%)
9	CYC	q	201	-	42,46,46	1.01	2 (4%)	50,67,67	1.07	2 (4%)
9	CYC	n	201	-	42,46,46	7.13	20 (47%)	50,67,67	4.41	11 (22%)
9	CYC	M	201	-	42,46,46	7.09	20 (47%)	50,67,67	4.32	11 (22%)
9	CYC	F	201	-	42,46,46	7.19	20 (47%)	50,67,67	4.44	13 (26%)
9	CYC	a	201	-	42,46,46	7.18	20 (47%)	50,67,67	4.55	9 (18%)
9	CYC	A	201	-	42,46,46	7.16	20 (47%)	50,67,67	4.50	11 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	CYC	W	201	-	-	11/25/74/74	0/4/4/4
9	CYC	k	201	-	-	13/25/74/74	0/4/4/4
9	CYC	X	201	-	-	12/25/74/74	0/4/4/4
9	CYC	B	201	-	-	17/25/74/74	0/4/4/4
9	CYC	d	201	-	-	17/25/74/74	0/4/4/4
9	CYC	w	201	-	-	11/25/74/74	0/4/4/4
9	CYC	h	201	-	-	15/25/74/74	0/4/4/4
9	CYC	l	201	-	-	12/25/74/74	0/4/4/4
9	CYC	N	801	-	-	13/25/74/74	0/4/4/4
9	CYC	e	201	-	-	16/25/74/74	0/4/4/4
9	CYC	D	201	-	-	14/25/74/74	0/4/4/4
9	CYC	N	802	-	-	14/25/74/74	0/4/4/4
9	CYC	U	201	-	-	12/25/74/74	0/4/4/4
9	CYC	o	901	-	-	10/25/74/74	0/4/4/4
9	CYC	s	201	-	-	15/25/74/74	0/4/4/4
9	CYC	V	201	-	-	11/25/74/74	0/4/4/4
9	CYC	v	201	-	-	11/25/74/74	0/4/4/4
9	CYC	g	201	-	-	15/25/74/74	0/4/4/4
9	CYC	Z	201	-	-	15/25/74/74	0/4/4/4
9	CYC	j	201	-	-	14/25/74/74	0/4/4/4
9	CYC	E	201	-	-	16/25/74/74	0/4/4/4
9	CYC	c	201	-	-	13/25/74/74	0/4/4/4
9	CYC	r	201	-	-	11/25/74/74	0/4/4/4
9	CYC	H	201	-	-	17/25/74/74	0/4/4/4
9	CYC	P	201	-	-	14/25/74/74	0/4/4/4
9	CYC	S	201	-	-	15/25/74/74	0/4/4/4
9	CYC	t	201	-	-	15/25/74/74	0/4/4/4
9	CYC	R	201	-	-	15/25/74/74	0/4/4/4
9	CYC	p	201	-	-	14/25/74/74	0/4/4/4
9	CYC	x	201	-	-	12/25/74/74	0/4/4/4
9	CYC	I	201	-	-	15/25/74/74	0/4/4/4
9	CYC	T	201	-	-	16/25/74/74	0/4/4/4
9	CYC	f	201	-	-	14/25/74/74	0/4/4/4
9	CYC	L	201	-	-	8/25/74/74	0/4/4/4
9	CYC	G	201	-	-	17/25/74/74	0/4/4/4

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	CYC	Q	201	-	-	18/25/74/74	0/4/4/4
9	CYC	m	201	-	-	10/25/74/74	0/4/4/4
9	CYC	z	201	-	-	10/25/74/74	0/4/4/4
9	CYC	y	201	-	-	11/25/74/74	0/4/4/4
9	CYC	O	201	-	-	14/25/74/74	0/4/4/4
9	CYC	C	201	-	-	14/25/74/74	0/4/4/4
9	CYC	i	201	-	-	10/25/74/74	0/4/4/4
9	CYC	q	201	-	-	13/25/74/74	0/4/4/4
9	CYC	n	201	-	-	10/25/74/74	0/4/4/4
9	CYC	M	201	-	-	11/25/74/74	0/4/4/4
9	CYC	F	201	-	-	14/25/74/74	0/4/4/4
9	CYC	a	201	-	-	18/25/74/74	0/4/4/4
9	CYC	A	201	-	-	14/25/74/74	0/4/4/4

The worst 5 of 908 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	m	201	CYC	C2C-C1C	-25.66	1.29	1.52
9	v	201	CYC	C2C-C1C	-25.64	1.29	1.52
9	D	201	CYC	C2C-C1C	-25.64	1.29	1.52
9	s	201	CYC	C2C-C1C	-25.64	1.29	1.52
9	R	201	CYC	C2C-C1C	-25.61	1.29	1.52

The worst 5 of 528 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	m	201	CYC	OC-C1C-C2C	-21.22	109.30	126.17
9	f	201	CYC	OC-C1C-C2C	-20.87	109.58	126.17
9	l	201	CYC	OC-C1C-C2C	-20.75	109.67	126.17
9	W	201	CYC	OC-C1C-C2C	-20.64	109.76	126.17
9	n	201	CYC	OC-C1C-C2C	-20.61	109.78	126.17

There are no chirality outliers.

5 of 647 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
9	A	201	CYC	ND-C4D-CHA-C1A
9	A	201	CYC	C3D-C4D-CHA-C1A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
9	A	201	CYC	NA-C4A-CHB-C1B
9	A	201	CYC	C3A-C4A-CHB-C1B
9	A	201	CYC	C2C-C3C-CAC-CBC

There are no ring outliers.

48 monomers are involved in 693 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	W	201	CYC	15	0
9	k	201	CYC	20	0
9	X	201	CYC	3	0
9	B	201	CYC	27	0
9	d	201	CYC	12	0
9	w	201	CYC	4	0
9	h	201	CYC	7	0
9	l	201	CYC	8	0
9	N	801	CYC	10	0
9	e	201	CYC	9	0
9	D	201	CYC	22	0
9	N	802	CYC	4	0
9	U	201	CYC	9	0
9	o	901	CYC	5	0
9	s	201	CYC	5	0
9	V	201	CYC	14	0
9	v	201	CYC	6	0
9	g	201	CYC	12	0
9	Z	201	CYC	20	0
9	j	201	CYC	26	0
9	E	201	CYC	12	0
9	c	201	CYC	16	0
9	r	201	CYC	5	0
9	H	201	CYC	29	0
9	P	201	CYC	12	0
9	S	201	CYC	19	0
9	t	201	CYC	33	0
9	R	201	CYC	26	0
9	p	201	CYC	8	0
9	x	201	CYC	10	0
9	I	201	CYC	45	0
9	T	201	CYC	14	0
9	f	201	CYC	17	0
9	L	201	CYC	8	0



Continued on next page...



Continued from previous page...



Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	G	201	CYC	12	0
9	Q	201	CYC	27	0
9	m	201	CYC	10	0
9	z	201	CYC	9	0
9	y	201	CYC	9	0
9	O	201	CYC	16	0
9	C	201	CYC	25	0
9	i	201	CYC	13	0
9	q	201	CYC	4	0
9	n	201	CYC	8	0
9	M	201	CYC	20	0
9	F	201	CYC	17	0
9	a	201	CYC	7	0
9	A	201	CYC	24	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.























































































5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-66304. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 280



Y Index: 280




Z Index: 280


6.2.2 Raw map



X Index: 280



Y Index: 280




Z Index: 280


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 306



Y Index: 271




Z Index: 265


6.3.2 Raw map



X Index: 306



Y Index: 270



Z Index: 265


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.00986. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 902 nm³; this corresponds to an approximate mass of 814 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i




*Reported resolution corresponds to spatial frequency of 0.333 \AA^{-1}

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.333 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.00	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.61	5.92	3.70

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.61 differs from the reported value 3.0 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-66304 and PDB model 9X69. Per-residue inclusion information can be found in section 3 on page 13.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.00986 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.00986).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 91% of all backbone atoms, 78% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

















































The table lists the average atom inclusion at the recommended contour level (0.00986) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7770	 0.4600
0	 0.4480	 0.4140
1	 0.7440	 0.4550
2	 0.7360	 0.4250
3	 0.7410	 0.4310
4	 0.6140	 0.3820
5	 0.5610	 0.3620
A	 0.5800	 0.3780
B	 0.5170	 0.3490
C	 0.5400	 0.3280
D	 0.8580	 0.4810
E	 0.8490	 0.4670
F	 0.8910	 0.5080
G	 0.8550	 0.4540
H	 0.4520	 0.3720
I	 0.2560	 0.3560
J	 0.5390	 0.3830
K	 0.8900	 0.5020
L	 0.8930	 0.5260
M	 0.9000	 0.5110
N	 0.8580	 0.5140
O	 0.8970	 0.5280
P	 0.8810	 0.5100
Q	 0.8470	 0.4620
R	 0.8570	 0.4810
S	 0.8420	 0.4630
T	 0.8450	 0.4650
U	 0.8690	 0.4990
V	 0.8650	 0.4760
W	 0.7900	 0.4160
X	 0.8760	 0.4780
Y	 0.8780	 0.5290
Z	 0.4220	 0.4260
a	 0.5870	 0.3800
b	 0.7440	 0.4650



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
c	 0.5770	 0.3460
d	 0.5870	 0.3370
e	 0.8560	 0.4790
f	 0.8430	 0.4640
g	 0.8880	 0.5100
h	 0.8640	 0.4500
i	 0.4230	 0.3670
j	 0.3220	 0.3610
k	 0.5400	 0.3740
l	 0.8920	 0.5010
m	 0.8970	 0.5220
n	 0.8980	 0.5080
o	 0.8650	 0.5110
p	 0.9020	 0.5250
q	 0.8830	 0.5070
r	 0.8460	 0.4550
s	 0.8720	 0.4840
t	 0.8460	 0.4620
u	 0.8650	 0.4670
v	 0.8740	 0.4970
w	 0.8750	 0.4710
x	 0.8000	 0.4150
y	 0.8720	 0.4700
z	 0.8850	 0.5190