



wwPDB EM Validation Summary Report ⓘ

Mar 9, 2026 – 02:52 PM UTC

PDB ID : 8Y5Q / pdb_00008y5q
EMDB ID : EMD-38946
Title : E.coli transcription translation coupling complex in TTC-B state 4 (subclass 2) containing mRNA with 27-mer spacer, NusG, NusA, fMet-tRNA(iMet), Phe-tRNA(Phe), and GDPCP
Authors : Zhang, J.; Lu, G.; Wang, C.; Lin, J.
Deposited on : 2024-01-31
Resolution : 3.90 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	8855 (3.40 - 4.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	70	
2	B	57	
3	C	55	


























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	D	46	59% 37%
5	E	65	63% 32%
6	F	38	61% 39%
7	G	241	64% 25% 10%
8	H	233	61% 26% 12%
9	I	206	71% 28%
10	J	167	66% 28% 6%
11	K	135	50% 22% 26%
12	L	179	60% 23% 16%
13	M	130	66% 33%
14	N	130	45% 53%
15	O	103	55% 38% 5%
16	P	129	61% 29% 10%
17	Q	124	73% 26%
18	R	118	67% 30%
19	S	101	60% 39%
20	T	89	79% 20%
21	U	82	72% 28%
22	V	84	65% 30% 5%
23	W	75	67% 20% 13%
24	X	92	64% 22% 14%
25	Y	87	63% 34%
26	Z	71	61% 24% 7% 8%
27	b	273	72% 26%
28	c	209	67% 32%














Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
29	d	201	 66% 33%
30	e	179	 70% 28%
31	f	177	 77% 23%
32	g	149	 5% 72% 25%
33	i	142	 13% 70% 30%
34	j	142	 77% 22%
35	k	123	 76% 21%
36	l	144	 77% 20%
37	m	136	 69% 30%
38	n	127	 63% 30% 6%
39	o	117	 68% 31%
40	p	115	 77% 22%
41	q	118	 78% 21%
42	r	103	 71% 29%
43	s	110	 72% 27%
44	t	100	 64% 28% 7%
45	u	104	 72% 25%
46	v	94	 77% 23%
47	w	85	 66% 22% 12%
48	x	78	 67% 29%
49	y	63	 78% 22%
50	z	59	 75% 24%
51	1	2904	 45% 48% 8%
52	2	120	 50% 40% 10%
53	3	1542	 46% 48% 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
54	4	44	
55	8	37	
56	9	37	
57	A1	329	
57	A2	329	
58	B1	1407	
59	B2	1342	
60	W0	91	
61	NA	495	
62	NG	181	
63	6	77	
64	a	234	
65	0	716	

2 Entry composition

There are 67 unique types of molecules in this entry. The entry contains 181699 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	46	355	221	62	66	6	0	0

- Molecule 2 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	56	444	269	94	80	1	0	0

- Molecule 3 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
3	C	50	409	263	75	71	0	0

- Molecule 4 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	D	46	377	228	90	57	2	0	0

- Molecule 5 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	E	64	504	323	105	74	2	0	0

- Molecule 6 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	F	38	302	185	65	48	4	0	0

- Molecule 7 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	G	218	1704	1081	305	311	7	0	0

- Molecule 8 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	H	206	1624	1028	305	288	3	0	0

- Molecule 9 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	I	205	1643	1026	315	298	4	0	0

- Molecule 10 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	J	157	1156	719	218	213	6	0	0

- Molecule 11 is a protein called 30S ribosomal protein S6, fully modified isoform.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	K	100	817	515	148	148	6	0	0

- Molecule 12 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	L	151	1181	735	227	215	4	0	0

- Molecule 13 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	M	129	979	616	173	184	6	0	0

- Molecule 14 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	N	127	Total	C	N	O	S	0	0
			1022	634	206	179	3		

- Molecule 15 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	O	98	Total	C	N	O	S	0	0
			786	493	150	142	1		

- Molecule 16 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	P	116	Total	C	N	O	S	0	0
			869	535	173	158	3		

- Molecule 17 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	Q	123	Total	C	N	O	S	0	0
			955	590	196	165	4		

- Molecule 18 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	R	114	Total	C	N	O	S	0	0
			883	546	178	156	3		

- Molecule 19 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	S	100	Total	C	N	O	S	0	0
			805	499	164	139	3		

- Molecule 20 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	T	88	Total	C	N	O	S	0	0
			714	439	144	130	1		

- Molecule 21 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	U	82	Total	C	N	O	S	0	0
			649	406	128	114	1		

- Molecule 22 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	V	80	Total	C	N	O	S	0	0
			648	411	121	113	3		

- Molecule 23 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	W	65	Total	C	N	O	S	0	0
			535	339	100	95	1		

- Molecule 24 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	X	79	Total	C	N	O	S	0	0
			637	408	120	107	2		

- Molecule 25 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	Y	85	Total	C	N	O	S	0	0
			665	411	137	114	3		

- Molecule 26 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	Z	65	Total	C	N	O	S	0	0
			544	335	117	91	1		

- Molecule 27 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	b	271	Total	C	N	O	S	0	0
			2082	1288	423	364	7		

- Molecule 28 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
28	c	209	1565	979	288	294	4	0	0

- Molecule 29 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
29	d	201	1552	974	283	290	5	0	0

- Molecule 30 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
30	e	177	1410	899	249	256	6	0	0

- Molecule 31 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
31	f	176	1323	832	243	246	2	0	0

- Molecule 32 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
32	g	149	1111	699	197	214	1	0	0

- Molecule 33 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
33	i	141	1032	651	179	196	6	0	0

- Molecule 34 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
34	j	142	1129	714	212	199	4	0	0

- Molecule 35 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	k	122	Total	C	N	O	S	0	0
			938	587	180	165	6		

- Molecule 36 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	l	143	Total	C	N	O	S	0	0
			1045	649	206	189	1		

- Molecule 37 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	m	136	Total	C	N	O	S	0	0
			1074	686	205	177	6		

- Molecule 38 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	n	120	Total	C	N	O	S	0	0
			960	593	196	166	5		

- Molecule 39 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms				AltConf	Trace
39	o	116	Total	C	N	O	0	0
			892	552	178	162		

- Molecule 40 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	p	114	Total	C	N	O	S	0	0
			917	574	179	163	1		

- Molecule 41 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms				AltConf	Trace
41	q	117	Total	C	N	O	0	0
			947	604	192	151		

- Molecule 42 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	r	103	Total	C	N	O	S	0	0
			816	516	153	145	2		

- Molecule 43 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	s	110	Total	C	N	O	S	0	0
			857	532	166	156	3		

- Molecule 44 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	t	93	Total	C	N	O	S	0	0
			738	466	139	131	2		

- Molecule 45 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms				AltConf	Trace
45	u	102	Total	C	N	O	0	0
			779	492	146	141		

- Molecule 46 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	v	94	Total	C	N	O	S	0	0
			753	479	137	134	3		

- Molecule 47 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	w	75	Total	C	N	O	S	0	0
			575	356	116	102	1		

- Molecule 48 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	x	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

- Molecule 49 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
49	y	63	509	313	99	95	2	0	0

- Molecule 50 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
50	z	58	449	281	87	79	2	0	0

- Molecule 51 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
51	1	2903	62317	27801	11468	20146	2902	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
1	747	C	U	conflict	GB 1929590828

- Molecule 52 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
52	2	120	2568	1145	471	833	119	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
2	120	A	U	conflict	GB NR_103249

- Molecule 53 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
53	3	1539	33012	14725	6052	10697	1538	0	0

- Molecule 54 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
54	4	30	627	280	92	225	30	0	0

- Molecule 55 is a DNA chain called templete DNA strand.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
55	8	27	539	257	88	167	27	0	0

- Molecule 56 is a DNA chain called non-templete DNA strand.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
56	9	20	417	195	84	118	20	0	0

- Molecule 57 is a protein called DNA-directed RNA polymerase subunit alpha.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
57	A1	301	2088	1293	380	409	6	0	0
57	A2	288	2029	1257	366	400	6	0	0

- Molecule 58 is a protein called DNA-directed RNA polymerase subunit beta'.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
58	B1	1335	10353	6509	1842	1955	47	0	0

- Molecule 59 is a protein called DNA-directed RNA polymerase subunit beta.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
59	B2	1340	10539	6612	1838	2046	43	0	0

- Molecule 60 is a protein called DNA-directed RNA polymerase subunit omega.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
60	W0	82	650	396	122	131	1	0	0

- Molecule 61 is a protein called Transcription termination/antitermination protein NusA.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
61	NA	492	2432	1448	492	492	0	0

- Molecule 62 is a protein called Transcription termination/antitermination protein NusG.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
62	NG	154	758	450	154	154	0	0

- Molecule 63 is a RNA chain called tRNA(fMet).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
63	6	77	1640	732	297	535	76	0	0

- Molecule 64 is a protein called Large ribosomal subunit protein uL1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
64	a	132	1013	638	183	190	2	0	0

- Molecule 65 is a protein called Elongation factor G.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
65	0	697	5399	3403	929	1042	25	0	0


There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
0	705	GLY	-	expression tag	UNP P0A6M8
0	706	SER	-	expression tag	UNP P0A6M8
0	707	SER	-	expression tag	UNP P0A6M8
0	708	GLY	-	expression tag	UNP P0A6M8
0	709	HIS	-	expression tag	UNP P0A6M8
0	710	HIS	-	expression tag	UNP P0A6M8
0	711	HIS	-	expression tag	UNP P0A6M8
0	712	HIS	-	expression tag	UNP P0A6M8
0	713	HIS	-	expression tag	UNP P0A6M8
0	714	HIS	-	expression tag	UNP P0A6M8
0	715	HIS	-	expression tag	UNP P0A6M8
0	716	HIS	-	expression tag	UNP P0A6M8

- Molecule 66 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
66	B1	1	Total	Mg	0
			1	1	

- Molecule 67 is PHOSPHOMETHYLPHOSPHONIC ACID GUANYLATE ESTER (CCD ID: GCP) (formula: $C_{11}H_{18}N_5O_{13}P_3$).




Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
67	0	1	32	11	5	13	3	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 50S ribosomal protein L31




- Molecule 2: 50S ribosomal protein L32




- Molecule 3: 50S ribosomal protein L33



- Molecule 4: 50S ribosomal protein L34




- Molecule 5: 50S ribosomal protein L35




- Molecule 6: 50S ribosomal protein L36

Chain F:  61% 39%





- Molecule 7: 30S ribosomal protein S2

Chain G:  64% 25% 10%



- Molecule 8: 30S ribosomal protein S3

Chain H:  61% 26% 12%



- Molecule 9: 30S ribosomal protein S4

Chain I:  71% 28%




- Molecule 10: 30S ribosomal protein S5

Chain J:  66% 28% 6%







- Molecule 11: 30S ribosomal protein S6, fully modified isoform




- Molecule 12: 30S ribosomal protein S7




- Molecule 13: 30S ribosomal protein S8



- Molecule 14: 30S ribosomal protein S9




- Molecule 15: 30S ribosomal protein S10






- Molecule 16: 30S ribosomal protein S11

Chain P: 61% 29% 10%



- Molecule 17: 30S ribosomal protein S12

Chain Q: 73% 26%



- Molecule 18: 30S ribosomal protein S13

Chain R: 67% 30%



- Molecule 19: 30S ribosomal protein S14

Chain S: 60% 39%



- Molecule 20: 30S ribosomal protein S15

Chain T: 79% 20%



- Molecule 21: 30S ribosomal protein S16

Chain U: 72% 28%




- Molecule 22: 30S ribosomal protein S17

Chain V: 65% 30% 5%



- Molecule 23: 30S ribosomal protein S18

Chain W: 67% 20% 13%



- Molecule 24: 30S ribosomal protein S19

Chain X: 64% 22% 14%




- Molecule 25: 30S ribosomal protein S20

Chain Y: 63% 34% 3%




- Molecule 26: 30S ribosomal protein S21


Chain Z: 61% 24% 7% 8%





- Molecule 27: 50S ribosomal protein L2

Chain b: 72% 26% 2%








- Molecule 28: 50S ribosomal protein L3



- Molecule 29: 50S ribosomal protein L4



- Molecule 30: 50S ribosomal protein L5




- Molecule 31: 50S ribosomal protein L6




- Molecule 32: 50S ribosomal protein L9







• Molecule 33: 50S ribosomal protein L11



• Molecule 34: 50S ribosomal protein L13




• Molecule 35: 50S ribosomal protein L14



• Molecule 36: 50S ribosomal protein L15




• Molecule 37: 50S ribosomal protein L16




- Molecule 38: 50S ribosomal protein L17

Chain n:  63% 30% 6%




- Molecule 39: 50S ribosomal protein L18

Chain o:  68% 31%





- Molecule 40: 50S ribosomal protein L19

Chain p:  77% 22%




- Molecule 41: 50S ribosomal protein L20

Chain q:  78% 21%



- Molecule 42: 50S ribosomal protein L21

Chain r:  71% 29%



- Molecule 43: 50S ribosomal protein L22

Chain s:  72% 27%




- Molecule 44: 50S ribosomal protein L23

Chain t:  64% 28% 7%





- Molecule 45: 50S ribosomal protein L24

Chain u:  72% 25% ..




- Molecule 46: 50S ribosomal protein L25

Chain v:  77% 23%




- Molecule 47: 50S ribosomal protein L27

Chain w:  66% 22% 12%




- Molecule 48: 50S ribosomal protein L28

Chain x:  67% 29% ..




- Molecule 49: 50S ribosomal protein L29

Chain y:  78% 22%



- Molecule 50: 50S ribosomal protein L30


Chain z:  75% 24% .




- Molecule 51: 23S rRNA

Chain 1: 45% 48% 8%


G1	G2	U3	U4	A5	A6	G7	C8	G9	A10	C11	U12	A13	A14	G15	A19	C20	A21	G22	G23	G24	U25	G26	G27	A28	U34	G35	G36	G37	A38	G39	U40	G43	A44	G45	G46	G51	A52	A53	U62	A63	G66	A71	U72	A73	A74	G75	G76	G77	U78	C79	G80	G81																																																																						
A84	G85	U90	A91	U92	G93	A94	A95	C96	C97	U100	A101	A102	A103	G107	G108	C109	G110	A111	U112	U113	A118	A119	U120	G121	G122	G123	G124	A125	A126	A127	C130	A131	U132	U133	G136	U137	U138	U139	C140	G141	A142	C143	A144	C145	A146	C147	U148	A149	U150	C151	A152	U153																																																																						
U154	A155	A156	C157	U158	A159	U162	C163	U166	A167	U170	A171	A172	A173	G175	A176	G177	G178	C179	U189	A190	A191	C192	G193	G194	A195	A196	A197	A198	A199	A203	A204	U206	A207	C208	C209	C210	C211	G212	G215	A216	A217	A218	A221	C222	A223	U224	A225	A226	A227	C228	C229																																																																							
A231	G232	A233	U234	G242	U243	A244	G245	C246	G247	G248	G252	A253	C253	G254	A255	G259	G260	G266	A272	G273	U276	G277	G194	A195	A196	A197	A294	G297	G298	A300	C305	U306	A310	A311	G315	G319	A320	C323	A324	A405	A406	A407	A408	A409	A410	A411	A412	A413	A414	A415	C421	G424																																																																						
A330	C331	G338	U339	A340	C341	A342	C343	A344	C351	A352	G361	U365	C366	G367	A368	G370	A371	G372	G375	G376	G377	C378	G379	A380	G381	A382	G386	U387	G388	C389	U390	C393	C394	U395	C396	U397	A402	U403	A404	U405	A503	A504	A505	G506	A507	C510	U511	G512	A513	A514																																																																								
U431	A432	C433	U434	C435	C436	U441	A442	A443	C444	C445	G446	U450	U451	C455	C456	A458	U459	A460	G465	U468	A469	C470	A471	A472	C475	A476	A477	A478	A480	G481	C486	C490	G491	G494	U499	A503	A504	A505	G506	A507	C510	U511	G512	A513	A514																																																																													
A515	C516	C517	U518	U519	G524	U525	A526	C527	A443	A529	A532	G533	U534	G535	C610	G537	A538	G539	U543	C544	G548	U549	C550	U554	G555	U558	C560	A563	U566	U567	U568	U571	A572	U573	A574	A575	G578	G579	U580	C581	A582	G583	A586	C587	U588	U589	A513	A514																																																																										
U593	U594	C595	U596	U598	A599	G600	C601	A602	A603	G604	G605	A608	A609	G610	C611	G612	A613	A614	U615	A621	G622	C623	G624	A627	A631	A632	A633	U634	G635	G636	A637	G638	U642	A643	G644	G645	U646	G647	G648	G649	A654	A655	U658	U663	G664	U665	A666	U667																																																																										
C671	G674	A675	U676	A677	C678	U679	C680	U683	U686	C687	A689	C690	C691	C692	A693	U694	G695	U696	A621	G622	C623	G624	A627	A631	A632	A633	U634	G635	G636	A637	G638	U642	A643	G644	G645	U646	G647	G648	G649	A654	A655	U658	U663	G664	U665	A666	U667																																																																											
G748	A751	A752	U753	U754	U755	A756	G757	G760	A764	C765	U766	U767	G770	G771	C772	G774	G775	G776	G777	G778	U779	G780	A781	U782	A783	G784	G785	G786	C787	A788	A789	A792	A793	A794	G797	G801	A802	U803	A804	G805	C806	G809	U810	U811	C812	U813	C814	C817	G818																																																																									
A819	A820	G821	A822	C823	U824	A825	U826	U827	A829	G830	G831	U832	G833	C837	C838	U839	C840	U841	U842	G843	A844	A845	U846	U847	A848	U849	U850	C851	U852	G853	C854	G855	U856	A861	G862	U863	U864	A865	G866	U867	A868	U869	A869	G870	U871	U872	A873	U874	A875	A876	A877	A878	A879	A880	A881	A882	A883	A884	A885	A886	A887	A888	A889	A890	A891	A892	A893	A894	A895	A896	A897	A898	A899	A900	A901	A902	A910	A911	A912	A913	A916	A917	A918	A923	A924	A927	A928	A929	A933	C937	G938	G939	G940	A941	C944	A945	C946	A947	C948	G949	G952	C953	G954	U955	U958	A959	A960	A961	A962	A963	A964	A965	A966	A967	A968	A969	A970	A971	A972	A973	A974	A975
G976	A980	A981	C982	A983	A984	C985	C986	A987	C988	A989	A990	G989	A990	U999	A1000	C1005	C1006	U1012	C1013	U1018	A1019	U1020	A1021	G1022	U1023	G1024	G1025	G1026	A1027	A1028	A1029	C1030	U1033	G1036	G1037	U1038	A1039	C1040	G1041	G1042	C1043	C1044	C1045	A1046	U1049	A959	A960	A961	A962	A963	A964	A965	A966	A967	A968	A969	A970	A971	A972	A973	A974	A975																																																												
G1055	G1056	U1057	U1058	C1059	U1060	U1061	G1062	U1063	C1064	U1065	U1066	A1067	G1068	A1069	A1070	A996	U999	A1000	C1005	C1006	U1012	C1013	U1018	A1019	U1020	A1021	G1022	U1023	G1024	G1025	G1026	A1027	A1028	A1029	C1030	U1033	G1036	G1037	U1038	A1039	C1040	G1041	G1042	C1043	C1044	C1045	A1046	U1049	A959	A960	A961	A962	A963	A964	A965	A966	A967	A968	A969	A970	A971	A972	A973	A974	A975																																																									
U1129	U1130	U1132	A1133	U1134	U1135	G1136	G1137	U1138	U1139	C1140	U1141	A1142	A1143	A1144	C1145	G1146	A1147	U1148	C1153	G1154	A1155	U1082	U1083	A1084	A1085	A1086	G1087	A1088	G1093	U1094	C1172	U1173	U1174	A1175	U1176	A1103	C1104	U1105	U1106	G1107	A1111	U1183	U1184	C1114	G1115	U1119	G1120	C1121	G1122	C1123	U1124	G1125	A1126	U1127	U1128	U1203																																																																		




• Molecule 52: 5S rRNA





• Molecule 53: 16S rRNA






• Molecule 54: mRNA







• Molecule 55: template DNA strand





• Molecule 56: non-template DNA strand




• Molecule 57: DNA-directed RNA polymerase subunit alpha





• Molecule 57: DNA-directed RNA polymerase subunit alpha







• Molecule 59: DNA-directed RNA polymerase subunit beta




• Molecule 60: DNA-directed RNA polymerase subunit omega








• Molecule 61: Transcription termination/antitermination protein NusA






• Molecule 62: Transcription termination/antitermination protein NusG



• Molecule 63: tRNA(fMet)




• Molecule 64: Large ribosomal subunit protein uL1



• Molecule 65: Elongation factor G





4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	521880	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TALOS ARCTICA	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	47	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	1500	Depositor
Magnification	Not provided	
Image detector	FEI FALCON III (4k x 4k)	Depositor
Maximum map value	0.087	Depositor
Minimum map value	-0.033	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.004	Depositor
Recommended contour level	0.005	Depositor
Map size (\AA)	753.60004, 753.60004, 753.60004	wwPDB
Map dimensions	480, 480, 480	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.57, 1.57, 1.57	Depositor

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: GCP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.26	0/362	0.73	0/485
2	B	0.37	0/450	0.81	2/599 (0.3%)
3	C	0.32	0/416	0.61	0/554
4	D	0.48	0/380	0.95	0/498
5	E	0.47	0/513	0.80	0/676
6	F	0.40	0/303	0.79	0/397
7	G	0.39	0/1735	0.83	0/2338
8	H	0.42	0/1651	0.80	0/2225
9	I	0.28	0/1665	0.76	1/2227 (0.0%)
10	J	0.47	0/1169	0.81	0/1573
11	K	0.45	0/835	0.86	0/1128
12	L	0.41	0/1195	0.82	2/1602 (0.1%)
13	M	0.31	0/989	0.75	0/1326
14	N	0.29	0/1034	0.74	0/1375
15	O	0.56	0/796	0.80	0/1077
16	P	0.42	0/885	0.76	0/1195
17	Q	0.43	0/969	0.81	0/1300
18	R	0.29	0/892	0.68	0/1193
19	S	0.28	0/817	0.68	1/1088 (0.1%)
20	T	0.37	0/722	0.74	0/964
21	U	0.30	0/659	0.63	0/884
22	V	0.33	0/657	0.72	0/881
23	W	0.29	0/544	0.69	0/731
24	X	0.28	0/652	0.65	0/877
25	Y	0.26	0/671	0.64	2/888 (0.2%)
26	Z	0.56	0/550	1.09	1/728 (0.1%)
27	b	0.49	0/2121	0.82	0/2852
28	c	0.45	0/1586	0.77	0/2134
29	d	0.40	0/1571	0.80	3/2113 (0.1%)
30	e	0.30	0/1434	0.66	0/1926
31	f	0.29	0/1343	0.61	0/1816
32	g	0.34	0/1122	0.77	3/1515 (0.2%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	i	0.40	0/1046	0.80	1/1410 (0.1%)
34	j	0.46	0/1152	0.72	0/1551
35	k	0.42	0/947	0.90	1/1268 (0.1%)
36	l	0.41	1/1054 (0.1%)	0.80	2/1403 (0.1%)
37	m	0.40	0/1093	0.81	2/1460 (0.1%)
38	n	0.54	1/973 (0.1%)	0.87	0/1301
39	o	0.32	0/902	0.68	0/1209
40	p	0.39	0/929	0.72	2/1242 (0.2%)
41	q	0.44	0/960	0.71	0/1278
42	r	0.38	0/829	0.79	1/1107 (0.1%)
43	s	0.52	0/864	0.83	0/1156
44	t	0.48	0/744	0.81	1/994 (0.1%)
45	u	0.34	0/787	0.74	2/1051 (0.2%)
46	v	0.41	1/766 (0.1%)	0.66	0/1025
47	w	0.41	0/582	0.80	2/769 (0.3%)
48	x	0.62	0/635	1.16	5/848 (0.6%)
49	y	0.28	0/510	0.71	0/677
50	z	0.36	0/453	0.76	1/605 (0.2%)
51	1	0.59	0/69796	0.60	17/108888 (0.0%)
52	2	0.60	0/2872	0.55	1/4479 (0.0%)
53	3	0.60	0/36963	0.57	6/57662 (0.0%)
54	4	0.60	0/695	0.75	0/1076
55	8	0.56	0/599	0.71	1/919 (0.1%)
56	9	0.49	0/468	0.53	0/719
57	A1	0.56	0/2106	0.81	0/2868
57	A2	0.49	0/2048	0.76	0/2786
58	B1	0.56	4/10510 (0.0%)	0.74	8/14196 (0.1%)
59	B2	0.46	0/10707	0.67	2/14451 (0.0%)
60	W0	0.30	0/652	0.61	0/879
61	NA	0.75	0/2431	1.22	1/3385 (0.0%)
62	NG	1.15	0/756	1.05	0/1048
63	6	0.60	0/1832	0.59	0/2855
64	a	0.49	0/1020	0.81	0/1370
65	0	0.55	0/5501	0.82	3/7446 (0.0%)
All	All	0.55	7/194870 (0.0%)	0.67	74/286546 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
15	O	0	1

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
59	B2	0	1
All	All	0	2

The worst 5 of 7 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
46	v	82	TYR	C-N	-6.43	1.24	1.33
38	n	66	ALA	CA-C	-6.05	1.44	1.52
58	B1	1350	ASN	CG-ND2	-5.26	1.22	1.33
58	B1	1108	GLN	CD-OE1	5.16	1.33	1.23
58	B1	424	ASN	CG-ND2	-5.08	1.22	1.33

The worst 5 of 74 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	L	92	PRO	N-CA-C	-10.53	98.41	113.47
51	1	1020	A	C2'-C3'-O3'	7.37	120.56	109.50
48	x	11	PRO	N-CA-C	-7.37	99.47	111.77
51	1	2425	A	O3'-P-O5'	-6.98	93.52	104.00
12	L	82	SER	N-CA-C	6.92	116.45	108.49

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
59	B2	919	ARG	Sidechain
15	O	89	ARG	Sidechain

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	355	0	353	10	0
2	B	444	0	461	14	0
3	C	409	0	440	17	0
4	D	377	0	418	17	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	E	504	0	574	17	0
6	F	302	0	341	14	0
7	G	1704	0	1732	44	0
8	H	1624	0	1699	46	0
9	I	1643	0	1710	43	0
10	J	1156	0	1199	39	0
11	K	817	0	808	23	0
12	L	1181	0	1240	46	0
13	M	979	0	1034	32	0
14	N	1022	0	1070	56	0
15	O	786	0	828	37	0
16	P	869	0	878	28	0
17	Q	955	0	1019	31	0
18	R	883	0	944	27	0
19	S	805	0	847	36	0
20	T	714	0	737	16	0
21	U	649	0	666	21	0
22	V	648	0	691	18	0
23	W	535	0	552	15	0
24	X	637	0	665	17	0
25	Y	665	0	714	22	0
26	Z	544	0	579	16	0
27	b	2082	0	2157	66	0
28	c	1565	0	1616	58	0
29	d	1552	0	1619	50	0
30	e	1410	0	1447	43	0
31	f	1323	0	1374	32	0
32	g	1111	0	1148	32	0
33	i	1032	0	1088	34	0
34	j	1129	0	1162	32	0
35	k	938	0	1012	21	0
36	l	1045	0	1117	30	0
37	m	1074	0	1157	30	0
38	n	960	0	1000	34	0
39	o	892	0	923	22	0
40	p	917	0	965	23	0
41	q	947	0	1022	22	0
42	r	816	0	839	22	0
43	s	857	0	922	19	0
44	t	738	0	807	15	0
45	u	779	0	834	22	0
46	v	753	0	780	14	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
47	w	575	0	592	19	0
48	x	625	0	655	22	0
49	y	509	0	543	9	0
50	z	449	0	491	10	0
51	1	62317	0	31346	1368	0
52	2	2568	0	1303	58	0
53	3	33012	0	16618	720	0
54	4	627	0	313	6	0
55	8	539	0	305	28	0
56	9	417	0	224	1	0
57	A1	2088	0	1895	25	0
57	A2	2029	0	1864	17	0
58	B1	10353	0	10548	332	0
59	B2	10539	0	10537	173	0
60	W0	650	0	658	11	0
61	NA	2432	0	1171	5	0
62	NG	758	0	334	10	0
63	6	1640	0	837	27	0
64	a	1013	0	1081	41	0
65	0	5399	0	5363	143	0
66	B1	1	0	0	0	0
67	0	32	0	13	0	0
All	All	181699	0	131879	3756	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

The worst 5 of 3756 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
12:L:92:PRO:HA	12:L:95:ARG:HE	1.11	1.14
53:3:112:G:H21	53:3:354:G:H5'	1.16	1.11
51:1:2061:G:H2'	51:1:2501:C:O2'	1.52	1.09
51:1:1060:U:H4'	51:1:1061:U:H5'	1.32	1.09
50:z:37:ARG:HH12	51:1:929:U:H5'	1.12	1.08

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	44/70 (63%)	38 (86%)	6 (14%)	0	100	100
2	B	54/57 (95%)	48 (89%)	6 (11%)	0	100	100
3	C	48/55 (87%)	37 (77%)	11 (23%)	0	100	100
4	D	44/46 (96%)	35 (80%)	9 (20%)	0	100	100
5	E	62/65 (95%)	48 (77%)	13 (21%)	1 (2%)	7	36
6	F	36/38 (95%)	30 (83%)	6 (17%)	0	100	100
7	G	216/241 (90%)	182 (84%)	34 (16%)	0	100	100
8	H	204/233 (88%)	187 (92%)	17 (8%)	0	100	100
9	I	203/206 (98%)	171 (84%)	31 (15%)	1 (0%)	24	59
10	J	155/167 (93%)	129 (83%)	26 (17%)	0	100	100
11	K	98/135 (73%)	79 (81%)	19 (19%)	0	100	100
12	L	149/179 (83%)	130 (87%)	19 (13%)	0	100	100
13	M	127/130 (98%)	110 (87%)	17 (13%)	0	100	100
14	N	125/130 (96%)	110 (88%)	15 (12%)	0	100	100
15	O	96/103 (93%)	82 (85%)	14 (15%)	0	100	100
16	P	114/129 (88%)	104 (91%)	10 (9%)	0	100	100
17	Q	121/124 (98%)	97 (80%)	23 (19%)	1 (1%)	16	50
18	R	112/118 (95%)	99 (88%)	13 (12%)	0	100	100
19	S	98/101 (97%)	86 (88%)	12 (12%)	0	100	100
20	T	86/89 (97%)	80 (93%)	6 (7%)	0	100	100
21	U	80/82 (98%)	69 (86%)	11 (14%)	0	100	100
22	V	78/84 (93%)	69 (88%)	9 (12%)	0	100	100
23	W	63/75 (84%)	59 (94%)	4 (6%)	0	100	100
24	X	77/92 (84%)	69 (90%)	8 (10%)	0	100	100
25	Y	83/87 (95%)	77 (93%)	6 (7%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
26	Z	63/71 (89%)	47 (75%)	16 (25%)	0	100	100
27	b	269/273 (98%)	227 (84%)	42 (16%)	0	100	100
28	c	207/209 (99%)	177 (86%)	30 (14%)	0	100	100
29	d	199/201 (99%)	182 (92%)	17 (8%)	0	100	100
30	e	175/179 (98%)	164 (94%)	11 (6%)	0	100	100
31	f	174/177 (98%)	157 (90%)	17 (10%)	0	100	100
32	g	147/149 (99%)	125 (85%)	22 (15%)	0	100	100
33	i	139/142 (98%)	124 (89%)	15 (11%)	0	100	100
34	j	140/142 (99%)	120 (86%)	20 (14%)	0	100	100
35	k	120/123 (98%)	98 (82%)	22 (18%)	0	100	100
36	l	141/144 (98%)	117 (83%)	24 (17%)	0	100	100
37	m	134/136 (98%)	116 (87%)	18 (13%)	0	100	100
38	n	118/127 (93%)	104 (88%)	14 (12%)	0	100	100
39	o	114/117 (97%)	103 (90%)	11 (10%)	0	100	100
40	p	112/115 (97%)	105 (94%)	7 (6%)	0	100	100
41	q	115/118 (98%)	108 (94%)	7 (6%)	0	100	100
42	r	101/103 (98%)	88 (87%)	13 (13%)	0	100	100
43	s	108/110 (98%)	92 (85%)	16 (15%)	0	100	100
44	t	91/100 (91%)	77 (85%)	14 (15%)	0	100	100
45	u	100/104 (96%)	83 (83%)	17 (17%)	0	100	100
46	v	92/94 (98%)	80 (87%)	12 (13%)	0	100	100
47	w	73/85 (86%)	63 (86%)	10 (14%)	0	100	100
48	x	75/78 (96%)	66 (88%)	9 (12%)	0	100	100
49	y	61/63 (97%)	61 (100%)	0	0	100	100
50	z	56/59 (95%)	50 (89%)	6 (11%)	0	100	100
57	A1	295/329 (90%)	274 (93%)	21 (7%)	0	100	100
57	A2	282/329 (86%)	272 (96%)	10 (4%)	0	100	100
58	B1	1329/1407 (94%)	1204 (91%)	121 (9%)	4 (0%)	36	69
59	B2	1338/1342 (100%)	1200 (90%)	131 (10%)	7 (0%)	24	59
60	W0	80/91 (88%)	77 (96%)	3 (4%)	0	100	100
61	NA	490/495 (99%)	475 (97%)	15 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
62	NG	150/181 (83%)	136 (91%)	11 (7%)	3 (2%)	6	32
64	a	128/234 (55%)	106 (83%)	22 (17%)	0	100	100
65	0	695/716 (97%)	597 (86%)	88 (13%)	10 (1%)	9	38
All	All	10484/111179 (94%)	9300 (89%)	1157 (11%)	27 (0%)	37	69

5 of 27 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
58	B1	121	PRO
62	NG	122	PRO
62	NG	124	PRO
59	B2	43	PRO
59	B2	905	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	42/62 (68%)	42 (100%)	0	100	100
2	B	47/48 (98%)	47 (100%)	0	100	100
3	C	45/49 (92%)	44 (98%)	1 (2%)	45	64
4	D	38/38 (100%)	35 (92%)	3 (8%)	11	36
5	E	51/52 (98%)	46 (90%)	5 (10%)	7	28
6	F	34/34 (100%)	33 (97%)	1 (3%)	37	58
7	G	180/199 (90%)	172 (96%)	8 (4%)	25	49
8	H	170/190 (90%)	162 (95%)	8 (5%)	23	48
9	I	172/173 (99%)	170 (99%)	2 (1%)	63	72
10	J	119/126 (94%)	113 (95%)	6 (5%)	22	47
11	K	87/116 (75%)	83 (95%)	4 (5%)	24	48
12	L	124/147 (84%)	121 (98%)	3 (2%)	43	63
13	M	104/105 (99%)	102 (98%)	2 (2%)	50	66

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
14	N	105/107 (98%)	105 (100%)	0	100	100
15	O	86/90 (96%)	78 (91%)	8 (9%)	8	30
16	P	89/99 (90%)	88 (99%)	1 (1%)	65	74
17	Q	103/104 (99%)	101 (98%)	2 (2%)	50	66
18	R	92/96 (96%)	91 (99%)	1 (1%)	65	74
19	S	83/84 (99%)	82 (99%)	1 (1%)	63	72
20	T	76/77 (99%)	76 (100%)	0	100	100
21	U	65/65 (100%)	65 (100%)	0	100	100
22	V	74/78 (95%)	74 (100%)	0	100	100
23	W	56/65 (86%)	56 (100%)	0	100	100
24	X	70/79 (89%)	70 (100%)	0	100	100
25	Y	65/66 (98%)	65 (100%)	0	100	100
26	Z	55/61 (90%)	46 (84%)	9 (16%)	2	13
27	b	216/218 (99%)	212 (98%)	4 (2%)	50	66
28	c	164/164 (100%)	163 (99%)	1 (1%)	78	80
29	d	165/165 (100%)	160 (97%)	5 (3%)	36	57
30	e	148/150 (99%)	146 (99%)	2 (1%)	59	71
31	f	137/138 (99%)	136 (99%)	1 (1%)	76	78
32	g	114/114 (100%)	111 (97%)	3 (3%)	40	60
33	i	109/110 (99%)	109 (100%)	0	100	100
34	j	116/116 (100%)	113 (97%)	3 (3%)	40	60
35	k	103/104 (99%)	100 (97%)	3 (3%)	37	58
36	l	102/103 (99%)	100 (98%)	2 (2%)	48	65
37	m	109/109 (100%)	108 (99%)	1 (1%)	70	75
38	n	100/103 (97%)	98 (98%)	2 (2%)	48	65
39	o	86/87 (99%)	86 (100%)	0	100	100
40	p	99/100 (99%)	99 (100%)	0	100	100
41	q	89/90 (99%)	89 (100%)	0	100	100
42	r	84/84 (100%)	84 (100%)	0	100	100
43	s	93/93 (100%)	86 (92%)	7 (8%)	12	38
44	t	80/84 (95%)	77 (96%)	3 (4%)	29	52

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
45	u	83/85 (98%)	82 (99%)	1 (1%)	63	72
46	v	78/78 (100%)	77 (99%)	1 (1%)	61	71
47	w	57/63 (90%)	57 (100%)	0	100	100
48	x	67/68 (98%)	65 (97%)	2 (3%)	36	57
49	y	55/55 (100%)	55 (100%)	0	100	100
50	z	48/49 (98%)	47 (98%)	1 (2%)	47	65
57	A1	185/286 (65%)	174 (94%)	11 (6%)	18	44
57	A2	186/286 (65%)	185 (100%)	1 (0%)	81	82
58	B1	1110/1168 (95%)	1021 (92%)	89 (8%)	11	35
59	B2	1148/1157 (99%)	1115 (97%)	33 (3%)	37	58
60	W0	70/75 (93%)	68 (97%)	2 (3%)	37	58
64	a	109/181 (60%)	98 (90%)	11 (10%)	7	27
65	0	574/588 (98%)	512 (89%)	62 (11%)	6	24
All	All	8116/8681 (94%)	7800 (96%)	316 (4%)	30	52

5 of 316 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
59	B2	905	ILE
65	0	548	GLU
59	B2	922	ASN
65	0	301	ASP
65	0	601	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 150 such sidechains are listed below:

Mol	Chain	Res	Type
58	B1	450	HIS
65	0	170	GLN
58	B1	865	HIS
59	B2	762	ASN
22	V	46	HIS

5.3.3 RNA

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
51	1	2902/2904 (99%)	438 (15%)	6 (0%)
52	2	119/120 (99%)	18 (15%)	0
53	3	1538/1542 (99%)	196 (12%)	2 (0%)
54	4	28/44 (63%)	15 (53%)	3 (10%)
63	6	76/77 (98%)	14 (18%)	0
All	All	4663/4687 (99%)	681 (14%)	11 (0%)

5 of 681 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
51	1	10	A
51	1	12	U
51	1	23	G
51	1	34	U
51	1	35	G

5 of 11 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
53	3	1493	A
54	4	10	C
54	4	19	U
54	4	18	U
51	1	2326	C

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 1 is monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
67	GCP	0	800	-	32,34,34	3.17	12 (37%)	49,54,54	1.62	9 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
67	GCP	0	800	-	-	6/19/38/38	0/3/3/3

The worst 5 of 12 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
67	0	800	GCP	O4'-C1'	8.92	1.62	1.42
67	0	800	GCP	C2'-C1'	-6.96	1.31	1.53
67	0	800	GCP	O4'-C4'	-6.19	1.31	1.45
67	0	800	GCP	PB-O3A	6.05	1.65	1.58
67	0	800	GCP	PA-O3A	5.33	1.65	1.59

The worst 5 of 9 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
67	0	800	GCP	C5-C4-N3	-5.08	120.30	128.39
67	0	800	GCP	C2-N3-C4	4.42	119.91	112.30
67	0	800	GCP	N9-C8-N7	-3.10	107.64	113.40
67	0	800	GCP	N9-C4-N3	2.84	131.62	125.95
67	0	800	GCP	C2-N1-C6	-2.80	120.03	125.11

There are no chirality outliers.


5 of 6 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
67	0	800	GCP	PG-C3B-PB-O1B
67	0	800	GCP	PG-C3B-PB-O2B
67	0	800	GCP	PG-C3B-PB-O3A
67	0	800	GCP	O4'-C4'-C5'-O5'
67	0	800	GCP	C3'-C4'-C5'-O5'

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-38946. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 240




Y Index: 240




Z Index: 240


6.2.2 Raw map



X Index: 240



Y Index: 240




Z Index: 240


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 243




Y Index: 224




Z Index: 243


6.3.2 Raw map



X Index: 243



Y Index: 224




Z Index: 243


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)

6.4.1 Primary map



6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

This section was not generated.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_38946_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 5814 nm^3 ; this corresponds to an approximate mass of 5252 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i




*Reported resolution corresponds to spatial frequency of 0.256 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.256 Å⁻¹

8.2 Resolution estimates [i](#)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.90	-	-
Author-provided FSC curve	4.89	7.42	5.15
Unmasked-calculated*	9.69	16.56	10.38


*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from author-provided FSC intersecting FSC 0.143 CUT-OFF 4.89 differs from the reported value 3.9 by more than 10 %

The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 9.69 differs from the reported value 3.9 by more than 10 %

9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-38946 and PDB model 8Y5Q. Per-residue inclusion information can be found in section 3 on page 17.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.005 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.005).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 95% of all backbone atoms, 96% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

































































The table lists the average atom inclusion at the recommended contour level (0.005) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9630	 0.1450
0	 0.8550	 0.0410
1	 0.9990	 0.2050
2	 1.0000	 0.1560
3	 0.9980	 0.1690
4	 0.9670	 0.0490
6	 0.9930	 0.1630
8	 1.0000	 0.0170
9	 1.0000	 0.0550
A	 1.0000	 0.1150
A1	 0.3920	 -0.0010
A2	 0.7070	 0.0290
B	 1.0000	 0.1570
B1	 0.8140	 0.0090
B2	 0.9460	 0.0270
C	 0.9750	 0.1460
D	 0.9800	 0.1440
E	 1.0000	 0.1240
F	 1.0000	 0.1040
G	 0.9930	 0.1540
H	 0.9940	 0.1430
I	 0.9960	 0.0940
J	 0.9970	 0.1570
K	 0.9860	 0.1460
L	 0.9950	 0.1250
M	 0.9910	 0.1420
N	 0.9850	 0.0910
NA	 0.9180	 0.1290
NG	 0.9590	 0.0140
O	 0.9960	 0.1090
P	 0.9960	 0.1570
Q	 0.9670	 0.1140
R	 0.9860	 0.1310
S	 1.0000	 0.1090
T	 0.9990	 0.1340



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
U	 1.0000	 0.0730
V	 1.0000	 0.1310
W	 1.0000	 0.1440
W0	 0.0840	 -0.0440
X	 0.9950	 0.1060
Y	 0.9880	 0.1250
Z	 0.9630	 0.1460
a	 0.9910	 0.1010
b	 0.9930	 0.1770
c	 0.9960	 0.1580
d	 0.9960	 0.1440
e	 0.9640	 0.0970
f	 0.9880	 0.1370
g	 0.9190	 0.1270
i	 0.8570	 0.0310
j	 1.0000	 0.1600
k	 0.9860	 0.1810
l	 0.9980	 0.1330
m	 0.9760	 0.1390
n	 0.9980	 0.1590
o	 1.0000	 0.0940
p	 0.9970	 0.1760
q	 1.0000	 0.1400
r	 1.0000	 0.1500
s	 0.9950	 0.1700
t	 0.9950	 0.1520
u	 0.9900	 0.1460
v	 0.9990	 0.1420
w	 0.9960	 0.1180
x	 1.0000	 0.1610
y	 0.9940	 0.1470
z	 0.9910	 0.1560