



# Full wwPDB X-ray Structure Validation Report i

Oct 24, 2024 – 04:15 PM JST

PDB ID : 8YAU  
Title : Crystal structure of glucose 1-dehydrogenase mutant2 from Limosilactobacillus fermentum  
Authors : Cong, L.; Wei, H.L.; Liu, W.D.; You, S.  
Deposited on : 2024-02-10  
Resolution : 2.22 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>  
with specific help available everywhere you see the i symbol.

The types of validation reports are described at  
<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references](#) i) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	3.0
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.003 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.39


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## X-RAY DIFFRACTION


The reported resolution of this entry is 2.22 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	164625	7167 (2.24-2.20)
Clashscore	180529	8096 (2.24-2.20)
Ramachandran outliers	177936	8010 (2.24-2.20)
Sidechain outliers	177891	8011 (2.24-2.20)
RSRZ outliers	164620	7166 (2.24-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



## 2 Entry composition (i)

There are 2 unique types of molecules in this entry. The entry contains 10646 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called SDR family oxidoreductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	246	Total	C	N	O	S	0	0	0
			1801	1133	308	352	8			
1	B	244	Total	C	N	O	S	0	0	0
			1819	1149	309	353	8			
1	C	239	Total	C	N	O	S	0	0	0
			1718	1084	294	332	8			
1	D	234	Total	C	N	O	S	0	0	0
			1719	1081	290	341	7			
1	E	236	Total	C	N	O	S	0	0	0
			1742	1099	296	339	8			
1	F	230	Total	C	N	O	S	0	0	0
			1623	1025	271	319	8			

There are 18 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	92	VAL	GLY	engineered mutation	UNP A0A843R2C6
A	146	ASP	GLY	engineered mutation	UNP A0A843R2C6
A	186	ALA	VAL	engineered mutation	UNP A0A843R2C6
B	92	VAL	GLY	engineered mutation	UNP A0A843R2C6
B	146	ASP	GLY	engineered mutation	UNP A0A843R2C6
B	186	ALA	VAL	engineered mutation	UNP A0A843R2C6
C	92	VAL	GLY	engineered mutation	UNP A0A843R2C6
C	146	ASP	GLY	engineered mutation	UNP A0A843R2C6
C	186	ALA	VAL	engineered mutation	UNP A0A843R2C6
D	92	VAL	GLY	engineered mutation	UNP A0A843R2C6
D	146	ASP	GLY	engineered mutation	UNP A0A843R2C6
D	186	ALA	VAL	engineered mutation	UNP A0A843R2C6
E	92	VAL	GLY	engineered mutation	UNP A0A843R2C6
E	146	ASP	GLY	engineered mutation	UNP A0A843R2C6
E	186	ALA	VAL	engineered mutation	UNP A0A843R2C6
F	92	VAL	GLY	engineered mutation	UNP A0A843R2C6
F	146	ASP	GLY	engineered mutation	UNP A0A843R2C6

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
F	186	ALA	VAL	engineered mutation	UNP A0A843R2C6


- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	52	Total O 52 52	0	0
2	B	52	Total O 52 52	0	0
2	C	25	Total O 25 25	0	0
2	D	44	Total O 44 44	0	0
2	E	31	Total O 31 31	0	0
2	F	20	Total O 20 20	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: SDR family oxidoreductase




- Molecule 1: SDR family oxidoreductase




- Molecule 1: SDR family oxidoreductase




- Molecule 1: SDR family oxidoreductase







- Molecule 1: SDR family oxidoreductase



- Molecule 1: SDR family oxidoreductase



## 4 Data and refinement statistics i

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	61.75 Å    139.52 Å    331.31 Å 90.00°    90.00°    90.00°	Depositor
Resolution (Å)	32.56 – 2.22 32.56 – 2.22	Depositor EDS
% Data completeness (in resolution range)	100.0 (32.56-2.22) 99.9 (32.56-2.22)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle^1$	2.22 (at 2.22 Å)	Xtriage
Refinement program	PHENIX (1.20.1_4487: ???)	Depositor
$R$ , $R_{free}$	0.238 , 0.272 0.257 , 0.278	Depositor DCC
$R_{free}$ test set	67494 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	52.1	Xtriage
Anisotropy	0.176	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 44.4	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.41$ , $\langle L^2 \rangle = 0.23$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	10646	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	61.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.09% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.35	0/1828	0.58	0/2470
1	B	0.31	0/1849	0.55	0/2496
1	C	0.41	0/1743	0.59	0/2357
1	D	0.37	0/1745	0.58	0/2359
1	E	0.64	0/1770	0.79	0/2389
1	F	0.68	0/1648	0.79	0/2233
All	All	0.48	0/10583	0.65	0/14304

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1801	0	1777	52	0
1	B	1819	0	1811	43	0
1	C	1718	0	1683	31	0
1	D	1719	0	1680	43	0
1	E	1742	0	1716	54	0
1	F	1623	0	1560	48	0
2	A	52	0	0	3	0
2	B	52	0	0	5	0
2	C	25	0	0	0	0
2	D	44	0	0	4	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	E	31	0	0	2	0
2	F	20	0	0	0	0
All	All	10646	0	10227	250	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (250) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:39:ARG:HG3	1:A:39:ARG:HH11	1.03	1.18
1:E:185:GLY:HA3	1:E:241:ASP:HA	1.39	1.02
1:B:93:THR:HG21	1:B:104:HIS:NE2	1.77	0.99
1:A:39:ARG:HD2	1:E:40:HIS:CG	1.99	0.97
1:F:185:GLY:HA3	1:F:241:ASP:HA	1.53	0.90
1:A:39:ARG:HH11	1:A:39:ARG:CG	1.81	0.88
1:E:14:GLY:HA3	1:E:36:PHE:HB2	1.60	0.83
1:A:39:ARG:HG3	1:A:39:ARG:NH1	1.85	0.82
1:A:70:ASN:HA	1:A:73:LYS:HD2	1.63	0.78
1:A:39:ARG:HD2	1:E:40:HIS:CD2	2.18	0.77
1:D:139:SER:HA	1:D:184:PRO:HG2	1.66	0.76
1:F:14:GLY:HA3	1:F:36:PHE:HB2	1.67	0.76
1:E:185:GLY:CA	1:E:241:ASP:HA	2.16	0.76
1:F:25:LEU:HB3	1:F:223:VAL:HG21	1.69	0.75
1:F:182:ILE:HD13	1:F:238:PHE:HB2	1.69	0.75
1:D:16:LYS:NZ	2:D:301:HOH:O	2.20	0.74
1:B:70:ASN:ND2	2:B:301:HOH:O	2.22	0.72
1:E:32:LYS:O	1:E:54:ARG:HG2	1.89	0.71
1:C:63:SER:OG	1:C:64:LYS:NZ	2.23	0.71
1:F:182:ILE:HD11	1:F:225:VAL:HG11	1.72	0.71
1:E:25:LEU:HB3	1:E:223:VAL:HG21	1.73	0.71
1:D:32:LYS:NZ	1:D:80:GLY:H	1.89	0.70
1:E:39:ARG:NH2	1:E:61:ASP:CG	2.45	0.70
1:F:62:VAL:HB	1:F:115:GLY:HA3	1.74	0.70
1:F:140:ILE:HG21	1:F:241:ASP:HB3	1.74	0.69
1:B:93:THR:CG2	1:B:104:HIS:CE1	2.76	0.69
1:C:228:ASP:O	1:D:220:LYS:NZ	2.27	0.68
1:D:156:LYS:HD2	1:D:183:TYR:HD2	1.59	0.67
1:B:93:THR:HG21	1:B:104:HIS:CE1	2.30	0.66
1:F:180:ASN:HB2	1:F:225:VAL:HG21	1.77	0.66
1:F:183:TYR:CE1	1:F:237:GLU:HB3	2.31	0.65

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:32:LYS:NZ	1:B:80:GLY:H	1.95	0.65
1:E:25:LEU:HD21	1:E:220:LYS:HG3	1.79	0.64
1:E:60:GLN:HG2	1:E:67:ASP:HB3	1.80	0.63
1:F:138:SER:O	1:F:184:PRO:HD3	1.98	0.63
1:E:163:THR:HG23	1:E:179:VAL:HG12	1.82	0.62
1:D:32:LYS:HZ1	1:D:80:GLY:H	1.47	0.62
1:F:37:THR:HG21	1:F:60:GLN:HG2	1.81	0.61
1:B:95:LEU:HD23	1:B:104:HIS:CE1	2.35	0.61
1:E:39:ARG:NH2	1:E:61:ASP:OD1	2.33	0.61
1:E:41:GLU:HA	1:E:57:PHE:CE2	2.36	0.60
1:E:4:PHE:H	1:E:29:GLU:HB3	1.67	0.59
1:A:196:ASP:O	1:A:200:LYS:N	2.36	0.59
1:E:40:HIS:HE1	1:E:42:ASP:HB2	1.68	0.59
1:A:65:GLU:OE2	1:A:121:LYS:NZ	2.34	0.59
1:F:41:GLU:HA	1:F:57:PHE:CE1	2.38	0.59
1:E:185:GLY:O	1:E:187:ILE:HG12	2.03	0.59
1:A:5:ASP:HA	1:A:30:GLY:O	2.03	0.58
1:C:92:VAL:HG22	1:C:152:TYR:CE1	2.38	0.58
1:A:231:SER:OG	1:B:220:LYS:NZ	2.35	0.58
1:A:41:GLU:HA	1:A:57:PHE:CE2	2.39	0.58
1:C:37:THR:HB	1:C:60:GLN:HB3	1.85	0.58
1:D:146:ASP:N	2:D:305:HOH:O	2.37	0.58
1:E:62:VAL:HB	1:E:115:GLY:HA3	1.86	0.57
1:A:16:LYS:HG2	1:A:17:GLY:N	2.20	0.57
1:D:156:LYS:HD2	1:D:183:TYR:CD2	2.40	0.57
1:A:39:ARG:NE	1:E:40:HIS:CE1	2.73	0.57
1:B:166:VAL:HG12	1:B:179:VAL:HG21	1.87	0.57
1:B:163:THR:HG23	1:B:179:VAL:HG12	1.86	0.57
1:F:139:SER:HA	1:F:184:PRO:CD	2.34	0.56
1:F:183:TYR:HB2	1:F:239:VAL:HG13	1.87	0.56
1:C:54:ARG:HG3	1:C:54:ARG:HH11	1.69	0.56
1:C:140:ILE:HG12	1:C:185:GLY:HA2	1.87	0.56
1:D:128:LYS:O	1:D:129:GLU:HB2	2.05	0.56
1:E:157:GLY:O	1:E:160:ARG:HG2	2.05	0.56
1:A:138:SER:O	1:A:184:PRO:HD2	2.05	0.56
1:C:168:LEU:HD21	1:D:247:GLN:HB2	1.87	0.56
1:B:189:THR:OG1	1:B:192:ILE:HG13	2.06	0.56
1:E:183:TYR:CE1	1:E:237:GLU:HB3	2.40	0.55
1:B:204:ILE:HG12	1:B:212:LEU:HG	1.88	0.55
1:E:40:HIS:CE1	1:E:42:ASP:HB2	2.42	0.55
1:A:130:HIS:HB2	2:A:335:HOH:O	2.06	0.55

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:36:PHE:CZ	1:C:57:PHE:HB2	2.42	0.55
1:A:39:ARG:CG	1:A:39:ARG:NH1	2.49	0.55
1:A:99:GLU:OE2	1:A:99:GLU:N	2.40	0.54
1:D:189:THR:HG23	1:D:192:ILE:HD12	1.88	0.54
1:A:165:SER:OG	1:D:153:ASN:OD1	2.25	0.54
1:F:163:THR:HG23	1:F:179:VAL:HG12	1.90	0.54
1:B:73:LYS:HE3	1:B:77:GLU:OE1	2.07	0.54
1:F:139:SER:HA	1:F:184:PRO:HD2	1.89	0.54
1:A:98:GLU:HB3	1:A:99:GLU:OE2	2.08	0.54
1:B:42:ASP:OD1	1:B:42:ASP:N	2.39	0.54
1:C:128:LYS:HB2	1:C:175:TYR:CG	2.43	0.54
1:A:186:ALA:HB3	1:A:207:HIS:NE2	2.22	0.54
1:F:183:TYR:HE1	1:F:237:GLU:HB3	1.73	0.54
1:B:5:ASP:HA	1:B:30:GLY:O	2.08	0.53
1:E:214:LYS:HB2	1:E:217:GLU:HG3	1.90	0.53
1:F:8:VAL:HG21	1:F:79:PHE:HB2	1.89	0.53
1:A:69:GLN:HG3	1:A:122:TYR:CE1	2.43	0.53
1:F:186:ALA:HB2	1:F:207:HIS:NE2	2.23	0.53
1:B:3:GLN:NE2	2:B:304:HOH:O	2.41	0.53
1:C:68:TRP:O	1:C:72:THR:HG22	2.08	0.53
1:F:166:VAL:HG12	1:F:179:VAL:HG21	1.90	0.53
1:A:220:LYS:HE3	1:B:229:GLY:HA2	1.90	0.53
1:B:66:GLU:HG2	1:B:67:ASP:N	2.24	0.53
1:B:94:PRO:HA	1:B:149:VAL:HG11	1.90	0.53
1:A:139:SER:C	1:A:141:GLU:N	2.62	0.53
1:D:207:HIS:CE1	1:D:244:TYR:HB2	2.44	0.52
1:E:3:GLN:HB2	1:E:29:GLU:HG3	1.91	0.52
1:D:128:LYS:HG2	2:D:304:HOH:O	2.09	0.52
1:B:93:THR:HG22	1:B:95:LEU:HD23	1.90	0.52
1:D:175:TYR:HB3	1:D:177:ILE:HD12	1.91	0.52
1:B:94:PRO:O	1:B:95:LEU:HD22	2.10	0.52
1:B:217:GLU:HA	1:B:220:LYS:HE3	1.92	0.52
1:F:160:ARG:HD3	1:F:237:GLU:CD	2.30	0.52
1:A:232:PHE:HE2	2:B:312:HOH:O	1.92	0.51
1:F:95:LEU:HG	1:F:100:MET:HA	1.92	0.51
1:F:41:GLU:HA	1:F:57:PHE:HE1	1.73	0.51
1:D:146:ASP:OD2	1:D:149:VAL:HG22	2.09	0.51
1:E:166:VAL:HG12	1:E:179:VAL:HG21	1.91	0.51
1:E:141:GLU:O	1:E:153:ASN:ND2	2.44	0.50
1:F:36:PHE:CZ	1:F:57:PHE:HB2	2.46	0.50
1:E:23:ALA:HA	1:E:34:VAL:HG11	1.94	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:92:VAL:HG11	2:D:338:HOH:O	2.10	0.50
1:D:214:LYS:HB2	1:D:217:GLU:HG3	1.94	0.49
1:C:33:GLY:HA2	1:C:54:ARG:O	2.11	0.49
1:E:160:ARG:HB2	1:E:183:TYR:OH	2.12	0.49
1:D:22:ILE:HD13	1:D:86:VAL:HG11	1.93	0.49
1:C:204:ILE:HG13	1:C:205:ASP:N	2.27	0.49
1:E:182:ILE:HD13	1:E:238:PHE:HB2	1.95	0.49
1:B:228:ASP:OD1	1:B:228:ASP:N	2.43	0.49
1:F:140:ILE:O	1:F:144:ILE:HG13	2.13	0.48
1:F:139:SER:HB3	1:F:156:LYS:HG3	1.95	0.48
1:E:61:ASP:HB3	1:E:64:LYS:HG2	1.96	0.48
1:A:37:THR:HG22	1:A:58:ILE:HB	1.96	0.48
1:A:39:ARG:HD3	2:E:321:HOH:O	2.13	0.48
1:D:92:VAL:HG23	1:D:152:TYR:HB2	1.95	0.48
1:C:5:ASP:HA	1:C:30:GLY:O	2.14	0.48
1:E:39:ARG:NH2	1:E:61:ASP:OD2	2.45	0.48
1:E:75:VAL:HG11	1:E:82:LEU:HD22	1.95	0.48
1:E:138:SER:HA	1:E:156:LYS:HE2	1.96	0.48
1:A:185:GLY:O	1:A:187:ILE:HG12	2.14	0.48
1:F:4:PHE:HA	1:F:7:LYS:HD3	1.96	0.48
1:F:225:VAL:HA	1:F:230:ALA:CB	2.44	0.48
1:C:141:GLU:HG2	1:C:152:TYR:HD2	1.79	0.47
1:B:32:LYS:HZ1	1:B:80:GLY:H	1.61	0.47
1:D:198:ALA:O	1:D:199:THR:HG23	2.15	0.47
1:F:160:ARG:HD3	1:F:237:GLU:OE1	2.14	0.47
1:A:214:LYS:HD2	1:A:214:LYS:HA	1.57	0.47
1:C:175:TYR:N	1:C:175:TYR:CD1	2.81	0.47
1:D:14:GLY:HA3	1:D:36:PHE:HB2	1.97	0.47
1:C:168:LEU:HD11	1:D:247:GLN:HB2	1.95	0.47
1:E:212:LEU:HD22	1:E:212:LEU:HA	1.78	0.47
1:A:104:HIS:HD2	2:A:327:HOH:O	1.96	0.47
1:B:99:GLU:OE1	1:B:99:GLU:N	2.45	0.47
1:F:23:ALA:HB1	1:F:34:VAL:HG11	1.96	0.47
1:A:37:THR:HB	1:A:60:GLN:HB3	1.97	0.47
1:C:20:LEU:HD11	1:C:50:ARG:HH22	1.80	0.47
1:E:139:SER:HA	1:E:184:PRO:HD2	1.96	0.47
1:D:8:VAL:HA	1:D:33:GLY:O	2.15	0.47
1:F:96:GLY:O	1:F:100:MET:N	2.48	0.46
1:D:207:HIS:HE1	1:D:244:TYR:HB2	1.80	0.46
1:B:60:GLN:HG3	1:B:67:ASP:HB3	1.97	0.46
1:B:105:TRP:CE3	1:C:117:MET:HG3	2.51	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:182:ILE:HG12	1:B:238:PHE:HB2	1.96	0.46
1:E:156:LYS:HD2	1:E:156:LYS:N	2.31	0.46
1:A:61:ASP:HB3	1:A:64:LYS:HG2	1.97	0.46
1:D:186:ALA:HB1	1:D:212:LEU:HD22	1.98	0.46
1:A:187:ILE:O	1:A:189:THR:HG23	2.16	0.46
1:F:102:LEU:HD23	1:F:102:LEU:HA	1.70	0.46
1:B:117:MET:HG3	1:C:105:TRP:CZ3	2.51	0.46
1:C:124:VAL:O	1:C:128:LYS:HB3	2.16	0.46
1:B:93:THR:CG2	1:B:95:LEU:HD23	2.46	0.46
1:F:161:LEU:HD13	1:F:161:LEU:HA	1.78	0.45
1:D:183:TYR:OH	1:D:245:THR:HG21	2.16	0.45
1:E:73:LYS:HE2	1:E:73:LYS:HB2	1.64	0.45
1:B:128:LYS:HD3	1:B:175:TYR:CZ	2.52	0.45
1:B:175:TYR:N	1:B:175:TYR:CD1	2.83	0.45
1:D:93:THR:HB	1:D:104:HIS:NE2	2.32	0.45
1:D:163:THR:HG23	1:D:179:VAL:HG12	1.99	0.45
1:D:182:ILE:HG12	1:D:238:PHE:HB2	1.99	0.45
1:A:39:ARG:HD2	1:E:40:HIS:ND1	2.30	0.45
1:A:69:GLN:O	1:A:73:LYS:HD2	2.17	0.45
1:A:97:ILE:HG21	1:D:166:VAL:HG13	1.98	0.45
1:C:140:ILE:HD12	1:C:144:ILE:HD11	1.98	0.45
1:D:175:TYR:N	1:D:175:TYR:CD1	2.84	0.45
1:F:64:LYS:HA	1:F:64:LYS:HD3	1.60	0.45
1:C:63:SER:HB3	1:C:111:ILE:HD13	1.98	0.45
1:E:45:LYS:HA	1:E:45:LYS:HD2	1.66	0.45
1:A:44:GLY:HA3	1:A:57:PHE:CD1	2.51	0.45
1:A:206:LYS:HB3	1:A:244:TYR:CE2	2.52	0.45
1:B:140:ILE:HD13	1:B:187:ILE:HB	1.99	0.45
1:A:156:LYS:HD2	1:A:156:LYS:HA	1.79	0.45
1:B:12:THR:O	1:B:88:ASN:HB3	2.17	0.44
1:E:160:ARG:HH21	1:E:237:GLU:CD	2.20	0.44
1:E:184:PRO:HA	1:E:240:VAL:HG23	1.98	0.44
1:A:134:ILE:HB	1:A:179:VAL:HG13	1.99	0.44
1:F:160:ARG:HG3	1:F:164:LYS:HZ3	1.82	0.44
1:F:4:PHE:HD2	1:F:31:ALA:HB2	1.83	0.44
1:A:105:TRP:CE3	1:D:117:MET:HG3	2.53	0.44
1:E:27:LEU:HA	2:E:304:HOH:O	2.17	0.44
1:F:225:VAL:HA	1:F:230:ALA:HB3	1.99	0.44
1:B:161:LEU:HB3	1:C:153:ASN:HB3	2.00	0.43
1:A:139:SER:C	1:A:141:GLU:H	2.22	0.43
1:A:70:ASN:CA	1:A:73:LYS:HD2	2.41	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:212:LEU:HD22	1:D:212:LEU:HA	1.88	0.43
1:E:110:ALA:HA	1:E:114:THR:HB	2.00	0.43
1:F:143:MET:HA	1:F:160:ARG:HH22	1.83	0.43
1:D:84:ALA:HA	1:D:133:ALA:O	2.18	0.43
1:F:68:TRP:HB3	1:F:122:TYR:CD2	2.54	0.43
1:B:32:LYS:HZ2	1:B:80:GLY:H	1.64	0.43
1:B:101:THR:OG1	1:B:104:HIS:HB2	2.18	0.43
1:B:72:THR:HG21	1:B:122:TYR:HB3	2.01	0.43
1:B:149:VAL:HG23	1:B:152:TYR:HB3	2.01	0.43
1:E:28:LYS:HE2	1:E:28:LYS:HB2	1.28	0.43
1:F:182:ILE:HD11	1:F:225:VAL:CG1	2.44	0.43
1:A:40:HIS:CD2	1:E:39:ARG:HG3	2.54	0.43
1:C:128:LYS:HD3	1:C:129:GLU:HG3	2.01	0.43
1:F:139:SER:HA	1:F:184:PRO:HD3	1.99	0.43
1:B:134:ILE:HB	1:B:179:VAL:HG13	2.01	0.42
1:C:168:LEU:O	1:C:172:GLU:N	2.52	0.42
1:A:150:PRO:HD2	2:A:303:HOH:O	2.19	0.42
1:C:160:ARG:HG3	1:C:183:TYR:OH	2.18	0.42
1:D:44:GLY:HA3	1:D:57:PHE:CD1	2.54	0.42
1:E:102:LEU:HD23	1:E:102:LEU:HA	1.71	0.42
1:A:141:GLU:O	1:A:153:ASN:ND2	2.51	0.42
1:A:206:LYS:HD3	1:A:206:LYS:HA	1.67	0.42
1:B:241:ASP:HA	2:B:312:HOH:O	2.20	0.42
1:C:25:LEU:HD23	1:C:223:VAL:HB	2.02	0.42
1:C:214:LYS:HB3	1:C:216:GLU:OE1	2.20	0.42
1:F:135:VAL:HG22	1:F:225:VAL:HG22	2.02	0.42
1:A:117:MET:HG3	1:D:105:TRP:CZ3	2.55	0.42
1:E:95:LEU:HD21	1:E:101:THR:HG23	2.02	0.41
1:A:124:VAL:HG11	1:D:98:GLU:HB2	2.02	0.41
1:B:98:GLU:OE1	1:C:173:LYS:NZ	2.34	0.41
1:F:101:THR:HG23	1:F:104:HIS:H	1.85	0.41
1:E:68:TRP:CD1	1:E:118:LEU:HB3	2.54	0.41
1:A:70:ASN:HA	1:A:73:LYS:CD	2.42	0.41
1:E:220:LYS:HE2	1:E:220:LYS:HB2	1.84	0.41
1:F:132:GLY:C	1:F:177:ILE:HG23	2.41	0.41
1:D:162:LEU:O	1:D:166:VAL:HG23	2.20	0.41
1:E:145:GLY:HA2	1:E:153:ASN:ND2	2.35	0.41
1:F:221:MET:O	1:F:225:VAL:HG12	2.20	0.41
1:A:91:ILE:HD12	1:E:43:GLU:HG2	2.03	0.41
1:A:92:VAL:HG13	1:A:152:TYR:CG	2.55	0.41
1:D:155:ALA:O	1:D:159:VAL:HG23	2.19	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:140:ILE:O	1:E:144:ILE:HG13	2.21	0.41
1:F:8:VAL:HB	1:F:81:GLN:O	2.20	0.41
1:A:168:LEU:HB2	1:D:147:PRO:HB3	2.02	0.41
1:B:197:ASP:N	2:B:308:HOH:O	2.53	0.41
1:C:27:LEU:HD11	1:C:51:LEU:HD13	2.03	0.41
1:C:230:ALA:HB1	1:C:233:SER:HB2	2.02	0.41
1:D:36:PHE:CZ	1:D:57:PHE:HB2	2.56	0.41
1:E:183:TYR:CD1	1:E:183:TYR:N	2.89	0.41
1:F:143:MET:HA	1:F:160:ARG:NH2	2.35	0.41
1:B:93:THR:HG22	1:B:104:HIS:CE1	2.56	0.41
1:F:138:SER:N	1:F:182:ILE:O	2.54	0.41
1:D:85:ILE:HD12	1:D:123:GLY:HA2	2.04	0.40
1:E:12:THR:HB	1:E:89:ALA:HB2	2.04	0.40
1:E:142:GLY:HA3	1:E:156:LYS:HB3	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [\(i\)](#)

### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	244/247 (99%)	235 (96%)	9 (4%)	0	100 100
1	B	242/247 (98%)	235 (97%)	7 (3%)	0	100 100
1	C	235/247 (95%)	228 (97%)	7 (3%)	0	100 100
1	D	228/247 (92%)	221 (97%)	7 (3%)	0	100 100
1	E	232/247 (94%)	227 (98%)	5 (2%)	0	100 100
1	F	226/247 (92%)	224 (99%)	2 (1%)	0	100 100
All	All	1407/1482 (95%)	1370 (97%)	37 (3%)	0	100 100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	180/190 (95%)	170 (94%)	10 (6%)	17 20
1	B	186/190 (98%)	181 (97%)	5 (3%)	40 51
1	C	167/190 (88%)	154 (92%)	13 (8%)	10 10
1	D	174/190 (92%)	157 (90%)	17 (10%)	6 5
1	E	175/190 (92%)	137 (78%)	38 (22%)	1 0
1	F	156/190 (82%)	117 (75%)	39 (25%)	0 0
All	All	1038/1140 (91%)	916 (88%)	122 (12%)	4 3

All (122) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	16	LYS
1	A	39	ARG
1	A	78	LYS
1	A	92	VAL
1	A	101	THR
1	A	129	GLU
1	A	175	TYR
1	A	191	LEU
1	A	192	ILE
1	A	206	LYS
1	B	42	ASP
1	B	43	GLU
1	B	99	GLU
1	B	138	SER
1	B	139	SER
1	C	16	LYS
1	C	73	LYS
1	C	99	GLU
1	C	127	MET
1	C	128	LYS
1	C	129	GLU
1	C	130	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	175	TYR
1	C	189	THR
1	C	199	THR
1	C	204	ILE
1	C	211	ARG
1	C	228	ASP
1	D	15	THR
1	D	26	PHE
1	D	28	LYS
1	D	37	THR
1	D	42	ASP
1	D	55	SER
1	D	63	SER
1	D	64	LYS
1	D	79	PHE
1	D	88	ASN
1	D	175	TYR
1	D	191	LEU
1	D	193	ASP
1	D	205	ASP
1	D	206	LYS
1	D	209	MET
1	D	212	LEU
1	E	4	PHE
1	E	16	LYS
1	E	25	LEU
1	E	28	LYS
1	E	29	GLU
1	E	41	GLU
1	E	45	LYS
1	E	48	GLN
1	E	50	ARG
1	E	53	GLU
1	E	56	LEU
1	E	60	GLN
1	E	78	LYS
1	E	85	ILE
1	E	91	ILE
1	E	93	THR
1	E	102	LEU
1	E	103	ASP
1	E	130	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	E	143	MET
1	E	144	ILE
1	E	156	LYS
1	E	162	LEU
1	E	173	LYS
1	E	189	THR
1	E	201	GLN
1	E	203	TYR
1	E	204	ILE
1	E	205	ASP
1	E	206	LYS
1	E	207	HIS
1	E	211	ARG
1	E	212	LEU
1	E	228	ASP
1	E	231	SER
1	E	232	PHE
1	E	240	VAL
1	E	247	GLN
1	F	16	LYS
1	F	20	LEU
1	F	25	LEU
1	F	28	LYS
1	F	29	GLU
1	F	32	LYS
1	F	34	VAL
1	F	37	THR
1	F	40	HIS
1	F	41	GLU
1	F	56	LEU
1	F	60	GLN
1	F	62	VAL
1	F	64	LYS
1	F	70	ASN
1	F	75	VAL
1	F	78	LYS
1	F	79	PHE
1	F	85	ILE
1	F	91	ILE
1	F	98	GLU
1	F	102	LEU
1	F	121	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	F	128	LYS
1	F	129	GLU
1	F	149	VAL
1	F	160	ARG
1	F	161	LEU
1	F	164	LYS
1	F	173	LYS
1	F	189	THR
1	F	206	LYS
1	F	209	MET
1	F	218	VAL
1	F	225	VAL
1	F	227	SER
1	F	228	ASP
1	F	233	SER
1	F	240	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	3	GLN
1	D	153	ASN
1	E	69	GLN
1	E	106	ASN
1	E	153	ASN
1	F	48	GLN

### 5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [\(i\)](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [\(i\)](#)

There are no ligands in this entry.

## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data i

### 6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	246/247 (99%)	0.33	11 (4%) 39 36	34, 48, 95, 125	0
1	B	244/247 (98%)	0.36	12 (4%) 36 33	35, 51, 73, 92	0
1	C	239/247 (96%)	0.74	18 (7%) 22 20	39, 59, 94, 132	0
1	D	234/247 (94%)	0.76	20 (8%) 18 16	41, 61, 109, 134	0
1	E	236/247 (95%)	1.05	30 (12%) 9 7	42, 59, 89, 121	0
1	F	230/247 (93%)	1.52	58 (25%) 2 2	44, 72, 105, 120	0
All	All	1429/1482 (96%)	0.78	149 (10%) 13 11	34, 58, 96, 134	0

All (149) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	14	GLY	5.3
1	C	197	ASP	4.7
1	F	184	PRO	4.3
1	F	175	TYR	4.3
1	D	191	LEU	4.2
1	F	142	GLY	4.1
1	A	203	TYR	4.1
1	F	176	ALA	3.9
1	F	39	ARG	3.8
1	E	79	PHE	3.8
1	E	142	GLY	3.7
1	F	132	GLY	3.6
1	C	53	GLU	3.5
1	C	207	HIS	3.5
1	D	205	ASP	3.4
1	F	82	LEU	3.3
1	D	194	HIS	3.2
1	F	60	GLN	3.2
1	C	188	ALA	3.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	246	ALA	3.2
1	C	190	PRO	3.2
1	E	143	MET	3.2
1	F	22	ILE	3.2
1	F	232	PHE	3.2
1	E	203	TYR	3.1
1	B	142	GLY	3.1
1	C	186	ALA	3.1
1	F	212	LEU	3.1
1	C	187	ILE	3.0
1	D	192	ILE	3.0
1	E	204	ILE	3.0
1	F	51	LEU	3.0
1	C	204	ILE	3.0
1	A	202	PHE	3.0
1	F	218	VAL	3.0
1	F	205	ASP	3.0
1	A	192	ILE	3.0
1	F	211	ARG	3.0
1	C	203	TYR	3.0
1	F	10	LEU	3.0
1	A	198	ALA	3.0
1	E	2	GLY	2.9
1	E	202	PHE	2.9
1	E	177	ILE	2.9
1	F	231	SER	2.9
1	D	211	ARG	2.9
1	F	4	PHE	2.9
1	C	198	ALA	2.9
1	F	34	VAL	2.8
1	A	39	ARG	2.8
1	E	207	HIS	2.8
1	E	82	LEU	2.8
1	F	143	MET	2.8
1	F	89	ALA	2.8
1	F	177	ILE	2.7
1	F	50	ARG	2.7
1	D	198	ALA	2.7
1	F	9	ALA	2.7
1	C	130	HIS	2.7
1	E	8	VAL	2.7
1	F	223	VAL	2.7

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	186	ALA	2.7
1	B	104	HIS	2.7
1	C	131	GLY	2.7
1	B	144	ILE	2.7
1	F	97	ILE	2.7
1	A	197	ASP	2.7
1	E	175	TYR	2.7
1	F	145	GLY	2.6
1	E	109	ILE	2.6
1	F	54	ARG	2.6
1	F	36	PHE	2.6
1	E	56	LEU	2.6
1	F	27	LEU	2.6
1	C	201	GLN	2.5
1	F	185	GLY	2.5
1	F	133	ALA	2.5
1	F	240	VAL	2.5
1	D	147	PRO	2.5
1	F	91	ILE	2.5
1	D	39	ARG	2.5
1	B	91	ILE	2.5
1	E	210	GLY	2.5
1	D	208	PRO	2.5
1	C	205	ASP	2.4
1	E	205	ASP	2.4
1	A	191	LEU	2.4
1	E	139	SER	2.4
1	F	233	SER	2.4
1	B	207	HIS	2.4
1	D	212	LEU	2.4
1	D	15	THR	2.4
1	F	71	ALA	2.4
1	E	190	PRO	2.4
1	F	244	TYR	2.4
1	D	189	THR	2.3
1	B	2	GLY	2.3
1	B	244	TYR	2.3
1	F	13	GLY	2.3
1	F	20	LEU	2.3
1	F	188	ALA	2.3
1	F	166	VAL	2.3
1	F	144	ILE	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	38	GLY	2.3
1	D	199	THR	2.3
1	E	224	PHE	2.3
1	E	91	ILE	2.3
1	F	44	GLY	2.3
1	D	206	LYS	2.2
1	F	210	GLY	2.2
1	E	31	ALA	2.2
1	C	199	THR	2.2
1	D	148	THR	2.2
1	E	240	VAL	2.2
1	F	120	CYS	2.2
1	B	143	MET	2.2
1	F	141	GLU	2.2
1	A	195	LEU	2.2
1	B	82	LEU	2.2
1	D	190	PRO	2.2
1	E	230	ALA	2.2
1	F	92	VAL	2.2
1	E	229	GLY	2.2
1	F	109	ILE	2.1
1	D	10	LEU	2.1
1	E	25	LEU	2.1
1	F	247	GLN	2.1
1	F	62	VAL	2.1
1	C	57	PHE	2.1
1	F	83	ASP	2.1
1	E	81	GLN	2.1
1	B	148	THR	2.1
1	E	225	VAL	2.1
1	F	75	VAL	2.1
1	F	128	LYS	2.1
1	F	162	LEU	2.1
1	B	35	ALA	2.1
1	D	75	VAL	2.1
1	E	120	CYS	2.1
1	E	161	LEU	2.1
1	F	56	LEU	2.1
1	C	189	THR	2.1
1	C	202	PHE	2.0
1	D	79	PHE	2.0
1	E	62	VAL	2.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	194	HIS	2.0
1	F	16	LYS	2.0
1	B	140	ILE	2.0
1	F	18	ILE	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [\(i\)](#)

There are no ligands in this entry.

## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.