



wwPDB EM Validation Summary Report ⓘ

Jun 24, 2026 – 09:09 PM EDT

PDB ID : 9YCI / pdb_00009yci
EMDB ID : EMD-72773
Title : Structure of the Adenovirus-7 VLP, Class 3
Authors : Khayat, R.; Madoo, K.
Deposited on : 2025-09-18
Resolution : 3.90 Å (reported)
Based on initial model : .

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



























Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	8855 (3.40 - 4.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	0	250	94%
1	1	250	90%
1	2	250	90%
1	3	250	93%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	4	250	 8% 90%
1	W	250	 8% 89%
1	Y	250	 7% 90%
1	Z	250	 9% 89%
2	A	937	 91% 9%
2	B	937	 89% 10%
2	C	937	 89% 10%
2	D	937	 91% 8%
2	E	937	 91% 8%
2	F	937	 92% 7%
2	G	937	 90% 9%
2	H	937	 90% 9%
2	I	937	 90% 9%
2	J	937	 90% 9%
2	K	937	 89% 10%
2	L	937	 92% 7%
3	M	588	 30% 28% 12% 59%
4	N	544	 6% 77% 8% 15%
5	P	138	 30% 67% 5% 28%
5	Q	138	 31% 65% 5% 30%
5	R	138	 22% 62% 5% 30%
5	S	138	 33% 67% 5% 29%
6	U	227	 31% 16% 53%
6	V	227	 5% 47% 53%

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 196022 atoms, of which 95816 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pre-protein VI.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	H	N	O		
1	0	16	227	71	109	24	23	0	0
1	1	25	374	118	183	35	37	1	0
1	2	24	355	112	172	35	35	1	0
1	3	18	285	91	139	29	25	1	0
1	4	24	369	120	178	35	35	1	0
1	W	28	424	136	206	40	41	1	0
1	Y	25	374	118	183	36	36	1	0
1	Z	27	383	120	185	38	39	1	0

- Molecule 2 is a protein called Hexon protein.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			
2	A	934	14534	4712	7104	1253	1428	37	0	0
2	B	932	14509	4704	7091	1251	1426	37	0	0
2	C	935	14533	4714	7100	1254	1428	37	0	0
2	D	932	14513	4706	7093	1251	1426	37	0	0
2	E	929	14474	4694	7074	1248	1421	37	0	0
2	F	933	14523	4708	7098	1252	1428	37	0	0
2	G	932	14503	4703	7087	1251	1425	37	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
2	H	932	14510	4705	7092	1251	1425	37	0	0
2	I	931	14495	4700	7084	1250	1424	37	0	0
2	J	931	14495	4700	7084	1250	1424	37	0	0
2	K	933	14524	4708	7099	1252	1428	37	0	0
2	L	933	14523	4709	7098	1252	1427	37	0	0

There are 60 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	31	PHE	LEU	conflict	UNP P36851
A	61	SER	ARG	conflict	UNP P36851
A	76	ASN	HIS	conflict	UNP P36851
A	266	ALA	ARG	conflict	UNP P36851
A	592	THR	SER	conflict	UNP P36851
B	31	PHE	LEU	conflict	UNP P36851
B	61	SER	ARG	conflict	UNP P36851
B	76	ASN	HIS	conflict	UNP P36851
B	266	ALA	ARG	conflict	UNP P36851
B	592	THR	SER	conflict	UNP P36851
C	31	PHE	LEU	conflict	UNP P36851
C	61	SER	ARG	conflict	UNP P36851
C	76	ASN	HIS	conflict	UNP P36851
C	266	ALA	ARG	conflict	UNP P36851
C	592	THR	SER	conflict	UNP P36851
D	31	PHE	LEU	conflict	UNP P36851
D	61	SER	ARG	conflict	UNP P36851
D	76	ASN	HIS	conflict	UNP P36851
D	266	ALA	ARG	conflict	UNP P36851
D	592	THR	SER	conflict	UNP P36851
E	31	PHE	LEU	conflict	UNP P36851
E	61	SER	ARG	conflict	UNP P36851
E	76	ASN	HIS	conflict	UNP P36851
E	266	ALA	ARG	conflict	UNP P36851
E	592	THR	SER	conflict	UNP P36851
F	31	PHE	LEU	conflict	UNP P36851
F	61	SER	ARG	conflict	UNP P36851
F	76	ASN	HIS	conflict	UNP P36851
F	266	ALA	ARG	conflict	UNP P36851

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	592	THR	SER	conflict	UNP P36851
G	31	PHE	LEU	conflict	UNP P36851
G	61	SER	ARG	conflict	UNP P36851
G	76	ASN	HIS	conflict	UNP P36851
G	266	ALA	ARG	conflict	UNP P36851
G	592	THR	SER	conflict	UNP P36851
H	31	PHE	LEU	conflict	UNP P36851
H	61	SER	ARG	conflict	UNP P36851
H	76	ASN	HIS	conflict	UNP P36851
H	266	ALA	ARG	conflict	UNP P36851
H	592	THR	SER	conflict	UNP P36851
I	31	PHE	LEU	conflict	UNP P36851
I	61	SER	ARG	conflict	UNP P36851
I	76	ASN	HIS	conflict	UNP P36851
I	266	ALA	ARG	conflict	UNP P36851
I	592	THR	SER	conflict	UNP P36851
J	31	PHE	LEU	conflict	UNP P36851
J	61	SER	ARG	conflict	UNP P36851
J	76	ASN	HIS	conflict	UNP P36851
J	266	ALA	ARG	conflict	UNP P36851
J	592	THR	SER	conflict	UNP P36851
K	31	PHE	LEU	conflict	UNP P36851
K	61	SER	ARG	conflict	UNP P36851
K	76	ASN	HIS	conflict	UNP P36851
K	266	ALA	ARG	conflict	UNP P36851
K	592	THR	SER	conflict	UNP P36851
L	31	PHE	LEU	conflict	UNP P36851
L	61	SER	ARG	conflict	UNP P36851
L	76	ASN	HIS	conflict	UNP P36851
L	266	ALA	ARG	conflict	UNP P36851
L	592	THR	SER	conflict	UNP P36851

- Molecule 3 is a protein called Pre-hexon-linking protein IIIa.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
3	M	239	3771	1179	1889	344	355	4	0	0

- Molecule 4 is a protein called Penton protein.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
4	N	463	7391	2368	3658	638	713	14	0	0

- Molecule 5 is a protein called Hexon-interlacing protein IX.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
5	P	99	1190	381	571	113	124	1	0	0
5	Q	97	1172	375	563	111	122	1	0	0
5	R	97	1170	375	561	111	122	1	0	0
5	S	98	1175	378	561	112	123	1	0	0

There are 172 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
P	92	UNK	PRO	conflict	UNP P68971
P	93	UNK	SER	conflict	UNP P68971
P	94	UNK	THR	conflict	UNP P68971
P	95	UNK	LEU	conflict	UNP P68971
P	96	UNK	ALA	conflict	UNP P68971
P	97	UNK	GLU	conflict	UNP P68971
P	98	UNK	ASP	conflict	UNP P68971
P	99	UNK	LYS	conflict	UNP P68971
P	100	UNK	LEU	conflict	UNP P68971
P	101	UNK	LEU	conflict	UNP P68971
P	102	UNK	VAL	conflict	UNP P68971
P	103	UNK	LEU	conflict	UNP P68971
P	104	UNK	LEU	conflict	UNP P68971
P	105	UNK	ALA	conflict	UNP P68971
P	106	UNK	GLN	conflict	UNP P68971
P	107	UNK	LEU	conflict	UNP P68971
P	108	UNK	GLU	conflict	UNP P68971
P	109	UNK	ALA	conflict	UNP P68971
P	110	UNK	LEU	conflict	UNP P68971
P	111	UNK	THR	conflict	UNP P68971
P	112	UNK	GLN	conflict	UNP P68971
P	113	UNK	ARG	conflict	UNP P68971
P	114	UNK	LEU	conflict	UNP P68971
P	115	UNK	GLY	conflict	UNP P68971
P	116	UNK	GLU	conflict	UNP P68971

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
P	117	UNK	LEU	conflict	UNP P68971
P	118	UNK	SER	conflict	UNP P68971
P	119	UNK	LYS	conflict	UNP P68971
P	120	UNK	GLN	conflict	UNP P68971
P	121	UNK	VAL	conflict	UNP P68971
P	122	UNK	ALA	conflict	UNP P68971
P	123	UNK	GLN	conflict	UNP P68971
P	124	UNK	LEU	conflict	UNP P68971
P	125	UNK	ARG	conflict	UNP P68971
P	126	UNK	GLU	conflict	UNP P68971
P	127	UNK	GLN	conflict	UNP P68971
P	128	UNK	THR	conflict	UNP P68971
P	129	UNK	GLU	conflict	UNP P68971
P	130	UNK	SER	conflict	UNP P68971
P	131	UNK	ALA	conflict	UNP P68971
P	132	UNK	VAL	conflict	UNP P68971
P	133	UNK	ALA	conflict	UNP P68971
P	134	UNK	THR	conflict	UNP P68971
Q	92	UNK	PRO	conflict	UNP P68971
Q	93	UNK	SER	conflict	UNP P68971
Q	94	UNK	THR	conflict	UNP P68971
Q	95	UNK	LEU	conflict	UNP P68971
Q	96	UNK	ALA	conflict	UNP P68971
Q	97	UNK	GLU	conflict	UNP P68971
Q	98	UNK	ASP	conflict	UNP P68971
Q	99	UNK	LYS	conflict	UNP P68971
Q	100	UNK	LEU	conflict	UNP P68971
Q	101	UNK	LEU	conflict	UNP P68971
Q	102	UNK	VAL	conflict	UNP P68971
Q	103	UNK	LEU	conflict	UNP P68971
Q	104	UNK	LEU	conflict	UNP P68971
Q	105	UNK	ALA	conflict	UNP P68971
Q	106	UNK	GLN	conflict	UNP P68971
Q	107	UNK	LEU	conflict	UNP P68971
Q	108	UNK	GLU	conflict	UNP P68971
Q	109	UNK	ALA	conflict	UNP P68971
Q	110	UNK	LEU	conflict	UNP P68971
Q	111	UNK	THR	conflict	UNP P68971
Q	112	UNK	GLN	conflict	UNP P68971
Q	113	UNK	ARG	conflict	UNP P68971
Q	114	UNK	LEU	conflict	UNP P68971
Q	115	UNK	GLY	conflict	UNP P68971

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
Q	116	UNK	GLU	conflict	UNP P68971
Q	117	UNK	LEU	conflict	UNP P68971
Q	118	UNK	SER	conflict	UNP P68971
Q	119	UNK	LYS	conflict	UNP P68971
Q	120	UNK	GLN	conflict	UNP P68971
Q	121	UNK	VAL	conflict	UNP P68971
Q	122	UNK	ALA	conflict	UNP P68971
Q	123	UNK	GLN	conflict	UNP P68971
Q	124	UNK	LEU	conflict	UNP P68971
Q	125	UNK	ARG	conflict	UNP P68971
Q	126	UNK	GLU	conflict	UNP P68971
Q	127	UNK	GLN	conflict	UNP P68971
Q	128	UNK	THR	conflict	UNP P68971
Q	129	UNK	GLU	conflict	UNP P68971
Q	130	UNK	SER	conflict	UNP P68971
Q	131	UNK	ALA	conflict	UNP P68971
Q	132	UNK	VAL	conflict	UNP P68971
Q	133	UNK	ALA	conflict	UNP P68971
Q	134	UNK	THR	conflict	UNP P68971
R	92	UNK	PRO	conflict	UNP P68971
R	93	UNK	SER	conflict	UNP P68971
R	94	UNK	THR	conflict	UNP P68971
R	95	UNK	LEU	conflict	UNP P68971
R	96	UNK	ALA	conflict	UNP P68971
R	97	UNK	GLU	conflict	UNP P68971
R	98	UNK	ASP	conflict	UNP P68971
R	99	UNK	LYS	conflict	UNP P68971
R	100	UNK	LEU	conflict	UNP P68971
R	101	UNK	LEU	conflict	UNP P68971
R	102	UNK	VAL	conflict	UNP P68971
R	103	UNK	LEU	conflict	UNP P68971
R	104	UNK	LEU	conflict	UNP P68971
R	105	UNK	ALA	conflict	UNP P68971
R	106	UNK	GLN	conflict	UNP P68971
R	107	UNK	LEU	conflict	UNP P68971
R	108	UNK	GLU	conflict	UNP P68971
R	109	UNK	ALA	conflict	UNP P68971
R	110	UNK	LEU	conflict	UNP P68971
R	111	UNK	THR	conflict	UNP P68971
R	112	UNK	GLN	conflict	UNP P68971
R	113	UNK	ARG	conflict	UNP P68971
R	114	UNK	LEU	conflict	UNP P68971

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
R	115	UNK	GLY	conflict	UNP P68971
R	116	UNK	GLU	conflict	UNP P68971
R	117	UNK	LEU	conflict	UNP P68971
R	118	UNK	SER	conflict	UNP P68971
R	119	UNK	LYS	conflict	UNP P68971
R	120	UNK	GLN	conflict	UNP P68971
R	121	UNK	VAL	conflict	UNP P68971
R	122	UNK	ALA	conflict	UNP P68971
R	123	UNK	GLN	conflict	UNP P68971
R	124	UNK	LEU	conflict	UNP P68971
R	125	UNK	ARG	conflict	UNP P68971
R	126	UNK	GLU	conflict	UNP P68971
R	127	UNK	GLN	conflict	UNP P68971
R	128	UNK	THR	conflict	UNP P68971
R	129	UNK	GLU	conflict	UNP P68971
R	130	UNK	SER	conflict	UNP P68971
R	131	UNK	ALA	conflict	UNP P68971
R	132	UNK	VAL	conflict	UNP P68971
R	133	UNK	ALA	conflict	UNP P68971
R	134	UNK	THR	conflict	UNP P68971
S	92	UNK	PRO	conflict	UNP P68971
S	93	UNK	SER	conflict	UNP P68971
S	94	UNK	THR	conflict	UNP P68971
S	95	UNK	LEU	conflict	UNP P68971
S	96	UNK	ALA	conflict	UNP P68971
S	97	UNK	GLU	conflict	UNP P68971
S	98	UNK	ASP	conflict	UNP P68971
S	99	UNK	LYS	conflict	UNP P68971
S	100	UNK	LEU	conflict	UNP P68971
S	101	UNK	LEU	conflict	UNP P68971
S	102	UNK	VAL	conflict	UNP P68971
S	103	UNK	LEU	conflict	UNP P68971
S	104	UNK	LEU	conflict	UNP P68971
S	105	UNK	ALA	conflict	UNP P68971
S	106	UNK	GLN	conflict	UNP P68971
S	107	UNK	LEU	conflict	UNP P68971
S	108	UNK	GLU	conflict	UNP P68971
S	109	UNK	ALA	conflict	UNP P68971
S	110	UNK	LEU	conflict	UNP P68971
S	111	UNK	THR	conflict	UNP P68971
S	112	UNK	GLN	conflict	UNP P68971
S	113	UNK	ARG	conflict	UNP P68971


Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
S	114	UNK	LEU	conflict	UNP P68971
S	115	UNK	GLY	conflict	UNP P68971
S	116	UNK	GLU	conflict	UNP P68971
S	117	UNK	LEU	conflict	UNP P68971
S	118	UNK	SER	conflict	UNP P68971
S	119	UNK	LYS	conflict	UNP P68971
S	120	UNK	GLN	conflict	UNP P68971
S	121	UNK	VAL	conflict	UNP P68971
S	122	UNK	ALA	conflict	UNP P68971
S	123	UNK	GLN	conflict	UNP P68971
S	124	UNK	LEU	conflict	UNP P68971
S	125	UNK	ARG	conflict	UNP P68971
S	126	UNK	GLU	conflict	UNP P68971
S	127	UNK	GLN	conflict	UNP P68971
S	128	UNK	THR	conflict	UNP P68971
S	129	UNK	GLU	conflict	UNP P68971
S	130	UNK	SER	conflict	UNP P68971
S	131	UNK	ALA	conflict	UNP P68971
S	132	UNK	VAL	conflict	UNP P68971
S	133	UNK	ALA	conflict	UNP P68971
S	134	UNK	THR	conflict	UNP P68971

- Molecule 6 is a protein called Pre-hexon-linking protein VIII.


Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
6	U	106	1607	531	775	133	164	4	0	0
6	V	107	1619	535	779	134	167	4	0	0







• Molecule 2: Hexon protein



• Molecule 2: Hexon protein





• Molecule 2: Hexon protein









• Molecule 2: Hexon protein




• Molecule 2: Hexon protein





• Molecule 2: Hexon protein







• Molecule 2: Hexon protein




• Molecule 2: Hexon protein





• Molecule 3: Pre-hexon-linking protein IIIa








• Molecule 5: Hexon-interlacing protein IX






• Molecule 5: Hexon-interlacing protein IX



• Molecule 5: Hexon-interlacing protein IX



• Molecule 6: Pre-hexon-linking protein VIII



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	96492	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	53.35	Depositor
Minimum defocus (nm)	2500	Depositor
Maximum defocus (nm)	2600	Depositor
Magnification	81000	Depositor
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	10.952	Depositor
Minimum map value	-6.825	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	1.000	Depositor
Recommended contour level	1	Depositor
Map size (Å)	294.576, 461.35797, 252.33899	wwPDB
Map dimensions	233, 426, 272	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.083, 1.083, 1.083	Depositor

5 Model quality i

5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	0	0.15	0/119	0.24	0/158
1	1	0.15	0/193	0.48	0/257
1	2	0.16	0/186	0.34	0/249
1	3	0.13	0/149	0.34	0/199
1	4	0.15	0/196	0.33	0/264
1	W	0.20	0/224	0.47	0/304
1	Y	0.19	0/194	0.46	0/260
1	Z	0.17	0/201	0.39	0/269
2	A	0.27	0/7631	0.58	2/10387 (0.0%)
2	B	0.27	0/7618	0.56	1/10368 (0.0%)
2	C	0.27	0/7634	0.59	4/10391 (0.0%)
2	D	0.26	0/7621	0.57	4/10373 (0.0%)
2	E	0.27	0/7600	0.56	0/10343
2	F	0.27	0/7625	0.60	7/10378 (0.1%)
2	G	0.29	1/7616 (0.0%)	0.61	11/10365 (0.1%)
2	H	0.28	0/7619	0.57	1/10369 (0.0%)
2	I	0.27	0/7611	0.59	3/10358 (0.0%)
2	J	0.26	0/7611	0.56	4/10358 (0.0%)
2	K	0.26	0/7625	0.55	0/10378
2	L	0.26	0/7626	0.56	1/10380 (0.0%)
3	M	0.19	0/1915	0.50	2/2606 (0.1%)
4	N	0.25	0/3823	0.53	2/5200 (0.0%)
5	P	0.24	0/449	0.52	0/618
5	Q	0.23	0/449	0.52	0/618
5	R	0.57	0/444	1.30	4/611 (0.7%)
5	S	0.25	0/444	0.57	0/611
6	U	0.23	0/856	0.45	0/1164
6	V	0.24	0/864	0.48	0/1175
All	All	0.27	1/102143 (0.0%)	0.57	46/139011 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	A	0	3
2	B	0	2
2	C	0	5
2	D	0	5
2	E	0	3
2	F	0	5
2	G	0	3
2	H	0	5
2	I	0	3
2	J	0	2
2	K	0	4
2	L	0	2
3	M	0	1
All	All	0	43

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	G	179	PRO	CG-CD	-7.08	1.26	1.50

The worst 5 of 46 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	R	57	PRO	N-CA-CB	-15.29	87.19	103.25
5	R	12	PHE	CA-C-N	12.21	151.59	121.80
5	R	12	PHE	C-N-CA	12.21	151.59	121.80
5	R	57	PRO	N-CA-C	11.68	136.53	112.47
2	G	179	PRO	N-CD-CG	-11.67	85.69	103.20

There are no chirality outliers.

5 of 43 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	A	187	GLN	Peptide
2	A	643	ALA	Peptide
2	A	7	MET	Peptide
2	B	187	GLN	Peptide
2	B	935	ALA	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	0	118	109	109	3	0
1	1	191	183	183	4	0
1	2	183	172	172	4	0
1	3	146	139	139	10	0
1	4	191	178	178	6	0
1	W	218	206	206	8	0
1	Y	191	183	183	5	0
1	Z	198	185	185	4	0
2	A	7430	7104	7103	53	0
2	B	7418	7091	7091	58	0
2	C	7433	7100	7097	57	0
2	D	7420	7093	7093	42	0
2	E	7400	7074	7074	47	0
2	F	7425	7098	7098	37	0
2	G	7416	7087	7086	51	0
2	H	7418	7092	7092	51	0
2	I	7411	7084	7084	54	0
2	J	7411	7084	7084	55	0
2	K	7425	7099	7098	67	0
2	L	7425	7098	7098	44	0
3	M	1882	1889	1889	68	0
4	N	3733	3658	3658	24	0
5	P	619	571	466	5	0
5	Q	609	563	464	7	0
5	R	609	561	460	9	0
5	S	614	561	461	3	0
6	U	832	775	775	33	0
6	V	840	779	779	0	0
All	All	100206	95816	95405	684	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 684 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:M:172:MET:HE1	3:M:243:PHE:HB2	1.52	0.90
6:U:36:ALA:HB1	6:U:40:MET:HB2	1.53	0.89
3:M:33:GLN:HA	3:M:36:MET:HE3	1.58	0.86
3:M:131:ARG:HA	3:M:134:ARG:HE	1.44	0.83
3:M:216:HIS:HA	3:M:253:SER:HA	1.62	0.81

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	0	12/250 (5%)	12 (100%)	0	0	100	100
1	1	19/250 (8%)	16 (84%)	3 (16%)	0	100	100
1	2	20/250 (8%)	18 (90%)	2 (10%)	0	100	100
1	3	14/250 (6%)	11 (79%)	3 (21%)	0	100	100
1	4	20/250 (8%)	18 (90%)	2 (10%)	0	100	100
1	W	26/250 (10%)	21 (81%)	5 (19%)	0	100	100
1	Y	21/250 (8%)	17 (81%)	3 (14%)	1 (5%)	2	18
1	Z	23/250 (9%)	21 (91%)	2 (9%)	0	100	100
2	A	932/937 (100%)	817 (88%)	109 (12%)	6 (1%)	21	55
2	B	930/937 (99%)	839 (90%)	88 (10%)	3 (0%)	36	69
2	C	933/937 (100%)	835 (90%)	91 (10%)	7 (1%)	16	50
2	D	930/937 (99%)	848 (91%)	76 (8%)	6 (1%)	21	55
2	E	927/937 (99%)	835 (90%)	89 (10%)	3 (0%)	36	69
2	F	931/937 (99%)	838 (90%)	87 (9%)	6 (1%)	21	55
2	G	930/937 (99%)	850 (91%)	74 (8%)	6 (1%)	21	55
2	H	930/937 (99%)	831 (89%)	95 (10%)	4 (0%)	30	64

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	I	929/937 (99%)	850 (92%)	73 (8%)	6 (1%)	21	55
2	J	929/937 (99%)	837 (90%)	87 (9%)	5 (0%)	24	59
2	K	931/937 (99%)	839 (90%)	85 (9%)	7 (1%)	16	50
2	L	931/937 (99%)	848 (91%)	80 (9%)	3 (0%)	36	69
3	M	237/588 (40%)	230 (97%)	5 (2%)	2 (1%)	16	50
4	N	459/544 (84%)	423 (92%)	35 (8%)	1 (0%)	43	74
5	P	61/138 (44%)	57 (93%)	3 (5%)	1 (2%)	7	36
5	Q	61/138 (44%)	56 (92%)	5 (8%)	0	100	100
5	R	60/138 (44%)	51 (85%)	4 (7%)	5 (8%)	0	10
5	S	60/138 (44%)	56 (93%)	3 (5%)	1 (2%)	7	35
6	U	102/227 (45%)	98 (96%)	4 (4%)	0	100	100
6	V	103/227 (45%)	95 (92%)	7 (7%)	1 (1%)	12	45
All	All	12461/15382 (81%)	11267 (90%)	1120 (9%)	74 (1%)	23	55

5 of 74 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	A	188	PRO
2	A	266	ALA
2	A	418	ILE
2	B	188	PRO
2	C	188	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	0	13/209 (6%)	13 (100%)	0	100	100
1	1	22/209 (10%)	22 (100%)	0	100	100
1	2	20/209 (10%)	20 (100%)	0	100	100
1	3	16/209 (8%)	16 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	4	21/209 (10%)	21 (100%)	0	100	100
1	W	24/209 (12%)	24 (100%)	0	100	100
1	Y	21/209 (10%)	21 (100%)	0	100	100
1	Z	21/209 (10%)	21 (100%)	0	100	100
2	A	808/811 (100%)	808 (100%)	0	100	100
2	B	807/811 (100%)	807 (100%)	0	100	100
2	C	807/811 (100%)	807 (100%)	0	100	100
2	D	808/811 (100%)	808 (100%)	0	100	100
2	E	805/811 (99%)	804 (100%)	1 (0%)	88	89
2	F	808/811 (100%)	806 (100%)	2 (0%)	87	87
2	G	806/811 (99%)	806 (100%)	0	100	100
2	H	807/811 (100%)	807 (100%)	0	100	100
2	I	806/811 (99%)	805 (100%)	1 (0%)	88	89
2	J	806/811 (99%)	806 (100%)	0	100	100
2	K	808/811 (100%)	808 (100%)	0	100	100
2	L	808/811 (100%)	807 (100%)	1 (0%)	88	89
3	M	206/504 (41%)	205 (100%)	1 (0%)	81	82
4	N	418/485 (86%)	418 (100%)	0	100	100
5	P	44/69 (64%)	44 (100%)	0	100	100
5	Q	44/69 (64%)	44 (100%)	0	100	100
5	R	44/69 (64%)	41 (93%)	3 (7%)	14	41
5	S	44/69 (64%)	44 (100%)	0	100	100
6	U	90/192 (47%)	90 (100%)	0	100	100
6	V	91/192 (47%)	91 (100%)	0	100	100
All	All	10823/13053 (83%)	10814 (100%)	9 (0%)	87	89

5 of 9 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
5	R	57	PRO
5	R	58	LEU
2	I	423	ASN
2	L	863	ASN
3	M	204	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 83 such sidechains are listed below:

Mol	Chain	Res	Type
2	K	288	HIS
2	L	726	ASN
2	K	656	ASN
2	L	9	GLN
3	M	208	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-72773. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)

6.1.1 Primary map




6.1.2 Raw map




The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 136




Y Index: 213




Z Index: 116


6.2.2 Raw map



X Index: 220



Y Index: 220




Z Index: 220


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 184




Y Index: 140




Z Index: 93


6.3.2 Raw map



X Index: 206



Y Index: 222




Z Index: 188


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)

6.4.1 Primary map




6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 1.0. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.

7.2 Volume estimate [i](#)



The volume at the recommended contour level is 2399 nm³; this corresponds to an approximate mass of 2167 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.


7.3 Rotationally averaged power spectrum [i](#)

This section was not generated. The rotationally averaged power spectrum is only generated for cubic maps.

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.256 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.90	-	-
Author-provided FSC curve	3.86	4.18	3.89
Unmasked-calculated*	4.05	4.47	4.10

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-72773 and PDB model 9YCI. Per-residue inclusion information can be found in section 3 on page 12.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 1.0 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [\(i\)](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [\(i\)](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (1).



























































9.4 Atom inclusion [i](#)



At the recommended contour level, 84% of all backbone atoms, 84% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (1) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8440	 0.5310
0	 0.6290	 0.4810
1	 0.6400	 0.4820
2	 0.6290	 0.4520
3	 0.4110	 0.4440
4	 0.5030	 0.3970
A	 0.8650	 0.5360
B	 0.8640	 0.5380
C	 0.8640	 0.5370
D	 0.8810	 0.5480
E	 0.8800	 0.5460
F	 0.8780	 0.5470
G	 0.8790	 0.5440
H	 0.8800	 0.5480
I	 0.8750	 0.5470
J	 0.8790	 0.5480
K	 0.8800	 0.5470
L	 0.8880	 0.5510
M	 0.2050	 0.2690
N	 0.7490	 0.4780
P	 0.5890	 0.3600
Q	 0.5730	 0.3730
R	 0.6680	 0.4280
S	 0.5400	 0.3550
U	 0.7840	 0.5220
V	 0.7270	 0.5120
W	 0.5760	 0.4260
Y	 0.6340	 0.4680
Z	 0.7250	 0.4870

