

Mar 10, 2025 – 10:20 PM JST

PDB ID	:	8YP6
EMDB ID	:	EMD-39462
Title	:	Cryo-EM map of 30S ribosomal subunit in complex with MetAP1c of My-
		cobacterium smegmatis
Authors	:	Banerjee, A.; Srinivasan, K.; Sengupta, J.
Deposited on	:	2024-03-15
Resolution	:	4.70 Å(reported)
This is	a I	Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/EMValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

EMDB validation analysis	:	0.0.1.dev117
MolProbity	:	4.02b-467
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ	:	1.9.13
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.41.2

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $ELECTRON\ MICROSCOPY$

The reported resolution of this entry is 4.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f EM\ structures}\ (\#{ m Entries})$		
Clashscore	210492	15764		
Ramachandran outliers	207382	16835		
Sidechain outliers	206894	16415		
RNA backbone	6643	2191		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for $\geq=3, 2, 1$ and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq=5\%$ The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion < 40%). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
1	a	1510	69%	30% •
2	С	210	96%	·
3	d	200	99%	·
4	е	198	98%	••
5	f	96	100%	
6	g	156	99%	•
7	h	130	98%	·



Mol	Chain	Length	Quality of chain	
8	i	126	99%	·
9	j	97	99%	•
10	k	117	98%	•
11	1	122	100%	
12	n	60	98%	•
13	О	87	98%	•
14	р	113	100%	
15	q	92	100%	
16	r	64	98%	•
17	t	84	100%	
18	s	80	<u>6%</u> 91%	9%
19	А	296	48% 43%	5% •
20	m	117	<u>6%</u> 96%	•



2 Entry composition (i)

There are 20 unique types of molecules in this entry. The entry contains 51445 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a RNA chain called 16S rRNA.

Mol	Chain	Residues		I	AltConf	Trace			
1	a	1506	Total 32341	C 14404	N 5921	O 10510	Р 1506	0	0

• Molecule 2 is a protein called Small ribosomal subunit protein uS3.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	С	210	Total 1672	C 1043	N 324	O 300	${ m S}{ m 5}$	0	0

• Molecule 3 is a protein called Small ribosomal subunit protein uS4.

Mol	Chain	Residues		At	AltConf	Trace			
3	d	200	Total 1641	C 1028	N 316	O 295	$\begin{array}{c} \mathrm{S} \\ \mathrm{2} \end{array}$	0	0

• Molecule 4 is a protein called Small ribosomal subunit protein uS5.

Mol	Chain	Residues		At	oms	AltConf	Trace		
4	е	198	Total 1433	C 885	N 282	O 262	$\frac{S}{4}$	0	0

• Molecule 5 is a protein called Small ribosomal subunit protein bS6.

Mol	Chain	Residues		At	oms	AltConf	Trace		
5	f	96	Total 771	C 486	N 138	0 145	${ m S} { m 2}$	0	0

• Molecule 6 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues		At	\mathbf{oms}		AltConf	Trace	
6	g	156	Total 1240	C 773	N 242	0 222	$\frac{S}{3}$	0	0



• Molecule 7 is a protein called Small ribosomal subunit protein uS8.

Mol	Chain	Residues		At	oms	AltConf	Trace		
7	h	130	Total 1003	C 629	N 188	0 185	S 1	0	0

• Molecule 8 is a protein called Small ribosomal subunit protein uS9.

Mol	Chain	Residues		Ato	ms	AltConf	Trace	
8	i	126	Total 994	C 630	N 194	O 170	0	0

• Molecule 9 is a protein called Small ribosomal subunit protein uS10.

Mol	Chain	Residues		At	oms	AltConf	Trace		
9	j	97	Total 775	C 488	N 143	0 141	${ m S} { m 3}$	0	0

• Molecule 10 is a protein called Small ribosomal subunit protein uS11.

Mol	Chain	Residues		At	\mathbf{oms}			AltConf	Trace
10	k	117	Total 871	C 539	N 173	0 158	S 1	0	0

• Molecule 11 is a protein called Small ribosomal subunit protein uS12.

Mol	Chain	Residues		At	oms			AltConf	Trace
11	1	122	Total 958	C 594	N 197	0 165	$\begin{array}{c} \mathrm{S} \\ \mathrm{2} \end{array}$	0	0

• Molecule 12 is a protein called Small ribosomal subunit protein uS14B.

Mol	Chain	Residues		Atc	\mathbf{ms}	AltConf	Trace		
19	n	60	Total	С	Ν	Ο	S	0	0
12	11	00	477	302	97	73	5	0	0

• Molecule 13 is a protein called Small ribosomal subunit protein uS15.

Mol	Chain	Residues		Ato	ms	AltConf	Trace	
13	О	87	Total 709	C 443	N 143	O 123	0	0

• Molecule 14 is a protein called Small ribosomal subunit protein bS16.



Mol	Chain	Residues		Ato	ms	AltConf	Trace	
14	р	113	Total 891	C 570	N 162	O 159	0	0

• Molecule 15 is a protein called Small ribosomal subunit protein uS17.

Mol	Chain	Residues		At	oms	AltConf	Trace		
15	q	92	Total 730	C 458	N 138	0 132	${S \over 2}$	0	0

• Molecule 16 is a protein called Small ribosomal subunit protein bS18B.

Mol	Chain	Residues		Ate	oms	AltConf	Trace		
16	r	64	Total 512	C 319	N 102	O 88	${f S}\ 3$	0	0

• Molecule 17 is a protein called Small ribosomal subunit protein bS20.

Mol	Chain	Residues		Ato	ms	AltConf	Trace	
17	t	84	Total 655	C 399	N 138	0 118	0	0

• Molecule 18 is a protein called Small ribosomal subunit protein uS19.

Mol	Chain	Residues		At	oms			AltConf	Trace
18	s	80	Total 647	C 417	N 120	0 109	S 1	0	0

• Molecule 19 is a protein called Methionine aminopeptidase.

Mol	Chain	Residues		At	oms			AltConf	Trace
19	А	285	Total 2185	C 1382	N 372	0 422	S 9	0	0

There are 11 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	286	ALA	-	expression tag	UNP I7FJS2
А	287	ALA	-	expression tag	UNP I7FJS2
А	288	ALA	-	expression tag	UNP I7FJS2
А	289	LEU	-	expression tag	UNP I7FJS2
А	290	GLN	-	expression tag	UNP I7FJS2
A	291	HIS	-	expression tag	UNP I7FJS2



Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
А	292	HIS	-	expression tag	UNP I7FJS2
А	293	HIS	-	expression tag	UNP I7FJS2
А	294	HIS	-	expression tag	UNP I7FJS2
А	295	HIS	-	expression tag	UNP I7FJS2
А	296	HIS	-	expression tag	UNP I7FJS2

• Molecule 20 is a protein called Small ribosomal subunit protein uS13.

Mol	Chain	Residues	Atoms				AltConf	Trace	
20	m	117	Total 940	C 575	N 192	0 170	${ m S} { m 3}$	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 16S rRNA







R R10 G81 G81 G132 G132 G132 G132 H141 H141 H142 H142 H142 H142 H142 H14	M144 E146 E146 A147 M148 F151 A150 H153 H153 W156 W155	
• Molecule 7: Small ribos	omal subunit protein uS8	
Chain h:	98%	.
R5 R5 V5 V1 V5 V1 V1 V1 V1 V1 V1 V1 V1 V1 V1 V1 V1 V1		
• Molecule 8: Small ribos	omal subunit protein uS9	
Chain i:	99%	·
20 22 23 20 20 20 20 20 20 20 20 20 20 20 20 20		
• Molecule 9: Small ribos	omal subunit protein uS10	
Chain j:	99%	·
63 10 11 11 11 11 11 11 11 11 11 11 11 11		
• Molecule 10: Small ribo	somal subunit protein uS11	
Chain k:	98%	•
1178 11106 1138		
• Molecule 11: Small ribo	somal subunit protein uS12	
Chain l:	100%	
There are no outlier resid	ues recorded for this chain.	
• Molecule 12: Small ribo	somal subunit protein uS14B	
Chain n:	98%	
∎ ≝ ■ Molecule 13: Small ribo	somal subunit protein uS15	
Jnain o:	98%	•





• Molecule 14: Small ribosomal subunit protein bS16

Chain p:	100%	
A2 L110 A111 E112 A113 E114		
• Molecule 15: Sm	nall ribosomal subunit protein uS17	
Chain q:	100%	
There are no outli	er residues recorded for this chain.	
• Molecule 16: Sm	all ribosomal subunit protein bS18B	
Chain r:	98%	.
K16 F79		
• Molecule 17: Sm	nall ribosomal subunit protein bS20	
Chain t:	100%	
There are no outli	er residues recorded for this chain.	
• Molecule 18: Sm	all ribosomal subunit protein uS19	
Chain a		
Cham's:	91%	9%
K6 E24 K25 K25 K28 K28 K28 K28 K31 K81	682 1883 K85 64	
• Molecule 19: Me	ethionine aminopeptidase	
Chain A:	48% 43%	5% •
M1 82 V3 R4 85 A6 A6 A6 F9 F9	S13 S13 P14 115 P15 115 P16 125 P19 727 P25 826 P26 826 P26 826 P26 826 P26 826 P33 934 P36 826 P36 826 P36 826 P36 826 P36 826 P36 836 P36 936 P36 836 P44 P44 P36 836 P44 P44 P44 P44 P44 P44 P47 P44 P47 P44 P47 P44 P44 P44 P44 P44 P44 P44 P44 P44 P44 P44 P44 P44 P44	G59 A60 A62 A62 A63 A67 A67
D75	T34 T34 Y97 Y102 K102 X105 X106 X111 X1112 X1112 X1112 X1112 X112 X112 X112 X133 X133 X133 X133 X133 X133 X133 X133	6138 V139 H140 H140 N144 T146 F147



•



• Molecule 20: Small ribosomal subunit protein uS13

Chain m:

96%



6%



4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	50296	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE	Depositor
	CORRECTION	
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose $(e^-/\text{\AA}^2)$	20.7	Depositor
Minimum defocus (nm)	1800	Depositor
Maximum defocus (nm)	3300	Depositor
Magnification	Not provided	
Image detector	FEI FALCON III (4k x 4k)	Depositor
Maximum map value	0.068	Depositor
Minimum map value	-0.009	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.003	Depositor
Recommended contour level	0.005	Depositor
Map size (Å)	374.50003, 374.50003, 374.50003	wwPDB
Map dimensions	350, 350, 350	wwPDB
Map angles ($^{\circ}$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.07, 1.07, 1.07	Depositor



5 Model quality (i)

5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles		
	Ullalli	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	a	0.37	0/36201	0.92	42/56488~(0.1%)	
2	с	0.25	0/1696	0.53	0/2276	
3	d	0.26	0/1672	0.55	0/2251	
4	е	0.28	0/1449	0.58	0/1949	
5	f	0.29	0/782	0.55	0/1059	
6	g	0.26	0/1260	0.53	0/1701	
7	h	0.28	0/1018	0.57	0/1375	
8	i	0.26	0/1012	0.56	0/1362	
9	j	0.24	0/789	0.57	0/1069	
10	k	0.27	0/889	0.54	0/1201	
11	1	0.27	0/969	0.65	0/1294	
12	n	0.24	0/488	0.53	0/650	
13	0	0.26	0/718	0.57	1/963~(0.1%)	
14	р	0.26	0/908	0.53	0/1226	
15	q	0.29	0/741	0.62	0/993	
16	r	0.25	0/517	0.57	0/691	
17	t	0.27	0/658	0.55	0/875	
18	S	0.28	0/664	0.55	0/893	
19	A	0.26	0/2237	0.51	0/3057	
20	m	0.29	0/947	0.65	0/1267	
All	All	0.33	0/55615	0.82	43/82640~(0.1%)	

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	d	0	1
7	h	0	1
All	All	0	2

There are no bond length outliers.



Mol	Chain	Res	Type	Atoms	Ζ	$Observed(^{o})$	$Ideal(^{o})$
1	a	330	С	N1-C2-O2	15.17	128.00	118.90
1	a	330	С	N3-C2-O2	-12.61	113.07	121.90
1	a	108	G	N3-C2-N2	9.33	126.43	119.90
1	a	80	С	N3-C2-O2	-9.14	115.50	121.90
1	a	179	С	N1-C2-O2	8.65	124.09	118.90
1	a	1011	U	C2-N1-C1'	8.39	127.77	117.70
1	a	81	С	N3-C2-O2	-8.27	116.11	121.90
1	a	179	С	C2-N1-C1'	8.22	127.85	118.80
1	a	790	С	N1-C2-O2	7.71	123.53	118.90
1	a	108	G	N1-C2-N2	-7.52	109.43	116.20
1	a	790	С	N3-C2-O2	-7.33	116.77	121.90
1	a	1011	U	N1-C2-O2	7.04	127.73	122.80
1	a	1433	С	N3-C2-O2	-6.96	117.03	121.90
1	a	879	С	N3-C2-O2	-6.94	117.04	121.90
1	a	179	С	N3-C2-O2	-6.92	117.06	121.90
1	a	90	G	C8-N9-C4	-6.87	103.65	106.40
1	a	90	G	N7-C8-N9	6.38	116.29	113.10
1	a	508	С	N1-C2-O2	6.34	122.71	118.90
1	a	1011	U	N3-C2-O2	-6.21	117.85	122.20
1	a	80	С	C6-N1-C2	-6.17	117.83	120.30
1	a	1139	С	N3-C2-O2	-5.94	117.74	121.90
1	a	1008	С	N1-C2-O2	5.93	122.46	118.90
1	a	505	С	N1-C2-O2	5.93	122.46	118.90
1	a	1139	С	C6-N1-C2	-5.83	117.97	120.30
1	a	505	С	C2-N1-C1'	5.82	125.20	118.80
1	a	179	С	C6-N1-C1'	-5.79	113.85	120.80
1	a	81	С	N1-C2-O2	5.77	122.36	118.90
1	a	89	G	N1-C2-N2	-5.73	111.05	116.20
1	a	1019	U	C2-N1-C1'	5.68	124.52	117.70
1	a	200	U	C2-N1-C1'	5.67	124.50	117.70
1	a	1011	U	C6-N1-C1'	-5.64	113.30	121.20
1	a	734	С	N1-C2-O2	5.53	122.22	118.90
1	a	81	C	C6-N1-C2	-5.48	118.11	120.30
1	a	1139	С	C2-N1-C1'	5.47	124.82	118.80
1	a	508	C	N3-C2-O2	-5.41	118.11	121.90
13	0	19	ASP	CB-CG-OD1	5.38	123.14	118.30
1	a	179	C	C6-N1-C2	-5.33	118.17	120.30
1	a	791	C	C2-N1-C1'	5.23	$1\overline{24.56}$	118.80
1	a	1139	C	N1-C2-O2	5.16	121.99	118.90
1	a	1008	C	C2-N1-C1'	5.11	124.42	118.80
1	a	86	G	N1-C6-O6	5.09	122.95	119.90
1	a	330	C	C6-N1-C2	-5.05	118.28	120.30

All (43) bond angle outliers are listed below:



Continued from previous page...

Mol	Chain	Res	Type	Atoms	Ζ	$Observed(^{o})$	$Ideal(^{o})$
1	а	961	С	C2-N1-C1'	5.05	124.35	118.80

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	d	63	MET	Peptide
7	h	55	ARG	Peptide

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	а	32341	0	16271	0	0
2	с	1672	0	1722	0	0
3	d	1641	0	1668	0	0
4	е	1433	0	1490	0	0
5	f	771	0	797	0	0
6	g	1240	0	1293	0	0
7	h	1003	0	1039	0	0
8	i	994	0	1050	0	0
9	j	775	0	808	0	0
10	k	871	0	885	0	0
11	1	958	0	1045	0	0
12	n	477	0	503	0	0
13	0	709	0	747	0	0
14	р	891	0	935	0	0
15	q	730	0	774	0	0
16	r	512	0	543	0	0
17	t	655	0	707	0	0
18	s	647	0	664	0	0
19	А	2185	0	2139	139	0
20	m	940	0	989	0	0
All	All	51445	0	36069	139	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 37.



A 4 1	A + 0	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
19:A:37:SER:HB2	19:A:40:TRP:CZ2	1.79	1.17
19:A:37:SER:HB2	19:A:40:TRP:HZ2	1.04	1.15
19:A:37:SER:HA	19:A:210:THR:HG21	1.50	0.92
19:A:37:SER:CB	19:A:40:TRP:CZ2	2.57	0.86
19:A:115:GLY:HA2	19:A:256:THR:HA	1.59	0.85
19:A:37:SER:HA	19:A:210:THR:CG2	2.06	0.84
19:A:18:VAL:HG11	19:A:91:TYR:HD1	1.45	0.82
19:A:165:GLU:HA	19:A:168:MET:SD	2.22	0.79
19:A:7:LEU:HB3	19:A:251:TRP:HZ2	1.48	0.78
19:A:248:TYR:HA	19:A:260:THR:H	1.49	0.77
19:A:24:ARG:HH21	19:A:28:ALA:H	1.34	0.76
19:A:19:PRO:HD2	19:A:86:ILE:HD12	1.67	0.75
19:A:112:ILE:HA	19:A:240:MET:HE1	1.68	0.75
19:A:26:GLU:HB3	19:A:35:GLU:HG3	1.71	0.73
19:A:37:SER:CB	19:A:40:TRP:HZ2	1.91	0.71
19:A:7:LEU:HB3	19:A:251:TRP:CZ2	2.27	0.69
19:A:144:ASN:H	19:A:269:GLU:HB3	1.59	0.67
19:A:170:ALA:HB1	19:A:183:VAL:HG13	1.77	0.67
19:A:112:ILE:HD12	19:A:257:VAL:HG11	1.75	0.66
19:A:9:PRO:HG2	19:A:252:ASP:HB3	1.77	0.66
19:A:60:ALA:HB3	19:A:132:VAL:HG11	1.79	0.64
19:A:251:TRP:CE3	19:A:253:ASP:HB2	2.32	0.63
19:A:251:TRP:HE3	19:A:253:ASP:HB2	1.62	0.63
19:A:237:ILE:HG22	19:A:239:PRO:HD3	1.80	0.62
19:A:111:ILE:HG23	19:A:257:VAL:H	1.64	0.62
19:A:26:GLU:OE2	19:A:34:GLN:HA	1.99	0.61
19:A:175:LYS:HB2	19:A:178:ARG:HD2	1.82	0.61
19:A:46:VAL:HG13	19:A:139:VAL:HG12	1.83	0.61
19:A:180:LEU:HD21	19:A:217:VAL:HG22	1.83	0.60
19:A:51:ARG:HG2	19:A:282:LEU:HD22	1.83	0.59
19:A:8:ARG:HG2	19:A:9:PRO:HD2	1.84	0.59
19:A:108:LEU:H	19:A:111:ILE:HD12	1.67	0.59
19:A:159:LEU:HD22	19:A:243:LEU:HG	1.85	0.59
19:A:163:THR:HA	19:A:241:ILE:HD12	1.86	0.57
19:A:16:LEU:HD11	19:A:79:ARG:HA	1.86	0.57
19:A:253:ASP:HB3	19:A:256:THR:OG1	2.05	0.57
19:A:74:THR:HG21	19:A:108:LEU:HD11	1.85	0.57
19:A:30:LYS:HB3	19:A:33:VAL:HG13	1.87	0.57
19:A:18:VAL:HG21	19:A:92:PRO:HD2	1.87	0.56
19:A:97:TYR:OH	19:A:212:HIS:ND1	2.33	0.56

All (139) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.



	h a	Interatomic	Clash overlap (Å)	
Atom-1	Atom-2	distance (\AA)		
19:A:168:MET:HA	19:A:171:ILE:HD12	1.88	0.56	
19:A:111:ILE:HD13	19:A:256:THR:CG2	2.35	0.56	
19:A:115:GLY:CA	19:A:256:THR:HG23	2.35	0.56	
19:A:9:PRO:HA	19:A:251:TRP:CZ3	2.41	0.55	
19:A:115:GLY:HA2	19:A:256:THR:CA	2.33	0.55	
19:A:217:VAL:HG21	19:A:235:PHE:CD2	2.43	0.54	
19:A:105:CYS:HB2	19:A:131:ASP:HB3	1.90	0.53	
19:A:167:THR:HA	19:A:239:PRO:HG3	1.89	0.53	
19:A:112:ILE:HD11	19:A:248:TYR:CG	2.45	0.52	
19:A:24:ARG:NH2	19:A:28:ALA:H	2.06	0.52	
19:A:199:VAL:HG23	19:A:242:ASN:HD21	1.75	0.52	
19:A:180:LEU:N	19:A:227:THR:O	2.41	0.52	
19:A:98:LYS:HB2	19:A:255:TRP:CH2	2.45	0.52	
19:A:110:GLU:HB3	19:A:259:THR:H	1.75	0.52	
19:A:136:ILE:O	19:A:139:VAL:HG22	2.10	0.50	
19:A:174:VAL:HG13	19:A:229:LEU:HD13	1.94	0.50	
19:A:12:LEU:HD23	19:A:118:ASP:HB3	1.94	0.50	
19:A:98:LYS:HB2	19:A:255:TRP:HH2	1.77	0.50	
19:A:127:ILE:HD11	19:A:264:TRP:HB3	1.94	0.49	
19:A:248:TYR:HB2	19:A:258:ALA:O	2.12	0.49	
19:A:133:THR:HA	19:A:141:GLY:O	2.11	0.49	
19:A:73:THR:HG22	19:A:75:ASP:H	1.76	0.49	
19:A:112:ILE:H	19:A:257:VAL:HB	1.78	0.49	
19:A:206:GLY:N	19:A:215:LEU:O	2.35	0.49	
19:A:218:LEU:HD12	19:A:220:TYR:HE1	1.77	0.49	
19:A:251:TRP:C	19:A:253:ASP:N	2.67	0.49	
19:A:115:GLY:HA2	19:A:256:THR:HG23	1.95	0.49	
19:A:112:ILE:HG12	19:A:240:MET:CE	2.43	0.48	
19:A:251:TRP:CE3	19:A:256:THR:HG21	2.48	0.48	
19:A:20:LYS:O	19:A:21:SER:C	2.51	0.48	
19:A:4:ARG:NH1	19:A:126:ASP:OD1	2.46	0.47	
19:A:231:PRO:HA	19:A:274:VAL:HB	1.95	0.47	
19:A:38:GLU:HB3	19:A:39:PRO:HD2	1.97	0.47	
19:A:180:LEU:HG	19:A:217:VAL:HG13	1.97	0.47	
19:A:59:GLY:HA2	19:A:285:LEU:HD11	1.97	0.47	
19:A:240:MET:HE3	19:A:265:THR:HG21	1.96	0.47	
19:A:109:ASN:ND2	19:A:126:ASP:OD1	2.42	0.47	
19:A:187:ILE:HG22	19:A:198:VAL:HG21	1.95	0.47	
19:A:249:GLU:HG2	19:A:259:THR:C	2.36	0.46	
19:A:8:ARG:HG2	19:A:9:PRO:CD	2.46	0.46	
19:A:122:ILE:HD13	19:A:128:VAL:HG21	1.98	0.46	



Interatomic Clash							
Atom-1	Atom-2	distance (Å)	overlap (Å)				
19:A:18:VAL:HG13	19:A:86:ILE:HD11	1.97	0.46				
19:A:129:ASN:ND2	19:A:267:GLN:O	2.49	0.45				
19:A:250:ILE:HG12	19:A:257:VAL:HG13	1.99	0.45				
19:A:253:ASP:O	19:A:255:TRP:N	2.50	0.45				
19:A:111:ILE:HG12	19:A:257:VAL:O	2.15	0.45				
19:A:249:GLU:O	19:A:258:ALA:HB3	2.17	0.45				
19:A:127:ILE:HG22	19:A:148:LEU:HD23	1.98	0.45				
19:A:44:PRO:HA	19:A:47:ILE:HB	1.98	0.45				
19:A:105:CYS:HB3	19:A:114:HIS:HA	1.99	0.45				
19:A:13:SER:C	19:A:102:LYS:HZ1	2.20	0.45				
19:A:93:SER:H	19:A:133:THR:HG23	1.82	0.45				
19:A:179:ALA:O	19:A:182:VAL:HG12	2.17	0.45				
19:A:74:THR:HB	19:A:106:THR:HG21	1.99	0.44				
19:A:9:PRO:HB3	19:A:253:ASP:CG	2.38	0.44				
19:A:8:ARG:NH1	19:A:9:PRO:O	2.51	0.44				
19:A:22:ILE:HG21	19:A:91:TYR:N	2.32	0.44				
19:A:257:VAL:HG12	19:A:258:ALA:H	1.81	0.44				
19:A:243:LEU:HB2	19:A:263:LYS:HB3	2.00	0.44				
19:A:251:TRP:H	19:A:257:VAL:HA	1.82	0.44				
19:A:171:ILE:HG12	19:A:272:LEU:HD21	1.99	0.44				
19:A:34:GLN:HE21	19:A:34:GLN:HB2	1.59	0.43				
19:A:112:ILE:HD12	19:A:257:VAL:CG1	2.47	0.43				
19:A:26:GLU:HA	19:A:29:TRP:HE3	1.83	0.43				
19:A:248:TYR:C	19:A:260:THR:HG23	2.39	0.43				
19:A:94:THR:HG23	19:A:133:THR:HG21	2.00	0.43				
19:A:130:ILE:O	19:A:144:ASN:HA	2.18	0.43				
19:A:9:PRO:HA	19:A:251:TRP:CH2	2.54	0.43				
19:A:33:VAL:O	19:A:34:GLN:C	2.57	0.43				
19:A:254:GLY:O	19:A:255:TRP:C	2.55	0.43				
19:A:64:ALA:O	19:A:68:VAL:HG23	2.18	0.43				
19:A:16:LEU:CD1	19:A:79:ARG:HA	2.47	0.43				
19:A:167:THR:OG1	19:A:268:PHE:HB2	2.19	0.42				
19:A:260:THR:C	19:A:262:GLY:H	2.22	0.42				
19:A:135:TYR:HE1	19:A:138:GLY:HA2	1.84	0.42				
19:A:251:TRP:C	19:A:253:ASP:H	2.22	0.42				
19:A:107:SER:HB2	19:A:129:ASN:HB3	2.01	0.42				
19:A:102:LYS:HG3	19:A:117:PRO:HD2	2.01	0.42				
19:A:234:THR:HA	19:A:272:LEU:O	2.20	0.42				
19:A:238:GLU:HA	19:A:268:PHE:O	2.20	0.42				
19:A:114:HIS:O	19:A:255:TRP:HB3	2.19	0.42				
19:A:163:THR:OG1	19:A:241:ILE:HB	2.20	0.42				



Commuea from previo	Continueu from previous page					
Atom-1	Atom-2	Interatomic	Clash			
1100111-1	1100111-2	distance $(Å)$	overlap (Å)			
19:A:241:ILE:O	19:A:265:THR:OG1	2.38	0.42			
19:A:81:ALA:O	19:A:85:MET:HG3	2.20	0.41			
19:A:23:PRO:HB2	19:A:135:TYR:OH	2.21	0.41			
19:A:30:LYS:O	19:A:33:VAL:HG22	2.20	0.41			
19:A:197:ASN:HB3	19:A:246:LEU:HD21	2.01	0.41			
19:A:198:VAL:HA	19:A:240:MET:O	2.19	0.41			
19:A:4:ARG:HD3	19:A:109:ASN:ND2	2.36	0.41			
19:A:74:THR:HG22	19:A:122:ILE:HD11	2.01	0.41			
19:A:16:LEU:HD23	19:A:16:LEU:HA	1.73	0.41			
19:A:115:GLY:HA3	19:A:256:THR:HG23	2.03	0.41			
19:A:63:GLU:O	19:A:66:ARG:HG2	2.21	0.41			
19:A:106:THR:HG23	19:A:117:PRO:HG3	2.03	0.41			
19:A:30:LYS:HE3	19:A:32:THR:OG1	2.21	0.41			
19:A:249:GLU:HG2	19:A:260:THR:N	2.36	0.40			
19:A:24:ARG:HE	19:A:24:ARG:HB3	1.54	0.40			
19:A:146:THR:OG1	19:A:267:GLN:O	2.32	0.40			
19:A:250:ILE:HA	19:A:257:VAL:CG1	2.52	0.40			

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
2	с	208/210~(99%)	180 (86%)	25 (12%)	3 (1%)	9 40
3	d	198/200~(99%)	185~(93%)	13 (7%)	0	100 100
4	е	196/198~(99%)	172 (88%)	22 (11%)	2 (1%)	13 49
5	f	94/96~(98%)	92~(98%)	2 (2%)	0	100 100
6	g	154/156~(99%)	148 (96%)	6 (4%)	0	100 100
7	h	128/130~(98%)	112 (88%)	15 (12%)	1 (1%)	16 54
8	i	124/126~(98%)	111 (90%)	13 (10%)	0	100 100



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
9	j	95/97~(98%)	88~(93%)	6 (6%)	1 (1%)	12	46
10	k	115/117~(98%)	99~(86%)	16 (14%)	0	100	100
11	1	120/122~(98%)	103 (86%)	17 (14%)	0	100	100
12	n	58/60~(97%)	54 (93%)	4 (7%)	0	100	100
13	0	85/87~(98%)	80 (94%)	5~(6%)	0	100	100
14	р	111/113 (98%)	107 (96%)	4 (4%)	0	100	100
15	q	90/92~(98%)	79~(88%)	11 (12%)	0	100	100
16	r	62/64~(97%)	54 (87%)	8 (13%)	0	100	100
17	t	82/84~(98%)	79~(96%)	3~(4%)	0	100	100
18	S	78/80~(98%)	65~(83%)	11 (14%)	2(3%)	4	26
19	А	283/296~(96%)	256 (90%)	25~(9%)	2(1%)	19	56
20	m	$11\overline{5/117}~(98\%)$	100 (87%)	13 (11%)	2(2%)	7	36
All	All	$239\overline{6/2445}\ (98\%)$	2164 (90%)	219 (9%)	13 (0%)	27	64

All (13) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	с	144	PRO
4	е	186	ILE
19	А	254	GLY
20	m	116	THR
2	с	133	MET
2	с	142	ARG
4	е	185	PRO
18	s	84	ILE
20	m	113	PRO
19	А	262	GLY
7	h	56	VAL
9	j	43	PRO
18	S	82	GLY

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was



Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
2	с	171/171~(100%)	164 (96%)	7 (4%)	26	48
3	d	175/175~(100%)	174 (99%)	1 (1%)	84	88
4	е	139/139~(100%)	137 (99%)	2 (1%)	62	76
5	f	85/85~(100%)	85 (100%)	0	100	100
6	g	132/132~(100%)	130 (98%)	2 (2%)	60	75
7	h	106/106~(100%)	105 (99%)	1 (1%)	75	83
8	i	102/102~(100%)	101 (99%)	1 (1%)	73	82
9	j	88/88~(100%)	88 (100%)	0	100	100
10	k	91/91~(100%)	89~(98%)	2 (2%)	47	66
11	1	103/103~(100%)	103 (100%)	0	100	100
12	n	49/49~(100%)	48 (98%)	1 (2%)	50	69
13	0	75/75~(100%)	74 (99%)	1 (1%)	65	77
14	р	92/92~(100%)	92~(100%)	0	100	100
15	q	78/78~(100%)	78~(100%)	0	100	100
16	r	55/55~(100%)	54 (98%)	1 (2%)	54	71
17	t	69/69~(100%)	69~(100%)	0	100	100
18	S	71/71~(100%)	66~(93%)	5 (7%)	12	33
19	А	$\overline{234/242}~(97\%)$	218 (93%)	16 (7%)	13	34
20	m	99/99~(100%)	96~(97%)	3 (3%)	36	56
All	All	2014/2022~(100%)	1971 (98%)	43 (2%)	49	67

analysed, and the total number of residues.

All (43) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	с	106	LYS
2	с	130	ARG
2	с	133	MET
2	с	134	ARG
2	с	135	LYS
2	с	138	GLN
2	с	141	MET
3	d	131	ARG
4	е	174	ARG
4	е	186	ILE
6	g	10	ARG



Mol	Chain	Res	Type
6	g	112	ARG
7	h	41	LYS
8	i	126	ARG
10	k	78	ASN
10	k	107	ARG
12	n	13	LYS
13	0	68	LYS
16	r	45	ARG
18	S	78	ARG
18	S	79	THR
18	S	81	LYS
18	S	83	HIS
18	S	85	LYS
19	А	8	ARG
19	А	15	THR
19	А	20	LYS
19	А	22	ILE
19	А	24	ARG
19	А	26	GLU
19	А	27	TYR
19	А	32	THR
19	А	34	GLN
19	А	35	GLU
19	А	250	ILE
19	А	251	TRP
19	А	253	ASP
19	А	256	THR
19	А	257	VAL
19	А	260	THR
20	m	11	ARG
20	m	111	LYS
20	m	115	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	\mathbf{Res}	Type
3	d	115	HIS
10	k	128	ASN
11	1	46	ASN
18	s	52	HIS
18	s	83	HIS
19	А	34	GLN



Continued from previous page...

Mol	Chain	Res	Type
19	А	129	ASN
20	m	92	HIS

5.3.3 RNA (i)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	a	1504/1510~(99%)	452~(30%)	0

All (452) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	a	12	А
1	a	13	G
1	a	22	С
1	a	26	G
1	a	35	G
1	a	36	А
1	a	43	G
1	a	48	G
1	a	50	G
1	a	51	С
1	a	52	U
1	a	53	U
1	a	54	А
1	a	55	А
1	a	58	С
1	a	62	С
1	a	66	U
1	a	74	А
1	a	75	А
1	a	81	С
1	a	82	U
1	a	85	С
1	a	87	G
1	a	88	G
1	a	89	G
1	a	91	U
1	a	92	A
1	a	93	С
1	a	101	G
1	a	105	А



Mol	Chain	Res	Type
1	a	116	А
1	a	117	С
1	a	118	А
1	a	126	G
1	a	128	U
1	a	133	С
1	a	141	U
1	a	160	C
1	a	169	А
1	a	170	U
1	a	174	G
1	a	179	C
1	a	180	A
1	a	192	G
1	a	193	C
1	a	194	A
1	a	196	G
1	a	197	G
1	a	201	G
1	a	203	U
1	a	210	A
1	a	211	A
1	a	212	G
1	a	215	U
1	a	216	U
1	a	217	U
1	a	218	G
1	a	220	G
1	a	226	G
1	a	240	C
1	a	243	A
1	a	244	U
1	a	245	C
1	a	246	A
1	a	247	G
1	a	251	G
1	a	258	G
1	a	263	A
1	a	266	G
1	a	267	C
1	a	278	G
1	a	279	A



Mol	Chain	Res	Type
1	a	280	С
1	a	281	G
1	a	282	А
1	a	289	G
1	a	294	С
1	a	306	А
1	a	316	С
1	a	317	U
1	a	328	U
1	a	329	A
1	a	332	G
1	a	338	A
1	a	344	А
1	a	345	С
1	a	347	G
1	a	349	A
1	a	351	G
1	a	352	С
1	a	353	А
1	a	354	G
1	a	356	А
1	a	367	U
1	a	371	A
1	a	372	С
1	a	373	A
1	a	389	А
1	a	390	U
1	a	397	А
1	a	398	С
1	a	406	G
1	a	412	U
1	a	413	G
1	a	415	C
1	a	419	С
1	a	421	U
1	a	422	С
1	a	423	G
1	a	426	U
1	a	428	G
1	a	429	U
1	a	430	A
1	a	434	С
	~		



Mol	Chain	Res	Type
1	a	435	U
1	a	436	С
1	a	438	U
1	a	444	А
1	a	448	А
1	a	450	G
1	a	453	G
1	a	456	С
1	a	457	А
1	a	458	А
1	a	461	G
1	a	465	G
1	a	466	U
1	a	469	G
1	a	476	A
1	a	477	G
1	a	478	A
1	a	482	А
1	a	485	G
1	a	486	G
1	a	488	С
1	a	490	А
1	a	491	С
1	a	496	U
1	a	497	G
1	a	498	С
1	a	499	C
1	a	501	G
1	a	505	С
1	a	507	G
1	a	509	G
1	a	510	G
1	a	511	U
1	a	512	A
1	a	513	A
1	a	515	A
1	a	516	С
1	a	519	А
1	a	520	G
1	a	521	G
1	a	527	A
1	a	529	С



Mol	Chain	Res	Type
1	a	539	А
1	a	540	А
1	a	541	U
1	a	542	U
1	a	544	С
1	a	552	А
1	a	553	А
1	a	554	А
1	a	555	G
1	a	556	А
1	a	557	G
1	a	591	С
1	a	612	U
1	a	621	U
1	a	629	G
1	a	633	А
1	a	634	G
1	a	643	А
1	a	645	G
1	a	646	G
1	a	656	А
1	a	666	U
1	a	667	А
1	a	668	G
1	a	675	А
1	a	676	А
1	a	678	G
1	a	680	G
1	a	682	А
1	a	683	G
1	a	684	А
1	a	687	U
1	a	694	G
1	a	700	С
1	a	701	G
1	a	702	G
1	a	704	G
1	a	711	G
1	a	713	G
1	a	727	U
1	a	729	A
1	a	732	G



Mol	Chain	Res	Type
1	a	734	С
1	a	735	G
1	a	739	А
1	a	757	А
1	a	761	А
1	a	765	G
1	a	766	G
1	a	771	G
1	a	772	А
1	a	773	U
1	a	774	А
1	a	776	C
1	a	782	A
1	a	789	G
1	a	792	G
1	a	794	А
1	a	795	А
1	a	796	А
1	a	797	С
1	a	798	G
1	a	799	G
1	a	801	G
1	a	806	С
1	a	808	А
1	a	810	G
1	a	812	G
1	a	816	G
1	a	817	U
1	a	818	U
1	a	822	U
1	a	828	G
1	a	832	U
1	a	840	G
1	a	841	U
1	a	851	А
1	a	853	U
1	a	854	А
1	a	855	А
1	a	860	С
1	a	865	С
1	a	869	G
1	a	871	А



Mol	Chain	Res	Type
1	a	896	А
1	a	908	G
1	a	909	G
1	a	913	С
1	a	914	С
1	a	915	G
1	a	916	С
1	a	917	А
1	a	924	G
1	a	927	G
1	a	932	U
1	a	938	U
1	a	940	A
1	a	942	U
1	a	943	U
1	a	947	U
1	a	950	А
1	a	951	А
1	a	953	G
1	a	956	А
1	a	957	А
1	a	959	А
1	a	964	U
1	a	971	G
1	a	973	U
1	a	974	U
1	a	975	G
1	a	976	А
1	a	978	A
1	a	981	С
1	a	982	A
1	a	985	G
1	a	986	G
1	a	993	G
1	a	1003	С
1	a	1008	С
1	a	1011	U
1	a	1012	U
1	a	1013	G
1	a	1014	U
1	a	1019	U
1	a	1020	G



Mol	Chain	Res	Type
1	a	1022	G
1	a	1024	G
1	a	1025	С
1	a	1030	G
1	a	1033	G
1	a	1034	С
1	a	1036	U
1	a	1045	U
1	a	1047	А
1	a	1048	G
1	a	1050	U
1	a	1057	G
1	a	1075	U
1	a	1077	С
1	a	1081	А
1	a	1084	G
1	a	1085	А
1	a	1088	G
1	a	1090	А
1	a	1092	С
1	a	1098	U
1	a	1104	G
1	a	1105	U
1	a	1108	С
1	a	1109	С
1	a	1112	С
1	a	1115	G
1	a	1116	U
1	a	1117	U
1	a	1118	А
1	a	1120	G
1	a	1123	G
1	a	1127	A
1	a	1128	C
1	a	1129	U
1	a	1131	G
1	a	1138	А
1	a	1139	C
1	a	1140	U
1	a	1146	G
1	a	1149	С
1	a	1150	А



Mol	Chain	Res	Type
1	a	1151	А
1	a	1162	G
1	a	1164	U
1	a	1165	G
1	a	1168	G
1	a	1171	G
1	a	1174	G
1	a	1177	А
1	a	1178	А
1	a	1181	С
1	a	1182	А
1	a	1183	U
1	a	1187	G
1	a	1193	U
1	a	1194	А
1	a	1205	U
1	a	1206	U
1	a	1207	С
1	a	1208	А
1	a	1214	G
1	a	1217	А
1	a	1219	А
1	a	1221	U
1	a	1222	G
1	a	1229	А
1	a	1231	А
1	a	1234	G
1	a	1237	C
1	a	1238	U
1	a	1239	G
1	a	1241	G
1	a	1247	G
1	a	1248	U
1	a	1254	G
1	a	1258	C
1	a	1261	А
1	a	1265	U
1	a	1266	U
1	a	1267	U
1	a	1268	C
1	a	1269	A
1	a	1279	U



Mol	Chain	Res	Type
1	a	1282	G
1	a	1283	U
1	a	1284	U
1	a	1286	G
1	a	1287	G
1	a	1289	U
1	a	1294	G
1	a	1295	U
1	a	1297	U
1	a	1301	А
1	a	1302	С
1	a	1304	С
1	a	1305	G
1	a	1309	С
1	a	1310	C
1	a	1311	G
1	a	1313	G
1	a	1320	G
1	a	1328	А
1	a	1329	G
1	a	1330	U
1	a	1342	А
1	a	1343	G
1	a	1344	С
1	a	1345	А
1	a	1346	А
1	a	1347	С
1	a	1351	G
1	a	1357	А
1	a	1364	U
1	a	1375	G
1	a	1376	U
1	a	1377	A
1	a	1378	С
1	a	1379	A
1	a	1380	С
1	a	1381	A
1	a	1382	С
1	a	1383	С
1	a	1384	G
1	a	1385	С
1	a	1386	С



Mol	Chain	Res	Type
1	a	1387	С
1	a	1388	G
1	a	1391	А
1	a	1392	С
1	a	1395	С
1	a	1402	G
1	a	1407	U
1	a	1423	U
1	a	1425	G
1	a	1429	А
1	a	1431	С
1	a	1433	С
1	a	1434	U
1	a	1435	U
1	a	1436	G
1	a	1438	G
1	a	1441	G
1	a	1463	G
1	a	1464	G
1	a	1481	G
1	a	1482	U
1	a	1483	А
1	a	1484	А
1	a	1486	А
1	a	1487	А
1	a	1488	G
1	a	1489	G
1	a	1490	U
1	a	1491	A
1	a	1493	С
1	a	1494	С
1	a	1495	G
1	a	1498	С
1	a	1501	G
1	a	1502	A
1	a	1503	A
1	a	1504	G
1	a	1505	G
1	a	1507	G
1	a	1509	G
1	a	1513	G
1	a	1514	G



Continued from previous page...

Mol	Chain	\mathbf{Res}	Type
1	a	1516	U
1	a	1518	А

There are no RNA pucker outliers to report.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

There are no ligands in this entry.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Map visualisation (i)

This section contains visualisations of the EMDB entry EMD-39462. These allow visual inspection of the internal detail of the map and identification of artifacts.

Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections (i)

6.1.1 Primary map



6.1.2 Raw map



The images above show the map projected in three orthogonal directions.



6.2 Central slices (i)

6.2.1 Primary map



X Index: 175



Y Index: 175



Z Index: 175

6.2.2 Raw map



X Index: 175

Y Index: 175

Z Index: 175

The images above show central slices of the map in three orthogonal directions.



6.3 Largest variance slices (i)

6.3.1 Primary map



X Index: 185



Y Index: 209



Z Index: 190

6.3.2 Raw map



X Index: 184

Y Index: 148

Z Index: 189

The images above show the largest variance slices of the map in three orthogonal directions.



6.4 Orthogonal standard-deviation projections (False-color) (i)

6.4.1 Primary map





6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.



6.5 Orthogonal surface views (i)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.005. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.

6.6 Mask visualisation (i)

This section was not generated. No masks/segmentation were deposited.



7 Map analysis (i)

This section contains the results of statistical analysis of the map.

7.1 Map-value distribution (i)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.



7.2 Volume estimate (i)



The volume at the recommended contour level is 1429 nm^3 ; this corresponds to an approximate mass of 1291 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.



7.3 Rotationally averaged power spectrum (i)



*Reported resolution corresponds to spatial frequency of 0.213 ${\rm \AA^{-1}}$



8 Fourier-Shell correlation (i)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC (i)



*Reported resolution corresponds to spatial frequency of 0.213 \AA^{-1}



8.2 Resolution estimates (i)

$\begin{bmatrix} Bosolution ostimato (Å) \end{bmatrix}$	Estimation criterion (FSC cut-off)		
resolution estimate (A)	0.143	0.5	Half-bit
Reported by author	4.70	-	-
Author-provided FSC curve	4.74	10.57	5.35
Unmasked-calculated*	4.71	10.44	5.21

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.



9 Map-model fit (i)

This section contains information regarding the fit between EMDB map EMD-39462 and PDB model 8YP6. Per-residue inclusion information can be found in section 3 on page 8.

9.1 Map-model overlay (i)



The images above show the 3D surface view of the map at the recommended contour level 0.005 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.



9.2 Q-score mapped to coordinate model (i)



The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model (i)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.005).



9.4 Atom inclusion (i)



At the recommended contour level, 96% of all backbone atoms, 97% of all non-hydrogen atoms, are inside the map.



1.0

0.0 <0.0

9.5 Map-model fit summary (i)

The table lists the average atom inclusion at the recommended contour level (0.005) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.9700	0.1660
А	0.8000	0.0580
a	0.9970	0.1940
С	0.7840	0.0750
d	0.9410	0.0870
е	0.8940	0.1760
f	0.9610	0.1940
g	0.8860	0.0780
h	0.9960	0.2110
i	0.9870	0.0690
j	0.9590	0.0210
k	0.9700	0.1180
1	0.9880	0.2020
m	0.9320	0.0550
n	1.0000	0.0530
0	1.0000	0.2060
р	0.9560	0.1840
q	0.9920	0.2210
r	0.9960	0.1670
S	0.9230	0.0490
t	0.9980	0.2010

