



wwPDB EM Validation Summary Report ⓘ

Sep 24, 2025 – 10:26 AM JST

PDB ID : 8YP6 / pdb_00008yp6
EMDB ID : EMD-39462
Title : Cryo-EM map of 30S ribosomal subunit in complex with MetAP1c of Mycobacterium smegmatis
Authors : Banerjee, A.; Srinivasan, K.; Sengupta, J.
Deposited on : 2024-03-15
Resolution : 4.70 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev129
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.46

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 4.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	210492	15764	-
Ramachandran outliers	207382	16835	-
Sidechain outliers	206894	16415	-
RNA backbone	6643	2191	-
Q-score	-	25397	1989 (4.20 - 5.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	a	1510	
2	c	210	
3	d	200	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	e	198	 10% 51% 48%
5	f	96	 54% 46%
6	g	156	 11% 63% 37%
7	h	130	 45% 54%
8	i	126	 49% 51%
9	j	97	 63% 36%
10	k	117	 44% 56%
11	l	122	 48% 52%
12	n	60	 60% 40%
13	o	87	 51% 49%
14	p	113	 49% 51%
15	q	92	 46% 54%
16	r	64	 48% 52%
17	t	84	 58% 42%
18	s	80	 6% 36% 58% 6%
19	A	296	 17% 47% 44% 5%
20	m	117	 6% 31% 65%

2 Entry composition [i](#)

There are 20 unique types of molecules in this entry. The entry contains 51445 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
1	a	1506	32341	14404	5921	10510	1506	0	0

- Molecule 2 is a protein called Small ribosomal subunit protein uS3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	c	210	1672	1043	324	300	5	0	0

- Molecule 3 is a protein called Small ribosomal subunit protein uS4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	d	200	1641	1028	316	295	2	0	0

- Molecule 4 is a protein called Small ribosomal subunit protein uS5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	e	198	1433	885	282	262	4	0	0

- Molecule 5 is a protein called Small ribosomal subunit protein bS6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	f	96	771	486	138	145	2	0	0

- Molecule 6 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	g	156	1240	773	242	222	3	0	0

- Molecule 7 is a protein called Small ribosomal subunit protein uS8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	h	130	1003	629	188	185	1	0	0

- Molecule 8 is a protein called Small ribosomal subunit protein uS9.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
8	i	126	994	630	194	170	0	0

- Molecule 9 is a protein called Small ribosomal subunit protein uS10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	j	97	775	488	143	141	3	0	0

- Molecule 10 is a protein called Small ribosomal subunit protein uS11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	k	117	871	539	173	158	1	0	0

- Molecule 11 is a protein called Small ribosomal subunit protein uS12.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	l	122	958	594	197	165	2	0	0

- Molecule 12 is a protein called Small ribosomal subunit protein uS14B.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	n	60	477	302	97	73	5	0	0

- Molecule 13 is a protein called Small ribosomal subunit protein uS15.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
13	o	87	709	443	143	123	0	0

- Molecule 14 is a protein called Small ribosomal subunit protein bS16.

Mol	Chain	Residues	Atoms				AltConf	Trace
14	p	113	Total	C	N	O	0	0
			891	570	162	159		

- Molecule 15 is a protein called Small ribosomal subunit protein uS17.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	q	92	Total	C	N	O	S	0	0
			730	458	138	132	2		

- Molecule 16 is a protein called Small ribosomal subunit protein bS18B.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	r	64	Total	C	N	O	S	0	0
			512	319	102	88	3		

- Molecule 17 is a protein called Small ribosomal subunit protein bS20.

Mol	Chain	Residues	Atoms				AltConf	Trace
17	t	84	Total	C	N	O	0	0
			655	399	138	118		

- Molecule 18 is a protein called Small ribosomal subunit protein uS19.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	s	80	Total	C	N	O	S	0	0
			647	417	120	109	1		

- Molecule 19 is a protein called Methionine aminopeptidase.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	A	285	Total	C	N	O	S	0	0
			2185	1382	372	422	9		

There are 11 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	286	ALA	-	expression tag	UNP I7FJS2
A	287	ALA	-	expression tag	UNP I7FJS2
A	288	ALA	-	expression tag	UNP I7FJS2
A	289	LEU	-	expression tag	UNP I7FJS2
A	290	GLN	-	expression tag	UNP I7FJS2
A	291	HIS	-	expression tag	UNP I7FJS2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	292	HIS	-	expression tag	UNP I7FJS2
A	293	HIS	-	expression tag	UNP I7FJS2
A	294	HIS	-	expression tag	UNP I7FJS2
A	295	HIS	-	expression tag	UNP I7FJS2
A	296	HIS	-	expression tag	UNP I7FJS2


- Molecule 20 is a protein called Small ribosomal subunit protein uS13.

Mol	Chain	Residues	Atoms				AltConf	Trace	
			Total	C	N	O			S
20	m	117	940	575	192	170	3	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: 16S rRNA




C1484	C1485	U1496	A1497	C1498	C1499	G1499	G1500	G1501	A1502	A1503	G1504	G1505	G1506	G1507	G1508	G1509	G1513	G1514	A1515	U1516	C1517	A1518	C1482	C1483	U1434	U1435	U1436	U1437	G1438	G1439	A1440	G1441	G1442	G1443	G1444	G1445	C1446	C1447	U1448	U1449	C1450	G1451	A1452	A1453	G1454	G1455	U1456	G1457	G1458	G1459	A1460	U1461	C1462	G1463	G1464	C1465	G1466	U1469	G1470	G1471	G1472	G1475	A1476	G1477	G1478	U1479	C1480	U1481	A1483	A1484	C1485	A1486	A1487	G1488	G1489	U1490	A1491	G1492	C1493	C1308	C1309	C1310	C1311	U1312	U1313	U1314	A1315	G1316	G1320	A1321	A1322	U1323	C1324	G1325	C1326	C1327	A1328	U1329	U1330	A1331	A1332	U1333	C1334	G1335	C1336	A1337	A1338	A1339	A1400	A1401	G1402	U1403	G1406	U1407	A1408	A1409	C1410	A1411	C1412	C1413	C1414	G1415	A1416	A1417	A1418	C1419	C1420	G1421	G1422	U1423	G1424	G1425	C1426	C1427	U1428	A1429	A1430	G1368	G1369	U1248	G1249	A1250	G1251	U1252	U1253	G1254	U1255	A1256	U1257	C1258	U1259	A1260	G1261	U1262	C1263	U1264	U1265	U1266	U1267	C1268	A1269	U1270	G1271	U1272	C1273	G1274	G1275	U1276	G1277	U1278	U1279	C1280	A1281	U1282	U1283	U1284	C1285	G1286	U1287	U1288	U1289	C1290	G1291	U1292	G1293	U1294	U1295	C1296	U1297	G1298	C1299	A1300	A1301	U1302	U1303	U1304	G1305	C1306	U1307	U1308	U1309	U1310	U1311	U1312	U1313	U1314	U1315	U1316	U1317	U1318	U1319	U1320	U1321	U1322	U1323	U1324	U1325	U1326	U1327	U1328	U1329	U1330	U1331	U1332	U1333	U1334	U1335	U1336	U1337	U1338	U1339	U1340	U1341	U1342	U1343	U1344	U1345	U1346	U1347	U1348	U1349	U1350	C1351	C1352	C1353	U1354	U1355	U1356	U1357	U1358	U1359	U1360	U1361	U1362	U1363	U1364	U1365	U1366	U1367	U1368	U1369	U1184	U1185	U1186	U1187	U1188	U1189	U1190	U1191	U1192	U1193	U1194	U1195	U1196	U1197	U1198	U1199	U1200	U1201	U1202	U1203	U1204	U1205	U1206	U1207	U1208	U1209	U1210	U1211	U1212	U1213	U1214	U1215	U1216	U1217	U1218	U1219	U1220	U1221	U1222	U1223	U1224	U1225	U1226	U1227	U1228	U1229	U1230	U1231	U1232	U1233	U1234	U1235	U1236	U1237	U1238	U1239	U1240	U1241	U1242	U1243	U1244	U1245	U1246	U1247	G1112	G1113	G1114	G1115	G1116	G1117	G1118	G1119	G1120	G1121	G1122	G1123	G1124	G1125	G1126	G1127	G1128	G1129	G1130	G1131	G1132	G1133	G1134	G1135	G1136	G1137	G1138	G1139	G1140	G1141	G1142	G1143	G1144	G1145	G1146	G1147	G1148	G1149	A1150	A1151	G1152	G1153	G1154	G1155	G1156	G1157	G1158	G1159	G1160	A1161	G1162	G1163	G1164	G1165	G1166	G1167	G1168	A1169	U1170	G1171	G1172	G1173	G1174	U1175	U1176	U1177	U1178	U1179	U1180	U1181	U1182	U1183	U1184	C1003	G1004	U1005	U1006	U1007	U1008	C1009	U1010	U1011	U1012	U1013	U1014	U1015	U1016	C1017	U1018	U1019	U1020	U1021	U1022	U1023	U1024	C1025	U1026	G1027	G1028	U1029	U1030	G1031	U1032	U1033	C1034	U1035	U1036	G1037	U1038	U1039	U1040	U1041	U1042	C1043	U1044	U1045	U1046	G885	G886	U887	G888	U889	C925	G926	G927	U928	U929	C930	U931	U932	G933	U934	U935	G936	U937	U938	U939	A840	A841	U842	U843	U844	U845	U846	U847	U848	U849	A850	U851	U852	U853	A854	U855	U856	U857	U858	U859	U860	U861	U862	G863	U864	U865	U866	U867	U868	G869	U870	U871	U872	U873	U874	U875	U876	U877	U878	U879	U880	U881	U882	U883	U884	U885	U886	U887	U888	U889	U890	U891	U892	U893	U894	U895	U896	U897	U898	U899	U900	U901	U902	U903	U904	U905	U906	U907	U908	U909	U910	U911	U912	U913	U914	U915	U916	U917	U918	U919	U920	U921	U922	U923	U924	U925	U926	U927	U928	U929	U930	U931	U932	U933	U934	U935	U936	U937	U938	U939	U718	U719	U720	U721	U722	U723	U724	U725	U726	U727	U728	U729	U730	U731	U732	U733	U734	U735	U736	U737	U738	U739	U740	U741	U742	U743	U744	U745	U746	U747	U748	U749	U750	U751	U752	U753	U754	U755	U756	C879	G880	C881	A882	A883	G884	C885	C886	U887	U888	G889	C890	C891	C892	C893	C894	C895	C896	C897	C898	C899	A900	A901	C902	U903	U904	U905	U906	U907	U908	U909	U910	U911	U912	U913	U914	U915	U916	U917	U918	U919	U920	U921	U922	U923	U924	U925	U926	U927	U928	U929	U930	U931	U932	U933	U934	U935	U936	U937	U938	U939	A840	A841	U842	U843	U844	U845	U846	U847	U848	U849	A850	U851	U852	U853	A854	U855	U856	U857	U858	U859	U860	U861	U862	G863	U864	U865	U866	U867	U868	G869	U870	U871	U872	U873	U874	U875	U876	U877	U878	U879	U880	U881	U882	U883	U884	U885	U886	U887	U888	U889	U890	U891	U892	U893	U894	U895	U896	U897	U898	U899	U900	U901	U902	U903	U904	U905	U906	U907	U908	U909	U910	U911	U912	U913	U914	U915	U916	U917	U918	U919	U920	U921	U922	U923	U924	U925	U926	U927	U928	U929	U930	U931	U932	U933	U934	U935	U936	U937	U938	U939	A840	A841	U842	U843	U844	U845	U846	U847	U848	U849	A850	U851	U852	U853	A854	U855	U856	U857	U858	U859	U860	U861	U862	G863	U864	U865	U866	U867	U868	G869	U870	U871	U872	U873	U874	U875	U876	U877	U878	U879	U880	U881	U882	U883	U884	U885	U886	U887	U888	U889	U890	U891	U892	U893	U894	U895	U896	U897	U898	U899	U900	U901	U902	U903	U904	U905	U906	U907	U908	U909	U910	U911	U912	U913	U914	U915	U916	U917	U918	U919	U920	U921	U922	U923	U924	U925	U926	U927	U928	U929	U930	U931	U932	U933	U934	U935	U936	U937	U938	U939	A840	A841	U842	U843	U844	U845	U846	U847	U848	U849	A850	U851	U852	U853	A854	U855	U856	U857	U858	U859	U860	U861	U862	G863	U864	U865	U866	U867	U868	G869	U870	U871	U872	U873	U874	U875	U876	U877	U878	U879	U880	U881	U882	U883	U884	U885	U886	U887	U888	U889	U890	U891	U892	U893	U894	U895	U896	U897	U898	U899	U900	U901	U902	U903	U904	U905	U906	U907	U908	U909	U910	U911	U912	U913	U914	U915	U916	U917	U918	U919	U920	U921	U922	U923	U924	U925	U926	U927	U928	U929	U930	U931	U932	U933	U934	U935	U936	U937	U938	U939	A840	A841	U842	U843	U844	U845	U846	U847	U848	U849	A850	U851	U852	U853	A854	U855	U856	U857	U858	U859	U860	U861	U862	G863	U864	U865	U866	U867	U868	G869	U870	U871	U872	U873	U874	U875	U876	U877	U878	U879	U880	U881	U882	U883	U884	U885	U886	U887	U888	U889	U890	U891	U892	U893	U894	U895	U896	U897	U898	U899	U900	U901	U902	U903	U904	U905	U906	U907	U908	U909	U910	U911	U912	U913	U914	U915	U916	U917	U918	U919	U920	U921	U922	U923	U924	U925	U926	U927	U928	U929	U930	U931	U932	U933	U934	U935	U936	U937	U938	U939	A840	A841	U842	U843	U844	U845	U846	U847	U848	U849	A850	U851	U852	U853	A854	U855	U856	U857	U858	U859	U860	U861	U862	G863	U864	U865	U866	U867	U868	G869	U870	U871	U872	U873	U874	U875	U876	U877	U878	U879	U880	U881	U882	U883	U884	U885	U886	U887	U888	U889	U890	U891	U892	U893	U894	U895	U896	U897	U898	U899	U900	U901	U902	U903	U904	U905	U906	U907	U908	U909	U910	U911	U912	U913	U914	U915	U916	U917	U918	U919	U920	U921	U922	U923	U924	U925	U926	U927	U928	U929	U930	U931	U932	U933	U934	U935	U936	U937	U938	U939	A840	A841	U842	U843	U844	U845	U846	U847	U848	U849	A850	U851	U852	U853	A854	U855	U856	U857	U858	U859	U860	U861	U862	G863	U864	U865	U866	U867	U868	G869	U870	U871	U872	U873	U874	U875	U876	U877	U878	U879	U880	U881	U882	U883	U884	U885	U886	U887	U888	U889	U890	U891	U892	U893	U894	U895	U896	U897	U898	U899	U900	U901	U902	U903	U904	U905	U906	U907	U908	U909	U910	U911	U912	U913	U914	U915	U916	U917	U918	U919	U920	U921	U922	U923	U924	U925	U926	U927	U928	U929	U930	U931	U932	U933	U934	U935	U936	U937	U938	U939	A840	A841	U842	U843	U844	U845	U846	U847	U848	U849	A850	U851	U852	U853	A854	U855	U856	U857	U858	U859	U860	U861	U862	G863	U864	U865	U866	U867	U868	G869	U870	U871	U872	U873	U874	U875	U876	U877	U878	U879	U880	U881	U882	U883	U884	U885	U886	U887	U888	U889	U890	U891	U892	U893	U894	U895	U896	U897	U898	U899	U900	U901	U902	U903	U904	U905	U906	U907	U908	U909	U910	U911	U912	U913	U914	U915	U916	U917	U918	
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	--




• Molecule 3: Small ribosomal subunit protein uS4




• Molecule 4: Small ribosomal subunit protein uS5




• Molecule 5: Small ribosomal subunit protein bS6



- Molecule 6: 30S ribosomal protein S7



- Molecule 7: Small ribosomal subunit protein uS8




- Molecule 8: Small ribosomal subunit protein uS9



- Molecule 9: Small ribosomal subunit protein uS10




- Molecule 10: Small ribosomal subunit protein uS11




- Molecule 11: Small ribosomal subunit protein uS12




- Molecule 12: Small ribosomal subunit protein uS14B




- Molecule 13: Small ribosomal subunit protein uS15



- Molecule 14: Small ribosomal subunit protein bS16



- Molecule 15: Small ribosomal subunit protein uS17




- Molecule 16: Small ribosomal subunit protein bS18B




• Molecule 17: Small ribosomal subunit protein bS20




• Molecule 18: Small ribosomal subunit protein uS19



• Molecule 19: Methionine aminopeptidase



• Molecule 20: Small ribosomal subunit protein uS13



D69	L70	R71	R72	E73	V74	Q75	A76	D77	I78	R79	R80	K81	I82	E83	I84	G85	C86	Y87	Q88	G89	L90	R91	H92	R93	L96	P97	V98	R102	T103	K104	T105	N106	A107	R108	T109	R110	K111	G112	P113	K114	R115	T116	I117	A118
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	50296	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	20.7	Depositor
Minimum defocus (nm)	1800	Depositor
Maximum defocus (nm)	3300	Depositor
Magnification	Not provided	
Image detector	FEI FALCON III (4k x 4k)	Depositor
Maximum map value	0.068	Depositor
Minimum map value	-0.009	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.003	Depositor
Recommended contour level	0.005	Depositor
Map size (Å)	374.50003, 374.50003, 374.50003	wwPDB
Map dimensions	350, 350, 350	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.07, 1.07, 1.07	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	a	0.18	0/36201	0.32	0/56488
2	c	0.17	0/1696	0.38	0/2276
3	d	0.15	0/1672	0.35	0/2251
4	e	0.20	0/1449	0.43	0/1949
5	f	0.18	0/782	0.37	0/1059
6	g	0.12	0/1260	0.31	0/1701
7	h	0.18	0/1018	0.40	0/1375
8	i	0.14	0/1012	0.36	0/1362
9	j	0.13	0/789	0.33	0/1069
10	k	0.18	0/889	0.44	0/1201
11	l	0.17	0/969	0.49	1/1294 (0.1%)
12	n	0.11	0/488	0.32	0/650
13	o	0.17	0/718	0.36	0/963
14	p	0.17	0/908	0.38	0/1226
15	q	0.22	0/741	0.47	0/993
16	r	0.14	0/517	0.41	0/691
17	t	0.18	0/658	0.41	0/875
18	s	0.21	0/664	0.54	0/893
19	A	0.22	0/2237	0.48	0/3057
20	m	0.24	0/947	0.51	0/1267
All	All	0.18	0/55615	0.36	1/82640 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	d	0	1
7	h	0	1
All	All	0	2

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
11	l	37	VAL	N-CA-C	-6.24	106.43	112.29

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	d	63	MET	Peptide
7	h	55	ARG	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	a	32341	0	16271	2257	0
2	c	1672	0	1722	112	0
3	d	1641	0	1668	114	0
4	e	1433	0	1490	92	0
5	f	771	0	797	38	0
6	g	1240	0	1293	61	0
7	h	1003	0	1039	76	0
8	i	994	0	1050	68	0
9	j	775	0	808	41	0
10	k	871	0	885	67	0
11	l	958	0	1045	76	0
12	n	477	0	503	29	0
13	o	709	0	747	45	0
14	p	891	0	935	60	0
15	q	730	0	774	68	0
16	r	512	0	543	43	0
17	t	655	0	707	27	0
18	s	647	0	664	101	0
19	A	2185	0	2139	172	0
20	m	940	0	989	388	0
All	All	51445	0	36069	3203	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 38.

The worst 5 of 3203 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:a:930:C:OP2	20:m:108:ARG:HG2	1.26	1.32
1:a:1289:U:H5 ⁷	20:m:110:ARG:CD	1.61	1.27
18:s:74:PHE:CD1	20:m:84:ILE:O	1.88	1.26
1:a:1292:G:H5 ⁷	20:m:77:ASP:CG	1.64	1.21
1:a:1291:G:C1 ⁷	20:m:74:VAL:HA	1.70	1.19

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	c	208/210 (99%)	180 (86%)	25 (12%)	3 (1%)	9	40
3	d	198/200 (99%)	185 (93%)	13 (7%)	0	100	100
4	e	196/198 (99%)	172 (88%)	22 (11%)	2 (1%)	13	49
5	f	94/96 (98%)	92 (98%)	2 (2%)	0	100	100
6	g	154/156 (99%)	148 (96%)	6 (4%)	0	100	100
7	h	128/130 (98%)	112 (88%)	15 (12%)	1 (1%)	16	54
8	i	124/126 (98%)	111 (90%)	13 (10%)	0	100	100
9	j	95/97 (98%)	88 (93%)	6 (6%)	1 (1%)	12	46
10	k	115/117 (98%)	99 (86%)	16 (14%)	0	100	100
11	l	120/122 (98%)	103 (86%)	17 (14%)	0	100	100
12	n	58/60 (97%)	54 (93%)	4 (7%)	0	100	100
13	o	85/87 (98%)	80 (94%)	5 (6%)	0	100	100
14	p	111/113 (98%)	107 (96%)	4 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
15	q	90/92 (98%)	79 (88%)	11 (12%)	0	100	100
16	r	62/64 (97%)	54 (87%)	8 (13%)	0	100	100
17	t	82/84 (98%)	79 (96%)	3 (4%)	0	100	100
18	s	78/80 (98%)	65 (83%)	11 (14%)	2 (3%)	4	26
19	A	283/296 (96%)	256 (90%)	25 (9%)	2 (1%)	19	56
20	m	115/117 (98%)	100 (87%)	13 (11%)	2 (2%)	7	36
All	All	2396/2445 (98%)	2164 (90%)	219 (9%)	13 (0%)	27	64

5 of 13 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	c	144	PRO
4	e	186	ILE
19	A	254	GLY
20	m	116	THR
2	c	133	MET

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	c	171/171 (100%)	165 (96%)	6 (4%)	31	52
3	d	175/175 (100%)	175 (100%)	0	100	100
4	e	139/139 (100%)	138 (99%)	1 (1%)	81	87
5	f	85/85 (100%)	85 (100%)	0	100	100
6	g	132/132 (100%)	132 (100%)	0	100	100
7	h	106/106 (100%)	106 (100%)	0	100	100
8	i	102/102 (100%)	102 (100%)	0	100	100
9	j	88/88 (100%)	88 (100%)	0	100	100
10	k	91/91 (100%)	91 (100%)	0	100	100
11	l	103/103 (100%)	103 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
12	n	49/49 (100%)	49 (100%)	0	100	100
13	o	75/75 (100%)	75 (100%)	0	100	100
14	p	92/92 (100%)	92 (100%)	0	100	100
15	q	78/78 (100%)	78 (100%)	0	100	100
16	r	55/55 (100%)	55 (100%)	0	100	100
17	t	69/69 (100%)	69 (100%)	0	100	100
18	s	71/71 (100%)	66 (93%)	5 (7%)	12	33
19	A	234/242 (97%)	219 (94%)	15 (6%)	14	36
20	m	99/99 (100%)	95 (96%)	4 (4%)	27	48
All	All	2014/2022 (100%)	1983 (98%)	31 (2%)	60	75

5 of 31 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
19	A	20	LYS
20	m	111	LYS
19	A	26	GLU
20	m	116	THR
19	A	256	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 17 such sidechains are listed below:

Mol	Chain	Res	Type
19	A	114	HIS
20	m	92	HIS
13	o	48	HIS
14	p	81	GLN
16	r	61	GLN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	a	1504/1510 (99%)	452 (30%)	0

5 of 452 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	a	12	A
1	a	13	G
1	a	22	C
1	a	26	G
1	a	35	G

There are no RNA pucker outliers to report.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-39462. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 175




Y Index: 175




Z Index: 175


6.2.2 Raw map



X Index: 175



Y Index: 175




Z Index: 175


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 185




Y Index: 209




Z Index: 190


6.3.2 Raw map



X Index: 184



Y Index: 148




Z Index: 189


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z

6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.005. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1429 nm^3 ; this corresponds to an approximate mass of 1291 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i




*Reported resolution corresponds to spatial frequency of 0.213 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.213 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	4.70	-	-
Author-provided FSC curve	4.74	10.57	5.35
Unmasked-calculated*	4.71	10.44	5.21

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-39462 and PDB model 8YP6. Per-residue inclusion information can be found in section 3 on page 8.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.005 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.005).

9.4 Atom inclusion [i](#)



At the recommended contour level, 96% of all backbone atoms, 97% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.005) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9700	 0.1660
A	 0.8000	 0.0580
a	 0.9970	 0.1940
c	 0.7840	 0.0750
d	 0.9410	 0.0870
e	 0.8940	 0.1760
f	 0.9610	 0.1940
g	 0.8860	 0.0780
h	 0.9960	 0.2110
i	 0.9870	 0.0690
j	 0.9590	 0.0210
k	 0.9700	 0.1180
l	 0.9880	 0.2020
m	 0.9320	 0.0550
n	 1.0000	 0.0530
o	 1.0000	 0.2060
p	 0.9560	 0.1840
q	 0.9920	 0.2210
r	 0.9960	 0.1670
s	 0.9230	 0.0490
t	 0.9980	 0.2010

