



wwPDB EM Validation Summary Report ⓘ

Jan 10, 2026 – 02:01 PM EST

PDB ID : 9YPT / pdb_00009ypt
EMDB ID : EMD-73308
Title : GTPBP1*GCP*Phe-tRNA*ribosome in the open state, Structure IIc
Authors : Susorov, D.; Korostelev, A.A.
Deposited on : 2025-10-14
Resolution : 3.10 Å (reported)
Based on initial model : 5LZS

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev129
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.47

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.











Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	210492	15764	-
Ramachandran outliers	207382	16835	-
Sidechain outliers	206894	16415	-
RNA backbone	6643	2191	-
Q-score	-	25397	14724 (2.60 - 3.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	5	3601	
2	7	120	
3	8	156	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	9	1869	
5	A	257	
6	B	403	
7	C	425	
8	D	297	
9	E	291	
10	G	319	
11	H	192	
12	I	214	
13	J	178	
14	K	247	
15	L	211	
16	M	218	
17	N	204	
18	O	203	
19	P	184	
20	Q	188	
21	R	196	
22	S	176	
23	T	160	
24	U	128	
25	V	140	
26	W	157	
27	X	156	
28	Y	145	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
29	Z	136	
30	a	148	
31	b	245	
32	c	115	
33	d	125	
34	e	135	
35	f	110	
36	g	116	
37	h	123	
38	i	105	
39	k	70	
40	l	51	
41	m	102	
42	n	25	
43	o	106	
44	p	92	
45	r	137	
46	AA	295	
47	BB	264	
48	CC	293	
49	DD	243	
50	EE	263	
51	FF	204	
52	GG	249	
53	HH	194	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
54	II	208	
55	JJ	194	
56	KK	165	
57	LL	158	
58	MM	132	
59	NN	151	
60	OO	168	
61	PP	145	
62	QQ	146	
63	RR	135	
64	SS	152	
65	TT	145	
66	UU	119	
67	VV	83	
68	WW	130	
69	XX	143	
70	YY	130	
71	ZZ	125	
72	aa	115	
73	bb	84	
74	cc	69	
75	dd	56	
76	ee	133	
77	ff	156	
78	gg	317	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
79	10	185	5% 94%
80	12	76	51% 39% 8%
81	11	75	76% 53% 36% 9%
81	13	75	21% 55% 33% 11%
82	j	97	76% 11% 11%
83	jj	703	26% 64% 9% 27%

2 Entry composition

There are 92 unique types of molecules in this entry. The entry contains 219555 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 28S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	5	3601	Total	C	N	O	P	0	0
			77221	34390	14143	25087	3601		

There are 59 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
5	1	C	N	conflict	GB 5LZS_5
5	3948	C	-	insertion	GB 5LZS_5
5	3949	A	-	insertion	GB 5LZS_5
5	3950	U	-	insertion	GB 5LZS_5
5	3951	G	-	insertion	GB 5LZS_5
5	3952	A	-	insertion	GB 5LZS_5
5	3953	G	-	insertion	GB 5LZS_5
5	3954	A	-	insertion	GB 5LZS_5
5	3955	G	-	insertion	GB 5LZS_5
5	3956	G	-	insertion	GB 5LZS_5
5	3957	U	-	insertion	GB 5LZS_5
5	3958	G	-	insertion	GB 5LZS_5
5	3959	U	-	insertion	GB 5LZS_5
5	3960	A	-	insertion	GB 5LZS_5
5	3961	G	-	insertion	GB 5LZS_5
5	3962	A	-	insertion	GB 5LZS_5
5	3963	A	-	insertion	GB 5LZS_5
5	3964	U	-	insertion	GB 5LZS_5
5	3965	A	-	insertion	GB 5LZS_5
5	3966	A	-	insertion	GB 5LZS_5
5	3967	G	-	insertion	GB 5LZS_5
5	3968	U	-	insertion	GB 5LZS_5
5	3969	G	-	insertion	GB 5LZS_5
5	3970	G	-	insertion	GB 5LZS_5
5	3971	G	-	insertion	GB 5LZS_5
5	3972	A	-	insertion	GB 5LZS_5
5	3973	G	-	insertion	GB 5LZS_5
5	3974	G	-	insertion	GB 5LZS_5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
5	3975	C	-	insertion	GB 5LZS_5
5	3976	C	-	insertion	GB 5LZS_5
5	4035	G	-	insertion	GB 5LZS_5
5	4036	G	-	insertion	GB 5LZS_5
5	4037	C	-	insertion	GB 5LZS_5
5	4038	C	-	insertion	GB 5LZS_5
5	4039	G	-	insertion	GB 5LZS_5
5	4040	C	-	insertion	GB 5LZS_5
5	4041	C	-	insertion	GB 5LZS_5
5	4042	G	-	insertion	GB 5LZS_5
5	4043	G	-	insertion	GB 5LZS_5
5	4044	U	-	insertion	GB 5LZS_5
5	4045	G	-	insertion	GB 5LZS_5
5	4046	A	-	insertion	GB 5LZS_5
5	4047	A	-	insertion	GB 5LZS_5
5	4048	A	-	insertion	GB 5LZS_5
5	4049	U	-	insertion	GB 5LZS_5
5	4050	A	-	insertion	GB 5LZS_5
5	4051	C	-	insertion	GB 5LZS_5
5	4052	C	-	insertion	GB 5LZS_5
5	4053	A	-	insertion	GB 5LZS_5
5	4054	C	-	insertion	GB 5LZS_5
5	4055	U	-	insertion	GB 5LZS_5
5	4056	A	-	insertion	GB 5LZS_5
5	4057	C	-	insertion	GB 5LZS_5
5	4058	U	-	insertion	GB 5LZS_5
5	4059	C	-	insertion	GB 5LZS_5
5	4060	U	-	insertion	GB 5LZS_5
5	4061	G	-	insertion	GB 5LZS_5
5	4062	A	-	insertion	GB 5LZS_5
5	4063	U	-	insertion	GB 5LZS_5

- Molecule 2 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	7	119	Total	C	N	O	P	0	0
			2538	1132	454	834	118		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
7	120	U	-	insertion	GB XR_011385821

- Molecule 3 is a RNA chain called 5.8S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	8	151	Total	C	N	O	P	0	0
			3208	1432	564	1062	150		

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
8	1	C	-	insertion	GB XR_011385890
8	155	C	-	insertion	GB XR_011385890
8	156	U	-	insertion	GB XR_011385890

- Molecule 4 is a RNA chain called 18S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	9	1697	Total	C	N	O	P	0	0
			36229	16171	6507	11855	1696		

- Molecule 5 is a protein called Ribosomal protein L8.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	A	248	Total	C	N	O	S	0	0
			1898	1189	389	314	6		

- Molecule 6 is a protein called Ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	B	394	Total	C	N	O	S	0	0
			3172	2020	597	542	13		

- Molecule 7 is a protein called 60S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	C	362	Total	C	N	O	S	0	0
			2883	1812	577	480	14		

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	378	LYS	-	insertion	UNP G1SVW5
C	379	VAL	-	insertion	UNP G1SVW5
C	380	LYS	-	insertion	UNP G1SVW5
C	381	LYS	-	insertion	UNP G1SVW5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	382	PRO	-	insertion	UNP G1SVW5
C	383	ARG	-	insertion	UNP G1SVW5
C	384	ALA	-	insertion	UNP G1SVW5
C	385	VAL	-	insertion	UNP G1SVW5
C	386	GLY	-	insertion	UNP G1SVW5
C	387	ILE	-	insertion	UNP G1SVW5
C	388	LYS	-	insertion	UNP G1SVW5
C	389	GLN	-	insertion	UNP G1SVW5

- Molecule 8 is a protein called Large ribosomal subunit protein uL18.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	D	293	Total	C	N	O	S	0	0
			2391	1512	438	427	14		

- Molecule 9 is a protein called 60S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	E	216	Total	C	N	O	S	0	0
			1729	1115	329	282	3		

- Molecule 10 is a protein called 60S ribosomal protein L7a.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	G	233	Total	C	N	O	S	0	0
			1879	1199	361	315	4		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
G	244	GLY	CYS	conflict	UNP G1STW0

- Molecule 11 is a protein called 60S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	H	190	Total	C	N	O	S	0	0
			1516	954	284	272	6		

- Molecule 12 is a protein called 60S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	I	205	Total	C	N	O	S	0	0
			1664	1056	321	274	13		

- Molecule 13 is a protein called Ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	J	170	Total	C	N	O	S	0	0
			1362	861	254	241	6		

- Molecule 14 is a protein called 60S ribosomal protein L7.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	K	225	Total	C	N	O	S	0	0
			1875	1205	358	303	9		

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
K	61	ARG	GLY	conflict	UNP G1TUB1
K	93	ARG	GLY	conflict	UNP G1TUB1
K	131	MET	VAL	conflict	UNP G1TUB1
K	153	ILE	VAL	conflict	UNP G1TUB1

- Molecule 15 is a protein called 60S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	L	210	Total	C	N	O	S	0	0
			1702	1065	354	279	4		

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
L	46	ILE	-	insertion	UNP G1TPV0
L	47	ALA	-	insertion	UNP G1TPV0
L	48	PRO	-	insertion	UNP G1TPV0
L	49	ARG	-	insertion	UNP G1TPV0
L	50	PRO	-	insertion	UNP G1TPV0
L	51	ALA	-	insertion	UNP G1TPV0
L	52	ALA	-	insertion	UNP G1TPV0
L	53	GLY	-	insertion	UNP G1TPV0
L	54	PRO	-	insertion	UNP G1TPV0

- Molecule 16 is a protein called 60S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	M	138	Total	C	N	O	S	0	0
			1137	727	221	182	7		

- Molecule 17 is a protein called Ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	N	203	Total	C	N	O	S	0	0
			1701	1072	359	266	4		

- Molecule 18 is a protein called Large ribosomal subunit protein uL13.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	O	199	Total	C	N	O	S	0	0
			1630	1051	319	255	5		

- Molecule 19 is a protein called Large ribosomal subunit protein uL22.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	P	153	Total	C	N	O	S	0	0
			1242	777	241	215	9		

- Molecule 20 is a protein called Ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	Q	187	Total	C	N	O	S	0	0
			1515	946	315	250	4		

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Q	4	ASP	ASN	conflict	UNP G1TFE0
Q	14	ARG	TRP	conflict	UNP G1TFE0
Q	53	MET	LEU	conflict	UNP G1TFE0
Q	58	ARG	TRP	conflict	UNP G1TFE0
Q	75	ARG	GLN	conflict	UNP G1TFE0
Q	80	ALA	PRO	conflict	UNP G1TFE0
Q	86	VAL	ILE	conflict	UNP G1TFE0
Q	104	ARG	HIS	conflict	UNP G1TFE0
Q	110	ARG	CYS	conflict	UNP G1TFE0
Q	137	VAL	GLY	conflict	UNP G1TFE0
Q	157	GLY	ARG	conflict	UNP G1TFE0

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
Q	181	ARG	TRP	conflict	UNP G1TFE0

- Molecule 21 is a protein called Ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	R	180	Total	C	N	O	S	0	0
			1508	933	328	238	9		

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
R	38	ARG	CYS	conflict	UNP G1TJR3
R	64	ARG	GLN	conflict	UNP G1TJR3
R	94	THR	LYS	conflict	UNP G1TJR3

- Molecule 22 is a protein called 60S ribosomal protein L18a.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	S	176	Total	C	N	O	S	0	0
			1462	930	285	236	11		

There are 23 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
S	1	MET	THR	conflict	UNP G1TTY7
S	18	PRO	-	insertion	UNP G1TTY7
S	19	THR	-	insertion	UNP G1TTY7
S	20	PRO	SER	conflict	UNP G1TTY7
S	22	CYS	SER	conflict	UNP G1TTY7
S	23	ARG	PRO	conflict	UNP G1TTY7
S	24	THR	ALA	conflict	UNP G1TTY7
S	49	SER	LEU	conflict	UNP G1TTY7
S	50	GLN	GLU	conflict	UNP G1TTY7
S	95	ARG	HIS	conflict	UNP G1TTY7
S	101	THR	ILE	conflict	UNP G1TTY7
S	102	THR	MET	conflict	UNP G1TTY7
S	104	GLY	SER	conflict	UNP G1TTY7
S	126	ILE	VAL	conflict	UNP G1TTY7
S	132	ILE	MET	conflict	UNP G1TTY7
S	135	SER	ALA	conflict	UNP G1TTY7
S	136	LYS	ARG	conflict	UNP G1TTY7
S	138	ARG	PRO	conflict	UNP G1TTY7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
S	149	LYS	ARG	conflict	UNP G1TTY7
S	151	LYS	ARG	conflict	UNP G1TTY7
S	168	THR	TYR	conflict	UNP G1TTY7
S	169	THR	ALA	conflict	UNP G1TTY7
S	176	PHE	-	insertion	UNP G1TTY7

- Molecule 23 is a protein called eL21.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	T	159	Total	C	N	O	S	0	0
			1298	823	252	217	6		

- Molecule 24 is a protein called eL22.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	U	99	Total	C	N	O	S	0	0
			809	519	141	147	2		

There are 11 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
U	18	LEU	VAL	conflict	UNP G1TSG1
U	32	GLY	ARG	conflict	UNP G1TSG1
U	36	ALA	GLU	conflict	UNP G1TSG1
U	39	PHE	SER	conflict	UNP G1TSG1
U	54	GLY	ARG	conflict	UNP G1TSG1
U	60	VAL	ALA	conflict	UNP G1TSG1
U	62	SER	THR	conflict	UNP G1TSG1
U	63	LEU	ILE	conflict	UNP G1TSG1
U	97	ARG	HIS	conflict	UNP G1TSG1
U	106	THR	SER	conflict	UNP G1TSG1
U	126	GLU	ASP	conflict	UNP G1TSG1

- Molecule 25 is a protein called Ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	V	129	Total	C	N	O	S	0	0
			969	613	182	169	5		

- Molecule 26 is a protein called eL24.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	W	106	Total	C	N	O	S	0	0
			860	538	174	144	4		

- Molecule 27 is a protein called eL23.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	X	118	Total	C	N	O	S	0	0
			967	618	181	167	1		

- Molecule 28 is a protein called uL24.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	Y	134	Total	C	N	O	S	0	0
			1115	700	226	186	3		

- Molecule 29 is a protein called 60S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	Z	135	Total	C	N	O	S	0	0
			1107	714	208	182	3		

- Molecule 30 is a protein called 60S ribosomal protein L27a.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	a	147	Total	C	N	O	S	0	0
			1162	734	239	185	4		

- Molecule 31 is a protein called Large ribosomal subunit protein eL29.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	b	98	Total	C	N	O	S	0	0
			806	498	182	123	3		

- Molecule 32 is a protein called eL30.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	c	98	Total	C	N	O	S	0	0
			761	481	134	140	6		

- Molecule 33 is a protein called eL31.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	d	107	Total	C	N	O	S	0	0
			888	560	171	155	2		

- Molecule 34 is a protein called Ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	e	128	Total	C	N	O	S	0	0
			1053	667	216	165	5		

- Molecule 35 is a protein called eL33.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	f	109	Total	C	N	O	S	0	0
			876	555	174	143	4		

- Molecule 36 is a protein called Large ribosomal subunit protein eL34.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	g	114	Total	C	N	O	S	0	0
			906	566	187	147	6		

- Molecule 37 is a protein called eL35.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	h	122	Total	C	N	O	S	0	0
			1013	640	204	168	1		

- Molecule 38 is a protein called 60S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	i	102	Total	C	N	O	S	0	0
			830	520	176	129	5		

- Molecule 39 is a protein called eL38.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	k	69	Total	C	N	O	S	0	0
			569	366	103	99	1		

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
k	3	ARG	GLN	conflict	UNP G1U3J0
k	38	CYS	TYR	conflict	UNP G1U3J0
k	48	THR	MET	conflict	UNP G1U3J0
k	66	VAL	MET	conflict	UNP G1U3J0

- Molecule 40 is a protein called eL39.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	l	50	Total	C	N	O	S	0	0
			447	286	96	64	1		

- Molecule 41 is a protein called Ubiquitin-ribosomal protein eL40 fusion protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	m	52	Total	C	N	O	S	0	0
			429	266	90	67	6		

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
m	1	MET	-	insertion	UNP P0DXC2
m	2	GLY	-	insertion	UNP P0DXC2
m	3	ASP	-	insertion	UNP P0DXC2
m	4	PRO	-	insertion	UNP P0DXC2
m	5	GLU	-	insertion	UNP P0DXC2
m	6	SER	-	insertion	UNP P0DXC2
m	7	GLY	-	insertion	UNP P0DXC2
m	8	GLY	-	insertion	UNP P0DXC2
m	9	CYS	-	insertion	UNP P0DXC2

- Molecule 42 is a protein called eL41.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	n	25	Total	C	N	O	S	0	0
			240	145	64	28	3		

- Molecule 43 is a protein called Large ribosomal subunit protein eL42.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	o	104	Total	C	N	O	S	0	0
			851	533	174	138	6		

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
o	101	GLY	-	insertion	UNP G1T040
o	102	GLN	-	insertion	UNP G1T040
o	103	VAL	-	insertion	UNP G1T040
o	104	ILE	-	insertion	UNP G1T040
o	105	GLN	-	insertion	UNP G1T040
o	106	PHE	-	insertion	UNP G1T040

- Molecule 44 is a protein called eL43.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	p	91	Total	C	N	O	S	0	0
			708	445	136	120	7		

- Molecule 45 is a protein called eL28.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	r	124	Total	C	N	O	S	0	0
			994	616	205	167	6		

- Molecule 46 is a protein called uS2 (SA).

Mol	Chain	Residues	Atoms					AltConf	Trace
46	AA	217	Total	C	N	O	S	0	0
			1710	1086	300	316	8		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AA	114	THR	ALA	conflict	UNP G1TLT8

- Molecule 47 is a protein called 40S ribosomal protein S3a.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	BB	213	Total	C	N	O	S	0	0
			1729	1098	309	308	14		

- Molecule 48 is a protein called Small ribosomal subunit protein uS5.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	CC	221	Total	C	N	O	S	0	0
			1716	1111	295	301	9		

There are 11 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
CC	13	ASP	GLY	conflict	UNP G1SWM1
CC	19	ILE	MET	conflict	UNP G1SWM1
CC	33	VAL	ILE	conflict	UNP G1SWM1
CC	97	PHE	CYS	conflict	UNP G1SWM1
CC	101	SER	ALA	conflict	UNP G1SWM1
CC	141	VAL	LEU	conflict	UNP G1SWM1
CC	181	PRO	LEU	conflict	UNP G1SWM1
CC	191	VAL	-	insertion	UNP G1SWM1
CC	215	MET	LEU	conflict	UNP G1SWM1
CC	271	ASP	ASN	conflict	UNP G1SWM1
CC	274	VAL	MET	conflict	UNP G1SWM1

- Molecule 49 is a protein called Ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	DD	224	Total	C	N	O	S	0	0
			1739	1108	313	311	7		

- Molecule 50 is a protein called eS4 (S4 X isoform).

Mol	Chain	Residues	Atoms					AltConf	Trace
50	EE	262	Total	C	N	O	S	0	0
			2076	1324	386	358	8		

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
EE	25	GLY	SER	conflict	UNP G1TK17
EE	51	ARG	LYS	conflict	UNP G1TK17
EE	78	THR	ALA	conflict	UNP G1TK17
EE	156	VAL	MET	conflict	UNP G1TK17

- Molecule 51 is a protein called Ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	FF	184	Total	C	N	O	S	0	0
			1460	915	273	265	7		

- Molecule 52 is a protein called 40S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	GG	237	Total	C	N	O	S	0	0
			1923	1200	387	329	7		

- Molecule 53 is a protein called 40S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	HH	185	Total	C	N	O	S	0	0
			1489	952	271	265	1		

- Molecule 54 is a protein called 40S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	II	198	Total	C	N	O	S	0	0
			1628	1021	322	280	5		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
II	47	ARG	GLY	conflict	UNP G1TJW1

- Molecule 55 is a protein called Ribosomal protein S9 (Predicted).

Mol	Chain	Residues	Atoms					AltConf	Trace
55	JJ	181	Total	C	N	O	S	0	0
			1508	960	302	244	2		

- Molecule 56 is a protein called Small ribosomal subunit protein eS10.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	KK	96	Total	C	N	O	S	0	0
			810	530	143	131	6		

- Molecule 57 is a protein called Ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
57	LL	143	Total	C	N	O	S	0	0
			1175	749	222	198	6		

- Molecule 58 is a protein called 40S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
58	MM	112	Total	C	N	O	S	0	0
			871	551	155	158	7		

- Molecule 59 is a protein called Ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
59	NN	149	Total	C	N	O	S	0	0
			1202	770	228	203	1		

- Molecule 60 is a protein called Small ribosomal subunit protein uS11.

Mol	Chain	Residues	Atoms					AltConf	Trace
60	OO	136	Total	C	N	O	S	0	0
			1016	621	199	190	6		

- Molecule 61 is a protein called uS19.

Mol	Chain	Residues	Atoms					AltConf	Trace
61	PP	129	Total	C	N	O	S	0	0
			1058	670	201	180	7		

- Molecule 62 is a protein called uS9.

Mol	Chain	Residues	Atoms					AltConf	Trace
62	QQ	142	Total	C	N	O	S	0	0
			1128	717	213	195	3		

- Molecule 63 is a protein called eS17.

Mol	Chain	Residues	Atoms					AltConf	Trace
63	RR	132	Total	C	N	O	S	0	0
			1068	670	199	195	4		

- Molecule 64 is a protein called uS13.

Mol	Chain	Residues	Atoms					AltConf	Trace
64	SS	140	Total	C	N	O	S	0	0
			1157	728	231	197	1		

- Molecule 65 is a protein called eS19.

Mol	Chain	Residues	Atoms					AltConf	Trace
65	TT	141	Total	C	N	O	S	0	0
			1097	688	211	195	3		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
TT	119	GLY	TRP	conflict	UNP G1TN62

- Molecule 66 is a protein called uS10.

Mol	Chain	Residues	Atoms					AltConf	Trace
66	UU	100	Total	C	N	O	S	0	0
			795	498	152	141	4		

- Molecule 67 is a protein called eS21.

Mol	Chain	Residues	Atoms					AltConf	Trace
67	VV	83	Total	C	N	O	S	0	0
			637	393	117	122	5		

There are 7 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
VV	3	ASN	SER	conflict	UNP G1TM82
VV	4	ASP	ASN	conflict	UNP G1TM82
VV	33	GLN	PRO	conflict	UNP G1TM82
VV	50	PHE	SER	conflict	UNP G1TM82
VV	75	ALA	SER	conflict	UNP G1TM82
VV	76	ASP	HIS	conflict	UNP G1TM82
VV	81	LYS	GLN	conflict	UNP G1TM82

- Molecule 68 is a protein called Ribosomal protein S15a.

Mol	Chain	Residues	Atoms					AltConf	Trace
68	WW	129	Total	C	N	O	S	0	0
			1034	659	193	176	6		

- Molecule 69 is a protein called uS12.

Mol	Chain	Residues	Atoms					AltConf	Trace
69	XX	140	Total	C	N	O	S	0	0
			1087	687	215	182	3		

- Molecule 70 is a protein called 40S ribosomal protein S24.

Mol	Chain	Residues	Atoms					AltConf	Trace
70	YY	124	Total	C	N	O	S	0	0
			1011	640	198	168	5		

- Molecule 71 is a protein called eS25.

Mol	Chain	Residues	Atoms					AltConf	Trace
71	ZZ	75	Total	C	N	O	S	0	0
			598	382	111	104	1		

- Molecule 72 is a protein called 40S ribosomal protein S26.

Mol	Chain	Residues	Atoms					AltConf	Trace
72	aa	101	Total	C	N	O	S	0	0
			814	507	170	132	5		

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
aa	28	ARG	CYS	conflict	UNP G1TFE8
aa	56	ALA	VAL	conflict	UNP G1TFE8
aa	109	ARG	PRO	conflict	UNP G1TFE8

- Molecule 73 is a protein called 40S ribosomal protein S27.

Mol	Chain	Residues	Atoms					AltConf	Trace
73	bb	83	Total	C	N	O	S	0	0
			651	408	121	115	7		

- Molecule 74 is a protein called Ribosomal protein S28.

Mol	Chain	Residues	Atoms					AltConf	Trace
74	cc	62	Total	C	N	O	S	0	0
			488	297	97	92	2		

- Molecule 75 is a protein called eS29.

Mol	Chain	Residues	Atoms					AltConf	Trace
75	dd	55	Total	C	N	O	S	0	0
			459	286	94	74	5		

- Molecule 76 is a protein called 40S ribosomal protein S30.

Mol	Chain	Residues	Atoms					AltConf	Trace
76	ee	57	Total	C	N	O	S	0	0
			457	282	101	73	1		

- Molecule 77 is a protein called Ribosomal protein S27a.

Mol	Chain	Residues	Atoms					AltConf	Trace
77	ff	68	Total	C	N	O	S	0	0
			555	351	103	94	7		

- Molecule 78 is a protein called RACK1.

Mol	Chain	Residues	Atoms					AltConf	Trace
78	gg	313	Total	C	N	O	S	0	0
			2436	1535	424	465	12		

- Molecule 79 is a RNA chain called MF mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
79	10	11	Total	C	N	O	P	0	0
			234	105	41	77	11		

- Molecule 80 is a RNA chain called Phe-tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
80	12	75	Total	C	N	O	P	0	0
			1599	714	286	524	75		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
12	37	C	G	conflict	GB 176419

- Molecule 81 is a RNA chain called Met-tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
81	13	74	Total	C	N	O	P	0	0
			1585	707	293	511	74		
81	11	74	Total	C	N	O	P	0	0
			1585	707	293	511	74		

- Molecule 82 is a protein called Ribosomal protein L37.

Mol	Chain	Residues	Atoms					AltConf	Trace
82	j	86	Total	C	N	O	S	0	0
			705	434	155	111	5		

- Molecule 83 is a protein called GTP-binding protein 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
83	jj	513	Total	C	N	O	S	0	0
			3982	2508	702	748	24		

There are 34 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
jj	-33	MET	-	expression tag	UNP O00178
jj	-32	GLY	-	expression tag	UNP O00178
jj	-31	SER	-	expression tag	UNP O00178
jj	-30	SER	-	expression tag	UNP O00178
jj	-29	HIS	-	expression tag	UNP O00178
jj	-28	HIS	-	expression tag	UNP O00178
jj	-27	HIS	-	expression tag	UNP O00178
jj	-26	HIS	-	expression tag	UNP O00178
jj	-25	HIS	-	expression tag	UNP O00178
jj	-24	HIS	-	expression tag	UNP O00178
jj	-23	SER	-	expression tag	UNP O00178
jj	-22	SER	-	expression tag	UNP O00178
jj	-21	GLY	-	expression tag	UNP O00178
jj	-20	LEU	-	expression tag	UNP O00178
jj	-19	VAL	-	expression tag	UNP O00178
jj	-18	PRO	-	expression tag	UNP O00178
jj	-17	ARG	-	expression tag	UNP O00178
jj	-16	GLY	-	expression tag	UNP O00178
jj	-15	SER	-	expression tag	UNP O00178
jj	-14	HIS	-	expression tag	UNP O00178
jj	-13	MET	-	expression tag	UNP O00178
jj	-12	ALA	-	expression tag	UNP O00178
jj	-11	SER	-	expression tag	UNP O00178

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
jj	-10	MET	-	expression tag	UNP O00178
jj	-9	THR	-	expression tag	UNP O00178
jj	-8	GLY	-	expression tag	UNP O00178
jj	-7	GLY	-	expression tag	UNP O00178
jj	-6	GLN	-	expression tag	UNP O00178
jj	-5	GLN	-	expression tag	UNP O00178
jj	-4	MET	-	expression tag	UNP O00178
jj	-3	GLY	-	expression tag	UNP O00178
jj	-2	ARG	-	expression tag	UNP O00178
jj	-1	GLY	-	expression tag	UNP O00178
jj	0	SER	-	expression tag	UNP O00178

- Molecule 84 is SPERMIDINE (CCD ID: SPD) (formula: $C_7H_{19}N_3$).



Mol	Chain	Residues	Atoms			AltConf
84	5	1	Total	C	N	0
			10	7	3	

- Molecule 85 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		AltConf
85	g	1	Total	Zn	0
			1	1	
85	m	1	Total	Zn	0
			1	1	

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		AltConf
85	o	1	Total	Zn	0
			1	1	
85	p	1	Total	Zn	0
			1	1	
85	dd	1	Total	Zn	0
			1	1	
85	j	1	Total	Zn	0
			1	1	

- Molecule 86 is GUANOSINE-5'-TRIPHOSPHATE (CCD ID: GTP) (formula: $C_{10}H_{16}N_5O_{14}P_3$).




Mol	Chain	Residues	Atoms					AltConf
86	12	1	Total	C	N	O	P	0
			32	10	5	14	3	

- Molecule 87 is PHENYLALANINE (CCD ID: PHE) (formula: $C_9H_{11}NO_2$).




Mol	Chain	Residues	Atoms				AltConf
87	12	1	Total	C	N	O	0
			11	9	1	1	

- Molecule 88 is ADENOSINE-5'-TRIPHOSPHATE (CCD ID: ATP) (formula: $C_{10}H_{16}N_5O_{13}P_3$).




Mol	Chain	Residues	Atoms					AltConf
88	13	1	Total	C	N	O	P	0
			31	10	5	13	3	
88	11	1	Total	C	N	O	P	0
			31	10	5	13	3	

- Molecule 89 is METHIONINE (CCD ID: MET) (formula: $C_5H_{11}NO_2S$).



Mol	Chain	Residues	Atoms					AltConf
89	13	1	Total	C	N	O	S	0
			8	5	1	1	1	

- Molecule 90 is PHOSPHOMETHYLPHOSPHONIC ACID GUANYLATE ESTER (CCD ID: GCP) (formula: C₁₁H₁₈N₅O₁₃P₃) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
90	jj	1	Total	C	N	O	P	0
			32	11	5	13	3	

- Molecule 91 is MAGNESIUM ION (CCD ID: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
91	jj	1	Total	Mg	0
			1	1	


- Molecule 92 is POTASSIUM ION (CCD ID: K) (formula: K) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
92	jj	1	Total	K	0
			1	1	


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 28S ribosomal RNA



G4035	G3897	A3775	U3644	G2638	G2496	G2342	G2092	C1987	G1889	U1567	U1445
G4036	G3900	G3776	U3645	U2639	C2497	G2348	G2093	G1988	G1883	G1577	C1446
C4037	A3901	G3777	A3647	G2640	A2647	G2351	A2097	G1989	G1890	U1578	C1450
C4038	A3904	A3783	A3648	A2647	A2602	G2351	G2098	A1990	A1891	G1590	G1455
C4039	A3905	A3784	A3649	U2665	G2503	G2361	G2099	A1991	U1591	U1591	G1456
C4040	A3906	A3785	C3650	U2665	C2504	G2361	G2100	U1992	U1596	U1596	G1457
C4041	A3907	U3786	A3651	C2669	G2506	U2384	A2101	C1993	A1898	C1458	G1458
C4042	A3908	G3787	A3652	C2669	G2506	U2384	G2102	G2000	G1899	G1599	C1458
G4043	A3909	C3788	A3653	G2673	A2513	U2386	A2103	G2001	G1899	G1600	C1469
G4044	A3799	U3799	U3656	G2686	C2520	U2386	A2104	A2002	G1903	A1601	C1476
G4045	G3810	G3810	U3657	U2687	G3521	A2395	A2105	G2003	G1906	A1602	G1476
A4046	G3811	G3811	G3661	U2687	A2529	A2404	G2106	U2004	A1907	G1603	C1477
A4047	G3812	G3812	A3662	G2694	A2529	A2404	A2107	G2005	U1918	G1604	C1478
A4048	A3813	A3813	A3663	A2696	C2533	G2407	G2108	U2008	G1919	G1605	G1479
A4049	U3814	G3815	G3672	A2697	C2539	A2412	A2109	A2009	C1920	G1612	G1482
A4050	G3815	G3815	C3673	G2705	C2540	U2413	A2110	A2010	G1921	A1613	C1483
C4051	A3816	A3816	G3674	U2706	G2541	G2414	G2110	A2011	G1922	A1614	G1484
C4052	A3817	U3818	G3675	U2707	G2542	G2421	G2289	C2016	A1923	G1617	C1485
C4053	U3818	G3819	G3676	U2708	G2543	C2422	G2266	A2017	U1927	U1775	C1486
C4054	G3823	G3823	C3677	G2709	G2544	A2428	U2287	A2018	C1931	G1624	U1494
U4055	A3824	A3824	G3678	C2710	U2545	A2429	U2287	C2019	G1937	G1625	G1495
A4056	G3827	G3827	G3679	G2711	G2546	A2430	C2269	U2020	A1801	A1631	G1498
C4057	U3828	A3828	U2865	G2712	G2547	A2431	G2270	G2021	G1632	G1633	G1498
U4058	G3829	G3829	U2866	G2713	G2548	G2456	G2271	G2022	A1787	A1634	G1502
C4059	G3830	A3830	U2867	G2714	G2549	G2457	G2272	A2023	C1789	C1505	C1505
U4060	U3831	U3831	A3680	G2715	U2550	C2465	G2273	A2024	G1641	A1642	C1509
A4061	G3832	G3832	A3681	G2716	G2551	C2466	A2276	A2025	A1643	G1510	U1511
C4062	A3833	A3833	U2900	G2717	G2552	C2467	G2277	A2026	G1654	G1655	U1514
U4063	G3834	G3834	G2901	U2718	C2560	C2468	G2278	A2027	U1660	A1515	A1523
C4064	A3835	A3835	G3597	G2719	G2561	G2469	U2288	A2028	C1661	G1529	G1529
C4065	G3836	G3836	C3598	G2720	U2562	G2470	G2289	A2029	G1670	G1532	G1532
U4066	U3837	U3837	A3599	G2721	A2581	G2471	A2300	A2030	G1676	A1533	A1534
U4067	G3838	G3838	G3600	G2722	A2582	G2472	G2301	A2040	C1677	A1534	A1547
U4068	A3839	A3839	C3601	G2723	A2583	G2473	G2302	U2054	G1691	G1547	G1547
U4069	U3840	U3840	G3602	G2724	C2584	G2474	G2303	G2055	C1722	G1555	G1555
A4070	G3841	G3841	A3603	G2725	G2585	G2475	A2313	A2057	A1723	A1558	G1559
C4071	A3842	A3842	A3604	U2726	G2586	G2476	G2314	G2058	G1734	G1563	A1563
U4072	G3843	G3843	G3605	U2727	A2587	G2477	G2315	A2069	G1741	A1564	A1564
C4073	A3844	A3844	C3606	G2728	G2588	G2478	G2316	U2084	A1742	A1565	C1566
U4074	G3845	G3845	U3607	G2729	C2589	G2479	G2317	A2088	G1851	G1750	
U4075	U3846	U3846	A3608	G2730	G2590	G2480	G2318	G2089	G1852		
U4076	A3847	A3847	A3609	G2731	U2591	G2481	G2319	U2090	G1853		
C4077	G3848	G3848	G3610	G2732	G2592	G2482	G2320	G1981	G1854		
U4078	U3849	U3849	C3611	G2733	G2593	G2483	G2321	A1984	G1855		
U4079	A3850	A3850	A3612	G2734	C2594	G2484	G2322	U1985	G1856		
U4080	G3851	G3851	A3613	G2735	U2595	G2485	G2323	G1986	G1857		
U4081	U3852	U3852	A3614	G2736	G2596	G2486	G2324	G1987	G1858		
U4082	A3853	A3853	G3615	G2737	A2597	G2487	G2325	U1988	G1859		
U4083	G3854	G3854	G3616	G2738	G2598	G2488	G2326	U1989	G1860		
U4084	U3855	U3855	A3617	G2739	U2599	G2489	G2327	G1990	G1861		
U4085	A3856	A3856	A3618	G2740	G2600	G2490	G2328	G1991	G1862		
U4086	G3857	G3857	G3619	U2741	C2601	G2491	G2329	A1992	G1863		
U4087	U3858	U3858	A3620	G2742	G2602	G2492	G2330	A1993	G1864		
U4088	A3859	A3859	C3621	G2743	C2603	G2493	G2331	A1994	G1865		
U4089	G3860	G3860	A3622	G2744	G2604	G2494	G2332	A1995	G1866		
U4090	U3861	U3861	A3623	G2745	U2605	G2495	G2333	A1996	G1867		
U4091	A3862	A3862	A3624	G2746	G2606	G2496	G2334	A1997	G1868		
U4092	G3863	G3863	G3625	G2747	C2607	G2497	G2335	U1998	G1869		
U4093	U3864	U3864	A3626	G2748	G2608	G2498	G2336	G1999	G1870		
U4094	A3865	A3865	G3627	G2749	C2609	G2499	G2337	A2000	G1871		
U4095	G3866	G3866	A3628	G2750	G2610	G2500	G2338	A2001	G1872		
U4096	U3867	U3867	A3629	G2751	C2611	G2501	G2339	A2002	G1873		
U4097	A3868	A3868	G3630	G2752	U2612	G2502	G2340	A2003	G1874		
U4098	G3869	G3869	A3631	G2753	G2613	G2503	G2341	A2004	G1875		
U4099	U3870	U3870	A3632	G2754	C2614	G2504	G2342	A2005	G1876		
U4100	A3871	A3871	A3633	G2755	U2615	G2505	G2343	A2006	G1877		
U4101	G3872	G3872	G3634	G2756	G2616	G2506	G2344	A2007	G1878		
C4102	U3873	U3873	A3635	G2757	C2617	G2507	G2345	A2008	G1879		
C4103	A3874	A3874	A3636	G2758	G2618	G2508	G2346	A2009	G1880		
U4104	G3875	G3875	G3637	G2759	U2619	G2509	G2347	A2010	G1881		
U4105	U3876	U3876	A3638	G2760	C2620	G2510	G2348	A2011	G1882		
U4106	A3877	A3877	A3639	G2761	G2621	G2511	G2349	A2012	G1883		
U4107	G3878	G3878	G3640	G2762	C2622	G2512	G2350	A2013	G1884		
U4108	U3879	U3879	A3641	G2763	G2623	G2513	G2351	A2014	G1885		
U4109	A3880	A3880	G3642	G2764	C2624	G2514	G2352	A2015	G1886		
U4110	G3881	G3881	A3643	G2765	U2625	G2515	G2353	A2016	G1887		
U4111	U3882	U3882	A3644	G2766	G2626	G2516	G2354	A2017	G1888		
U4112	A3883	A3883	A3645	G2767	C2627	G2517	G2355	A2018	G1889		
U4113	G3884	G3884	G3646	G2768	U2628	G2518	G2356	A2019	G1890		
U4114	U3885	U3885	A3647	G2769	C2629	G2519	G2357	A2020	G1891		
U4115	A3886	A3886	A3648	G2770	U2630	G2520	G2358	A2021	G1892		
U4116	G3887	G3887	A3649	G2771	G2631	G2521	G2359	A2022	G1893		
U4117	U3888	U3888	A3650	G2772	C2632	G2522	G2360	A2023	G1894		
U4118	A3889	A3889	A3651	G2773	U2633	G2523	G2361	A2024	G1895		
U4119	G3890	G3890	A3652	G2774	G2634	G2524	G2362	A2025	G1896		
U4120	U3891	U3891	A3653	G2775	C2635	G2525	G2363	A2026	G1897		
U4121	A3892	A3892	A3654	G2776	U2636	G2526	G2364	A2027	G1898		
U4122	G3893	G3893	A3655	G2777	G2637	G2527	G2365	A2028	G1899		
U4123	U3894	U3894	A3656	G2778	C2638	G2528	G2366	A2029	G1900		





- Molecule 2: 5S ribosomal RNA

Chain 7: 85% 13% ..



- Molecule 3: 5.8S ribosomal RNA


Chain 8: 68% 24% . .




- Molecule 4: 18S ribosomal RNA

Chain 9: 60% 27% . 9%








• Molecule 5: Ribosomal protein L8

Chain A: 89% 7%




• Molecule 6: Ribosomal protein L3

Chain B: 91% 6%



• Molecule 7: 60S ribosomal protein L4

Chain C: 80% 5% 15%



• Molecule 8: Large ribosomal subunit protein uL18


Chain D: 93% 6%



• Molecule 9: 60S ribosomal protein L6

Chain E: 67% 7% 26%



- Molecule 10: 60S ribosomal protein L7a




- Molecule 11: 60S ribosomal protein L9




- Molecule 12: 60S ribosomal protein L10





- Molecule 13: Ribosomal protein L11




- Molecule 14: 60S ribosomal protein L7





- Molecule 22: 60S ribosomal protein L18a




- Molecule 23: eL21




- Molecule 24: eL22



- Molecule 25: Ribosomal protein L23




- Molecule 26: eL24




- Molecule 27: eL23







- Molecule 28: uL24






- Molecule 29: 60S ribosomal protein L27




- Molecule 30: 60S ribosomal protein L27a




- Molecule 31: Large ribosomal subunit protein eL29




- Molecule 32: eL30





- Molecule 33: eL31







- Molecule 34: Ribosomal protein L32




- Molecule 35: eL33



- Molecule 36: Large ribosomal subunit protein eL34




- Molecule 37: eL35



- Molecule 38: 60S ribosomal protein L36



- Molecule 39: eL38




- Molecule 40: eL39

Chain l:  86% 12%



- Molecule 41: Ubiquitin-ribosomal protein eL40 fusion protein

Chain m:  48% 49%



- Molecule 42: eL41

Chain n:  84% 16%



- Molecule 43: Large ribosomal subunit protein eL42

Chain o:  87% 11%




- Molecule 44: eL43

Chain p:  89% 10%




- Molecule 45: eL28


Chain r:  86% 9%




- Molecule 46: uS2 (SA)

Chain AA:  67% 6% 26%







- Molecule 47: 40S ribosomal protein S3a




- Molecule 48: Small ribosomal subunit protein uS5




- Molecule 49: Ribosomal protein S3




- Molecule 50: eS4 (S4 X isoform)




- Molecule 51: Ribosomal protein S5






- Molecule 52: 40S ribosomal protein S6

Chain GG: 15% 87% 8% 5%




- Molecule 53: 40S ribosomal protein S7

Chain HH: 24% 84% 11% 5%



- Molecule 54: 40S ribosomal protein S8

Chain II: 7% 87% 8% 5%




- Molecule 55: Ribosomal protein S9 (Predicted)

Chain JJ: 8% 88% 6% 7%




- Molecule 56: Small ribosomal subunit protein eS10

Chain KK: 




- Molecule 57: Ribosomal protein S11

Chain LL: 




- Molecule 58: 40S ribosomal protein S12

Chain MM: 




- Molecule 59: Ribosomal protein S13

Chain NN: 




- Molecule 60: Small ribosomal subunit protein uS11

Chain OO: 




- Molecule 61: uS19



Chain PP: 





- Molecule 62: uS9




- Molecule 63: eS17





- Molecule 64: uS13



- Molecule 65: eS19




- Molecule 66: uS10



- Molecule 67: eS21






- Molecule 68: Ribosomal protein S15a

Chain WW: 91% 8%




- Molecule 69: uS12

Chain XX: 92% 6%





- Molecule 70: 40S ribosomal protein S24

Chain YY: 91% 5% 5%



- Molecule 71: eS25

Chain ZZ: 6% 52% 8% 40%



- Molecule 72: 40S ribosomal protein S26

Chain aa: 78% 9% 12%




- Molecule 73: 40S ribosomal protein S27


Chain bb: 11% 93% 6%

- Molecule 79: MF mRNA

Chain 10: 5% . 94%





- Molecule 80: Phe-tRNA

Chain 12:  51% 39% 8%





- Molecule 81: Met-tRNA

Chain 13: 





- Molecule 81: Met-tRNA

Chain 11:  76% 53% 36% 9%




- Molecule 82: Ribosomal protein L37

Chain j:  76% 11% • 11%



● Molecule 83: GTP-binding protein 1



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	7386	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	29.7955	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	1500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.093	Depositor
Minimum map value	-0.032	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.005	Depositor
Recommended contour level	0.015	Depositor
Map size (Å)	464.8, 464.8, 464.8	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.162, 1.162, 1.162	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, MG, SPD, GCP, GTP, K, ATP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	5	0.48	0/86380	0.68	16/134721 (0.0%)
2	7	0.48	0/2836	0.62	0/4421
3	8	0.47	0/3581	0.65	0/5577
4	9	0.42	0/40509	0.66	5/63128 (0.0%)
5	A	0.41	0/1936	0.52	0/2596
6	B	0.37	0/3240	0.54	0/4339
7	C	0.38	0/2937	0.56	0/3946
8	D	0.33	0/2437	0.49	0/3264
9	E	0.31	0/1762	0.56	0/2362
10	G	0.32	0/1910	0.53	0/2569
11	H	0.35	0/1535	0.51	0/2063
12	I	0.35	0/1702	0.46	0/2272
13	J	0.31	0/1385	0.47	0/1852
14	K	0.39	0/1911	0.52	0/2549
15	L	0.34	0/1733	0.51	0/2316
16	M	0.35	0/1158	0.52	0/1547
17	N	0.41	0/1746	0.56	0/2338
18	O	0.40	0/1662	0.57	0/2222
19	P	0.39	0/1268	0.60	0/1700
20	Q	0.40	0/1539	0.54	0/2054
21	R	0.35	0/1524	0.53	0/2013
22	S	0.39	0/1501	0.49	0/2012
23	T	0.36	0/1326	0.50	0/1770
24	U	0.29	0/823	0.51	0/1104
25	V	0.36	0/983	0.50	0/1319
26	W	0.32	0/873	0.51	0/1158
27	X	0.34	0/984	0.51	0/1323
28	Y	0.34	0/1132	0.51	0/1504
29	Z	0.36	0/1130	0.48	0/1507
30	a	0.40	0/1191	0.55	0/1590
31	b	0.32	0/819	0.54	0/1081
32	c	0.36	0/771	0.46	0/1034

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	d	0.37	0/903	0.53	0/1216
34	e	0.40	0/1071	0.56	0/1429
35	f	0.40	0/895	0.50	0/1198
36	g	0.39	0/916	0.56	0/1220
37	h	0.34	0/1021	0.54	0/1348
38	i	0.34	0/841	0.60	0/1112
39	k	0.30	0/575	0.47	0/761
40	l	0.39	0/459	0.54	0/608
41	m	0.34	0/435	0.49	0/575
42	n	0.39	0/241	0.62	0/305
43	o	0.36	0/864	0.51	0/1140
44	p	0.38	0/718	0.60	0/953
45	r	0.39	0/1010	0.55	0/1354
46	AA	0.30	0/1747	0.49	0/2374
47	BB	0.32	0/1756	0.51	0/2350
48	CC	0.34	0/1753	0.50	0/2369
49	DD	0.29	0/1767	0.51	0/2378
50	EE	0.27	0/2118	0.51	0/2849
51	FF	0.28	0/1481	0.53	0/1991
52	GG	0.24	0/1946	0.48	0/2590
53	HH	0.24	0/1511	0.51	0/2022
54	II	0.29	0/1655	0.50	0/2205
55	JJ	0.26	0/1533	0.51	0/2047
56	KK	0.28	0/834	0.48	0/1125
57	LL	0.32	0/1195	0.50	0/1597
58	MM	0.19	0/880	0.53	0/1179
59	NN	0.32	0/1226	0.54	0/1649
60	OO	0.34	0/1029	0.56	0/1380
61	PP	0.25	0/1079	0.51	0/1441
62	QQ	0.29	0/1146	0.49	0/1534
63	RR	0.26	0/1082	0.52	0/1452
64	SS	0.26	0/1175	0.50	0/1575
65	TT	0.28	0/1115	0.54	0/1493
66	UU	0.27	0/805	0.51	0/1081
67	VV	0.30	0/644	0.48	0/860
68	WW	0.35	0/1051	0.46	0/1406
69	XX	0.33	0/1105	0.51	0/1476
70	YY	0.23	0/1028	0.47	0/1366
71	ZZ	0.24	0/604	0.48	0/810
72	aa	0.33	0/828	0.54	0/1109
73	bb	0.27	0/665	0.50	0/891
74	cc	0.27	0/490	0.40	0/656
75	dd	0.33	0/470	0.55	0/623

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
76	ee	0.24	0/462	0.55	0/607
77	ff	0.21	0/567	0.58	0/753
78	gg	0.22	0/2493	0.46	0/3394
79	10	0.40	0/261	0.61	0/404
80	12	0.34	0/1787	0.72	0/2783
81	11	0.26	0/1773	0.65	1/2763 (0.0%)
81	13	0.33	0/1773	0.65	0/2763
82	j	0.41	0/720	0.55	0/952
83	jj	0.21	0/4047	0.49	0/5462
All	All	0.41	0/235774	0.62	22/346229 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
5	A	0	1
6	B	0	2
7	C	0	1
8	D	0	1
9	E	0	1
11	H	0	1
12	I	0	1
18	O	0	1
20	Q	0	2
23	T	0	1
28	Y	0	1
36	g	0	1
44	p	0	1
46	AA	0	1
50	EE	0	1
54	II	0	2
55	JJ	0	1
58	MM	0	1
59	NN	0	1
60	OO	0	1
64	SS	0	1
72	aa	0	1
82	j	0	1
83	jj	0	1
All	All	0	27

There are no bond length outliers.

The worst 5 of 22 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	9	1308	U	C2'-C3'-O3'	6.60	119.40	109.50
1	5	1440	U	C2'-C3'-O3'	6.41	119.12	109.50
1	5	4170	A	C4'-C3'-O3'	5.96	118.33	109.40
1	5	1479	G	N9-C1'-C2'	5.72	120.59	112.00
4	9	1863	A	C1'-O4'-C4'	-5.61	104.09	109.70

There are no chirality outliers.

5 of 27 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
5	A	123	ARG	Sidechain
6	B	200	ARG	Sidechain
6	B	21	ARG	Sidechain
7	C	204	ARG	Sidechain
8	D	33	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	5	77221	0	39013	585	0
2	7	2538	0	1286	9	0
3	8	3208	0	1629	25	0
4	9	36229	0	18300	308	0
5	A	1898	0	1993	13	0
6	B	3172	0	3310	18	0
7	C	2883	0	3053	18	0
8	D	2391	0	2424	12	0
9	E	1729	0	1887	16	0
10	G	1879	0	2027	15	0
11	H	1516	0	1597	9	0
12	I	1664	0	1712	9	0
13	J	1362	0	1399	8	0
14	K	1875	0	1995	7	0
15	L	1702	0	1820	15	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
16	M	1137	0	1211	6	0
17	N	1701	0	1749	17	0
18	O	1630	0	1778	8	0
19	P	1242	0	1274	9	0
20	Q	1515	0	1634	12	0
21	R	1508	0	1664	7	0
22	S	1462	0	1508	12	0
23	T	1298	0	1366	12	0
24	U	809	0	833	4	0
25	V	969	0	1031	7	0
26	W	860	0	903	3	0
27	X	967	0	1040	6	0
28	Y	1115	0	1205	8	0
29	Z	1107	0	1182	9	0
30	a	1162	0	1209	12	0
31	b	806	0	866	0	0
32	c	761	0	794	4	0
33	d	888	0	930	0	0
34	e	1053	0	1147	9	0
35	f	876	0	912	3	0
36	g	906	0	998	4	0
37	h	1013	0	1147	8	0
38	i	830	0	916	6	0
39	k	569	0	637	3	0
40	l	447	0	480	7	0
41	m	429	0	465	2	0
42	n	240	0	289	3	0
43	o	851	0	919	10	0
44	p	708	0	756	7	0
45	r	994	0	1051	5	0
46	AA	1710	0	1708	11	0
47	BB	1729	0	1803	10	0
48	CC	1716	0	1806	11	0
49	DD	1739	0	1832	10	0
50	EE	2076	0	2177	18	0
51	FF	1460	0	1509	11	0
52	GG	1923	0	2089	16	0
53	HH	1489	0	1582	13	0
54	II	1628	0	1706	13	0
55	JJ	1508	0	1626	8	0
56	KK	810	0	836	6	0
57	LL	1175	0	1249	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
58	MM	871	0	913	14	0
59	NN	1202	0	1289	6	0
60	OO	1016	0	1039	5	0
61	PP	1058	0	1104	11	0
62	QQ	1128	0	1195	6	0
63	RR	1068	0	1121	8	0
64	SS	1157	0	1213	11	0
65	TT	1097	0	1132	8	0
66	UU	795	0	862	5	0
67	VV	637	0	637	4	0
68	WW	1034	0	1080	10	0
69	XX	1087	0	1154	6	0
70	YY	1011	0	1083	4	0
71	ZZ	598	0	656	7	0
72	aa	814	0	867	8	0
73	bb	651	0	672	3	0
74	cc	488	0	514	4	0
75	dd	459	0	448	5	0
76	ee	457	0	502	3	0
77	ff	555	0	567	12	0
78	gg	2436	0	2393	23	0
79	10	234	0	118	3	0
80	12	1599	0	808	26	0
81	11	1585	0	804	21	0
81	13	1585	0	803	20	0
82	j	705	0	737	11	0
83	jj	3982	0	4069	39	0
84	5	10	0	19	3	0
85	dd	1	0	0	0	0
85	g	1	0	0	0	0
85	j	1	0	0	0	0
85	m	1	0	0	0	0
85	o	1	0	0	0	0
85	p	1	0	0	0	0
86	12	32	0	11	1	0
87	12	11	0	8	1	0
88	11	31	0	11	1	0
88	13	31	0	11	0	0
89	13	8	0	8	2	0
90	jj	32	0	14	5	0
91	jj	1	0	0	0	0
92	jj	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	219555	0	163124	1435	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 1435 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
43:o:15:CYS:SG	43:o:77:CYS:SG	2.43	1.14
1:5:2638:G:N2	1:5:2697:A:N1	2.15	0.93
1:5:2489:C:O2'	1:5:2491:C:N4	2.13	0.81
1:5:2395:A:O2'	1:5:2806:A:H1'	1.79	0.81
80:12:4:G:H2'	80:12:5:A:H8	1.46	0.81

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
5	A	246/257 (96%)	239 (97%)	7 (3%)	0	100	100
6	B	392/403 (97%)	378 (96%)	14 (4%)	0	100	100
7	C	360/425 (85%)	354 (98%)	6 (2%)	0	100	100
8	D	291/297 (98%)	284 (98%)	7 (2%)	0	100	100
9	E	208/291 (72%)	200 (96%)	8 (4%)	0	100	100
10	G	229/319 (72%)	223 (97%)	6 (3%)	0	100	100
11	H	188/192 (98%)	183 (97%)	5 (3%)	0	100	100
12	I	201/214 (94%)	195 (97%)	6 (3%)	0	100	100
13	J	168/178 (94%)	163 (97%)	5 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
14	K	223/247 (90%)	215 (96%)	8 (4%)	0	100	100
15	L	208/211 (99%)	203 (98%)	5 (2%)	0	100	100
16	M	136/218 (62%)	135 (99%)	1 (1%)	0	100	100
17	N	201/204 (98%)	198 (98%)	3 (2%)	0	100	100
18	O	197/203 (97%)	192 (98%)	5 (2%)	0	100	100
19	P	151/184 (82%)	146 (97%)	5 (3%)	0	100	100
20	Q	185/188 (98%)	179 (97%)	6 (3%)	0	100	100
21	R	178/196 (91%)	178 (100%)	0	0	100	100
22	S	174/176 (99%)	170 (98%)	4 (2%)	0	100	100
23	T	157/160 (98%)	151 (96%)	6 (4%)	0	100	100
24	U	97/128 (76%)	96 (99%)	1 (1%)	0	100	100
25	V	127/140 (91%)	124 (98%)	3 (2%)	0	100	100
26	W	102/157 (65%)	101 (99%)	1 (1%)	0	100	100
27	X	116/156 (74%)	116 (100%)	0	0	100	100
28	Y	132/145 (91%)	129 (98%)	3 (2%)	0	100	100
29	Z	133/136 (98%)	128 (96%)	5 (4%)	0	100	100
30	a	145/148 (98%)	135 (93%)	10 (7%)	0	100	100
31	b	94/245 (38%)	92 (98%)	2 (2%)	0	100	100
32	c	96/115 (84%)	94 (98%)	2 (2%)	0	100	100
33	d	105/125 (84%)	101 (96%)	4 (4%)	0	100	100
34	e	126/135 (93%)	123 (98%)	3 (2%)	0	100	100
35	f	107/110 (97%)	106 (99%)	1 (1%)	0	100	100
36	g	112/116 (97%)	109 (97%)	3 (3%)	0	100	100
37	h	120/123 (98%)	119 (99%)	1 (1%)	0	100	100
38	i	100/105 (95%)	98 (98%)	2 (2%)	0	100	100
39	k	67/70 (96%)	67 (100%)	0	0	100	100
40	l	48/51 (94%)	48 (100%)	0	0	100	100
41	m	50/102 (49%)	47 (94%)	3 (6%)	0	100	100
42	n	23/25 (92%)	23 (100%)	0	0	100	100
43	o	102/106 (96%)	98 (96%)	4 (4%)	0	100	100
44	p	89/92 (97%)	83 (93%)	6 (7%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
45	r	122/137 (89%)	118 (97%)	4 (3%)	0	100	100
46	AA	215/295 (73%)	208 (97%)	7 (3%)	0	100	100
47	BB	211/264 (80%)	205 (97%)	6 (3%)	0	100	100
48	CC	219/293 (75%)	215 (98%)	4 (2%)	0	100	100
49	DD	222/243 (91%)	219 (99%)	3 (1%)	0	100	100
50	EE	260/263 (99%)	252 (97%)	8 (3%)	0	100	100
51	FF	180/204 (88%)	169 (94%)	11 (6%)	0	100	100
52	GG	235/249 (94%)	230 (98%)	5 (2%)	0	100	100
53	HH	181/194 (93%)	173 (96%)	8 (4%)	0	100	100
54	II	194/208 (93%)	188 (97%)	6 (3%)	0	100	100
55	JJ	179/194 (92%)	177 (99%)	2 (1%)	0	100	100
56	KK	94/165 (57%)	91 (97%)	3 (3%)	0	100	100
57	LL	139/158 (88%)	134 (96%)	5 (4%)	0	100	100
58	MM	108/132 (82%)	103 (95%)	5 (5%)	0	100	100
59	NN	147/151 (97%)	144 (98%)	3 (2%)	0	100	100
60	OO	134/168 (80%)	129 (96%)	5 (4%)	0	100	100
61	PP	127/145 (88%)	124 (98%)	3 (2%)	0	100	100
62	QQ	140/146 (96%)	136 (97%)	4 (3%)	0	100	100
63	RR	130/135 (96%)	127 (98%)	3 (2%)	0	100	100
64	SS	138/152 (91%)	135 (98%)	3 (2%)	0	100	100
65	TT	139/145 (96%)	136 (98%)	3 (2%)	0	100	100
66	UU	98/119 (82%)	94 (96%)	4 (4%)	0	100	100
67	VV	81/83 (98%)	79 (98%)	2 (2%)	0	100	100
68	WW	127/130 (98%)	125 (98%)	2 (2%)	0	100	100
69	XX	138/143 (96%)	135 (98%)	3 (2%)	0	100	100
70	YY	122/130 (94%)	118 (97%)	4 (3%)	0	100	100
71	ZZ	73/125 (58%)	71 (97%)	2 (3%)	0	100	100
72	aa	99/115 (86%)	95 (96%)	4 (4%)	0	100	100
73	bb	81/84 (96%)	79 (98%)	2 (2%)	0	100	100
74	cc	60/69 (87%)	59 (98%)	1 (2%)	0	100	100
75	dd	53/56 (95%)	50 (94%)	3 (6%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
76	ee	55/133 (41%)	52 (94%)	3 (6%)	0	100	100
77	ff	66/156 (42%)	62 (94%)	4 (6%)	0	100	100
78	gg	311/317 (98%)	291 (94%)	20 (6%)	0	100	100
82	j	84/97 (87%)	80 (95%)	4 (5%)	0	100	100
83	jj	511/703 (73%)	484 (95%)	27 (5%)	0	100	100
All	All	11657/13594 (86%)	11310 (97%)	347 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
5	A	190/199 (96%)	190 (100%)	0	100	100
6	B	342/348 (98%)	342 (100%)	0	100	100
7	C	302/347 (87%)	302 (100%)	0	100	100
8	D	247/250 (99%)	247 (100%)	0	100	100
9	E	190/251 (76%)	190 (100%)	0	100	100
10	G	200/272 (74%)	200 (100%)	0	100	100
11	H	169/171 (99%)	169 (100%)	0	100	100
12	I	175/181 (97%)	175 (100%)	0	100	100
13	J	143/149 (96%)	143 (100%)	0	100	100
14	K	196/215 (91%)	196 (100%)	0	100	100
15	L	175/176 (99%)	174 (99%)	1 (1%)	84	91
16	M	117/161 (73%)	117 (100%)	0	100	100
17	N	171/172 (99%)	171 (100%)	0	100	100
18	O	171/173 (99%)	171 (100%)	0	100	100
19	P	134/163 (82%)	134 (100%)	0	100	100
20	Q	164/165 (99%)	164 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
21	R	159/175 (91%)	159 (100%)	0	100	100
22	S	157/157 (100%)	157 (100%)	0	100	100
23	T	139/140 (99%)	139 (100%)	0	100	100
24	U	89/114 (78%)	89 (100%)	0	100	100
25	V	100/107 (94%)	100 (100%)	0	100	100
26	W	86/126 (68%)	86 (100%)	0	100	100
27	X	106/134 (79%)	106 (100%)	0	100	100
28	Y	124/135 (92%)	124 (100%)	0	100	100
29	Z	117/118 (99%)	117 (100%)	0	100	100
30	a	119/120 (99%)	119 (100%)	0	100	100
31	b	80/184 (44%)	80 (100%)	0	100	100
32	c	84/98 (86%)	84 (100%)	0	100	100
33	d	98/110 (89%)	98 (100%)	0	100	100
34	e	114/121 (94%)	114 (100%)	0	100	100
35	f	88/89 (99%)	88 (100%)	0	100	100
36	g	98/99 (99%)	98 (100%)	0	100	100
37	h	109/110 (99%)	109 (100%)	0	100	100
38	i	86/89 (97%)	86 (100%)	0	100	100
39	k	64/65 (98%)	64 (100%)	0	100	100
40	l	47/48 (98%)	47 (100%)	0	100	100
41	m	48/90 (53%)	48 (100%)	0	100	100
42	n	24/24 (100%)	24 (100%)	0	100	100
43	o	92/94 (98%)	92 (100%)	0	100	100
44	p	74/75 (99%)	74 (100%)	0	100	100
45	r	108/121 (89%)	108 (100%)	0	100	100
46	AA	180/245 (74%)	180 (100%)	0	100	100
47	BB	194/231 (84%)	194 (100%)	0	100	100
48	CC	187/225 (83%)	187 (100%)	0	100	100
49	DD	187/202 (93%)	187 (100%)	0	100	100
50	EE	224/225 (100%)	224 (100%)	0	100	100
51	FF	157/170 (92%)	157 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
52	GG	207/218 (95%)	207 (100%)	0	100	100
53	HH	165/174 (95%)	165 (100%)	0	100	100
54	II	172/180 (96%)	172 (100%)	0	100	100
55	JJ	161/168 (96%)	161 (100%)	0	100	100
56	KK	87/136 (64%)	87 (100%)	0	100	100
57	LL	130/142 (92%)	130 (100%)	0	100	100
58	MM	94/108 (87%)	94 (100%)	0	100	100
59	NN	130/131 (99%)	130 (100%)	0	100	100
60	OO	106/130 (82%)	106 (100%)	0	100	100
61	PP	115/130 (88%)	115 (100%)	0	100	100
62	QQ	117/121 (97%)	117 (100%)	0	100	100
63	RR	119/121 (98%)	119 (100%)	0	100	100
64	SS	122/132 (92%)	122 (100%)	0	100	100
65	TT	111/115 (96%)	111 (100%)	0	100	100
66	UU	92/107 (86%)	92 (100%)	0	100	100
67	VV	67/67 (100%)	67 (100%)	0	100	100
68	WW	112/113 (99%)	112 (100%)	0	100	100
69	XX	112/115 (97%)	111 (99%)	1 (1%)	75	88
70	YY	107/112 (96%)	107 (100%)	0	100	100
71	ZZ	66/103 (64%)	66 (100%)	0	100	100
72	aa	88/98 (90%)	88 (100%)	0	100	100
73	bb	75/76 (99%)	75 (100%)	0	100	100
74	cc	55/62 (89%)	55 (100%)	0	100	100
75	dd	48/49 (98%)	48 (100%)	0	100	100
76	ee	47/106 (44%)	47 (100%)	0	100	100
77	ff	61/140 (44%)	61 (100%)	0	100	100
78	gg	272/275 (99%)	271 (100%)	1 (0%)	89	94
82	j	73/80 (91%)	73 (100%)	0	100	100
83	jj	445/586 (76%)	444 (100%)	1 (0%)	92	96
All	All	10181/11529 (88%)	10177 (100%)	4 (0%)	100	100

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
15	L	67	HIS
69	XX	105	PHE
78	gg	101	PHE
83	jj	168	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 111 such sidechains are listed below:

Mol	Chain	Res	Type
37	h	68	ASN
83	jj	487	GLN
50	EE	142	HIS
83	jj	446	HIS
70	YY	124	ASN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	5	3581/3601 (99%)	556 (15%)	169 (4%)
2	7	118/120 (98%)	6 (5%)	1 (0%)
3	8	149/156 (95%)	19 (12%)	5 (3%)
4	9	1685/1869 (90%)	248 (14%)	61 (3%)
79	10	10/185 (5%)	2 (20%)	1 (10%)
80	12	74/76 (97%)	10 (13%)	3 (4%)
81	11	73/75 (97%)	12 (16%)	5 (6%)
81	13	73/75 (97%)	13 (17%)	4 (5%)
All	All	5763/6157 (93%)	866 (15%)	249 (4%)

5 of 866 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	5	15	A
1	5	25	A
1	5	39	A
1	5	42	A
1	5	43	U

5 of 249 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	5	2794	C
4	9	1396	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	5	4204	C
4	9	1378	A
79	10	19	U

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 15 ligands modelled in this entry, 8 are monoatomic - leaving 7 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
88	ATP	13	101	81	28,33,33	0.67	0	34,52,52	0.76	1 (2%)
90	GCP	jj	700	91	27,34,34	2.28	4 (14%)	35,54,54	2.49	10 (28%)
88	ATP	11	101	81	28,33,33	0.70	0	34,52,52	0.71	1 (2%)
89	MET	13	102	81	6,7,8	0.48	0	2,7,9	0.20	0
84	SPD	5	5101	-	9,9,9	0.33	0	8,8,8	0.53	0
86	GTP	12	101	80	29,34,34	1.28	1 (3%)	35,54,54	1.59	7 (20%)
87	PHE	12	102	80	10,11,12	0.43	0	8,13,15	0.24	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
88	ATP	13	101	81	-	3/18/38/38	0/3/3/3
90	GCP	jj	700	91	-	1/15/38/38	0/3/3/3
88	ATP	11	101	81	-	4/18/38/38	0/3/3/3
89	MET	13	102	81	-	0/5/6/8	-
84	SPD	5	5101	-	-	1/7/7/7	-
86	GTP	12	101	80	-	1/18/38/38	0/3/3/3
87	PHE	12	102	80	-	0/5/6/8	0/1/1/1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
90	jj	700	GCP	PB-O3A	9.40	1.68	1.58
86	12	101	GTP	C5-C6	-4.51	1.38	1.47
90	jj	700	GCP	C6-N1	4.28	1.40	1.33
90	jj	700	GCP	C8-N7	-2.52	1.30	1.34
90	jj	700	GCP	PB-O2B	-2.23	1.50	1.56

The worst 5 of 19 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
90	jj	700	GCP	C5-C6-N1	-9.63	110.54	123.42
90	jj	700	GCP	C2-N1-C6	7.23	126.02	115.96
86	12	101	GTP	O4'-C1'-N9	4.35	114.51	108.75
86	12	101	GTP	C8-N7-C5	3.53	108.56	102.55
90	jj	700	GCP	PB-O3A-PA	-3.16	122.07	132.37

There are no chirality outliers.

5 of 10 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
90	jj	700	GCP	PG-C3B-PB-O1B
88	13	101	ATP	O4'-C4'-C5'-O5'
88	13	101	ATP	C3'-C4'-C5'-O5'
88	11	101	ATP	O4'-C4'-C5'-O5'
88	11	101	ATP	C3'-C4'-C5'-O5'

There are no ring outliers.

6 monomers are involved in 13 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
90	jj	700	GCP	5	0



Continued on next page...


Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
88	11	101	ATP	1	0
89	13	102	MET	2	0
84	5	5101	SPD	3	0
86	12	101	GTP	1	0
87	12	102	PHE	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	5	23

The worst 5 of 23 chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	5	2113:G	O3'	2258:C	P	40.87
1	5	1252:C	O3'	1271:G	P	35.01
1	5	1219:G	O3'	1233:G	P	21.62
1	5	1406(C):G	O3'	1411:C	P	19.27
1	5	4101:C	O3'	4107:G	P	17.36


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-73308. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 200




Y Index: 200




Z Index: 200


6.2.2 Raw map



X Index: 200



Y Index: 200




Z Index: 200


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 215




Y Index: 205




Z Index: 192


6.3.2 Raw map



X Index: 215



Y Index: 209




Z Index: 192


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.015. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1575 nm^3 ; this corresponds to an approximate mass of 1422 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of $0.323 \text{ \AA}^{-1}$

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.323 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.10	-	-
Author-provided FSC curve	3.05	4.02	3.10
Unmasked-calculated*	4.19	9.09	4.53

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.19 differs from the reported value 3.1 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-73308 and PDB model 9YPT. Per-residue inclusion information can be found in section 3 on page 31.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.015 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.015).

9.4 Atom inclusion [i](#)



At the recommended contour level, 91% of all backbone atoms, 86% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.015) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8580	 0.5280
10	 0.9660	 0.5590
11	 0.3220	 0.2250
12	 0.8170	 0.3460
13	 0.6570	 0.4300
5	 0.9240	 0.5420
7	 0.9910	 0.5950
8	 0.9530	 0.5630
9	 0.9070	 0.5200
A	 0.9260	 0.5990
AA	 0.7510	 0.5170
B	 0.8780	 0.5830
BB	 0.8060	 0.5400
C	 0.8930	 0.5810
CC	 0.8110	 0.5410
D	 0.8410	 0.5530
DD	 0.7130	 0.4960
E	 0.8280	 0.5400
EE	 0.7790	 0.5020
FF	 0.7440	 0.5020
G	 0.7760	 0.5240
GG	 0.6590	 0.4430
H	 0.8230	 0.5580
HH	 0.5850	 0.4690
I	 0.8670	 0.5740
II	 0.7910	 0.5240
J	 0.7900	 0.5200
JJ	 0.7290	 0.4590
K	 0.9160	 0.5860
KK	 0.7090	 0.4880
L	 0.8260	 0.5490
LL	 0.8190	 0.5430
M	 0.8640	 0.5530
MM	 0.2740	 0.2920
N	 0.9460	 0.5960



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
NN	 0.8370	 0.5550
O	 0.9030	 0.5800
OO	 0.8450	 0.5500
P	 0.8850	 0.5870
PP	 0.6840	 0.4750
Q	 0.9010	 0.5870
QQ	 0.7780	 0.5140
R	 0.8160	 0.5460
RR	 0.6100	 0.4750
S	 0.8980	 0.5870
SS	 0.7230	 0.4900
T	 0.8680	 0.5710
TT	 0.7670	 0.4820
U	 0.7530	 0.5030
UU	 0.6650	 0.4630
V	 0.8960	 0.5920
VV	 0.7820	 0.5220
W	 0.6340	 0.4570
WW	 0.8530	 0.5600
X	 0.8520	 0.5580
XX	 0.8530	 0.5660
Y	 0.8310	 0.5610
YY	 0.7210	 0.4820
Z	 0.8460	 0.5530
ZZ	 0.6530	 0.4650
a	 0.9150	 0.5880
aa	 0.8360	 0.5440
b	 0.8020	 0.5360
bb	 0.7420	 0.5200
c	 0.8450	 0.5480
cc	 0.7360	 0.5180
d	 0.8310	 0.5580
dd	 0.8690	 0.5380
e	 0.9190	 0.5960
ee	 0.6640	 0.4580
f	 0.9390	 0.6010
ff	 0.4110	 0.3400
g	 0.8690	 0.5670
gg	 0.6070	 0.4410
h	 0.8440	 0.5520
i	 0.8190	 0.5410
j	 0.9610	 0.6020

Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
jj	 0.4980	 0.3460
k	 0.7110	 0.5100
l	 0.9090	 0.5750
m	 0.8460	 0.5710
n	 0.8990	 0.5790
o	 0.8630	 0.5740
p	 0.8780	 0.5820
r	 0.9060	 0.5710