

Jul 9, 2025 – 01:26 PM JST

PDB ID	:	$8YZB / pdb_00008yzb$
EMDB ID	:	EMD-39688
Title	:	BA.2.86 RBD protein in complex with ACE2.
Authors	:	Wang, Y.J.; Zhang, X.; Sun, L.
Deposited on	:	2024-04-06
Resolution	:	3.29 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/EMValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

EMDB validation analysis	:	FAILED
MolProbity	:	4-5-2 with Phenix2.0rc1
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ	:	FAILED
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.44

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $ELECTRON\ MICROSCOPY$

The reported resolution of this entry is 3.29 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	${f EM} {f structures} \ (\#{f Entries})$
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%

Mol	Chain	Length		Quality of chain													
1	А	1291	14%	• 85%													
2	В	742		73%	7% 20%	_											



2 Entry composition (i)

There are 2 unique types of molecules in this entry. The entry contains 6448 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Spike glycoprotein, Fibritin, fusion protein.

Mol	Chain	Residues		Ate	AltConf	Trace			
1	А	195	Total 1568	C 1016	N 263	0 281	S 8	0	0

There are 95 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference							
А	-3	MET	-	initiating methionine	UNP P0DTC2							
А	-2	PRO	-	expression tag	UNP P0DTC2							
А	-1	MET	-	expression tag	UNP P0DTC2							
А	0	GLY	-	expression tag	UNP P0DTC2							
А	1	SER	-	expression tag	UNP P0DTC2							
А	2	LEU	-	expression tag	UNP P0DTC2							
А	3	GLN	-	expression tag	UNP P0DTC2							
А	4	PRO	-	expression tag	UNP P0DTC2							
А	5	LEU	-	expression tag	UNP P0DTC2							
А	6	ALA	-	expression tag	UNP P0DTC2							
А	7	THR	-	expression tag	UNP P0DTC2							
А	8	LEU	-	expression tag	UNP P0DTC2							
А	9	TYR	-	expression tag	UNP P0DTC2							
А	10	LEU	-	expression tag	UNP P0DTC2							
А	11	LEU	-	expression tag	UNP P0DTC2							
A	12	GLY	-	expression tag	UNP P0DTC2							
А	13	MET	-	expression tag	UNP P0DTC2							
А	14	LEU	-	expression tag	UNP P0DTC2							
А	15	VAL	-	expression tag	UNP P0DTC2							
А	16	ALA	-	expression tag	UNP P0DTC2							
А	17	SER	-	expression tag	UNP P0DTC2							
А	18	VAL	-	expression tag	UNP P0DTC2							
А	19	LEU	-	expression tag	UNP P0DTC2							
A	20	ALA	-	expression tag	UNP P0DTC2							
А	26	ILE	THR	variant	UNP P0DTC2							
А	28	THR	ARG	conflict	UNP P0DTC2							
А	?	-	LEU	deletion	UNP P0DTC2							
А	?	-	PRO	deletion	UNP P0DTC2							



Chain	Residue	Modelled	Actual	Comment	Reference								
А	?	-	PRO	deletion	UNP P0DTC2								
А	31	SER	ALA	variant	UNP P0DTC2								
А	54	LEU	SER	conflict	UNP P0DTC2								
А	?	-	HIS	deletion	UNP P0DTC2								
А	?	-	VAL	deletion	UNP P0DTC2								
А	128	PHE	VAL	conflict	UNP P0DTC2								
А	144	ASP	GLY	variant	UNP P0DTC2								
А	?	-	TYR	deletion	UNP P0DTC2								
А	158	SER	PHE	conflict	UNP P0DTC2								
А	159	GLY	ARG	conflict	UNP P0DTC2								
А	?	-	ASN	deletion	UNP P0DTC2								
А	212	ILE	LEU	conflict	UNP P0DTC2								
А	213	GLY	VAL	variant	UNP P0DTC2								
А	216	PHE	LEU	conflict	UNP P0DTC2								
А	245	ASN	HIS	conflict	UNP P0DTC2								
А	264	ASP	ALA	conflict	UNP P0DTC2								
А	332	VAL	ILE	conflict	UNP P0DTC2								
А	339	HIS	GLY	variant	UNP P0DTC2								
А	356	THR	LYS	conflict	UNP P0DTC2								
А	371	PHE	SER	variant	UNP P0DTC2								
А	373	PRO	SER	variant	UNP P0DTC2								
А	375	PHE	SER	variant	UNP P0DTC2								
А	376	ALA	THR	variant	UNP P0DTC2								
А	403	LYS	ARG	conflict	UNP P0DTC2								
A	405	ASN	ASP	variant	UNP P0DTC2								
A	408	SER	ARG	variant	UNP P0DTC2								
A	417	ASN	LYS	variant	UNP P0DTC2								
A	440	LYS	ASN	variant	UNP P0DTC2								
A	445	HIS	VAL	conflict	UNP P0DTC2								
A	446	SER	GLY	variant	UNP P0DTC2								
A	450	ASP	ASN	conflict	UNP P0DTC2								
A	452	TRP	LEU	conflict	UNP P0DTC2								
A	460	LYS	ASN	variant	UNP P0DTC2								
A	477	ASN	SER	variant	UNP P0DTC2								
A	478	LYS	THR	variant	UNP P0DTC2								
A	481	LYS	ASN	conflict	UNP P0DTC2								
A	?	-	VAL	deletion	UNP P0DTC2								
A	484	LYS	GLU	variant	UNP P0DTC2								
A	486	PRO	PHE	variant	UNP P0DTC2								
A	498	ARG	GLN	variant	UNP P0DTC2								
A	501	TYR	ASN	variant	UNP P0DTC2								
А	505	HIS	TYR	variant	UNP P0DTC2								

Continued from previous page...



Chain	Residue	Modelled	Actual	Comment	Reference						
А	554	LYS	GLU	conflict	UNP P0DTC2						
А	570	VAL	ALA	conflict	UNP P0DTC2						
А	614	GLY	ASP	variant	UNP P0DTC2						
А	621	SER	PRO	conflict	UNP P0DTC2						
А	655	TYR	HIS	variant	UNP P0DTC2						
А	670	VAL	ILE	conflict	UNP P0DTC2						
А	679	LYS	ASN	variant	UNP P0DTC2						
А	681	ARG	PRO	variant	UNP P0DTC2						
А	682	GLY	ARG	conflict	UNP P0DTC2						
А	683	SER	ARG	conflict	UNP P0DTC2						
А	685	SER	ARG	conflict	UNP P0DTC2						
А	764	LYS	ASN	variant	UNP P0DTC2						
А	796	TYR	ASP	variant	UNP P0DTC2						
А	817	PRO	PHE	conflict	UNP P0DTC2						
А	892	PRO	ALA	conflict	UNP P0DTC2						
А	899	PRO	ALA	conflict	UNP P0DTC2						
А	939	PHE	SER	conflict	UNP P0DTC2						
А	942	PRO	ALA	conflict	UNP P0DTC2						
А	954	HIS	GLN	variant	UNP P0DTC2						
А	969	LYS	ASN	variant	UNP P0DTC2						
А	986	PRO	LYS	conflict	UNP P0DTC2						
A	987	PRO	VAL	conflict	UNP P0DTC2						
A	1143	LEU	PRO	conflict	UNP P0DTC2						
A	1209	GLY	-	linker	UNP P0DTC2						
A	1210	SER	-	linker	UNP P0DTC2						

Continued from previous page...

• Molecule 2 is a protein called Angiotensin-converting enzyme 2.

Mol	Chain	Residues		At	AltConf	Trace			
2	В	597	Total 4880	C 3121	N 809	0 921	S 29	1	0

There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
В	733	SER	-	expression tag	UNP Q9BYF1
В	734	GLY	-	expression tag	UNP Q9BYF1
В	735	HIS	-	expression tag	UNP Q9BYF1
В	736	HIS	-	expression tag	UNP Q9BYF1
В	737	HIS	-	expression tag	UNP Q9BYF1
В	738	HIS	-	expression tag	UNP Q9BYF1
В	739	HIS	-	expression tag	UNP Q9BYF1



0 0															
Chain	Residue	Modelled	Actual	Comment	Reference										
В	740	HIS	-	expression tag	UNP Q9BYF1										
В	741	HIS	-	expression tag	UNP Q9BYF1										
В	742	HIS	-	expression tag	UNP Q9BYF1										

Continued from previous page...



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Spike glycoprotein, Fibritin, fusion protein





ALA ALA CULVES CULVES CULVES CULVES PHIC CULVES PHIC CULVES ASS CULVES CULVES ASS CULVES CULV

TINP PHIO PHIO CLIV PHIO CLIV PHIO CLIV CLIV CLIV CLIV CLIV CLIV PHIO CLIV C

• Molecule 2: Angiotensin-converting enzyme 2

Cha	in	B:								73%											7% 20%																					
MET SER SER	SER	TRP	LEU	LEU SER	LEU	VAL ALA	VAL	THR	AL.A AL.A	GLN	S19	, 1	H34	D38	L39	07-1	L45	A46	S47	N51	170		T129		ACT N	E145	P146	1151		S155	R161		60 TV	R177		Y180 E181		V184	V185	D198	Y199	G200
D201 R219	L222	a con	077 4	L240	V244	H265		M270	V283		N290	I291	T294	-	V298	E312		V316	L351		K363 V36A	T365		N394	0909	F400		V 404	W459	V463		E495	VE16		L520	A528		E549	A 569		V573	V574
V581	D615 GLN	SER	LYS	VAL ARG	ILE	SER LEU	LYS	SER	ALA LEU	GLY	ASP	LYS	ALA TYR	GLU	TRP	ASP	ASN	GLU	TYR	LEU	PHE	SER	SER	VAL	TYR	ALA	MET	GLN	TYR	PHE LEU	LYS	VAL	CIT	UCU	MET	LEU	PHE	GLΥ	GLU	ASP	VAL	ARG
VAL ALA ASN	LEU LYS	PRO ABC	ILE	SER	ASN	PHE	VAL	THR	ALA PRO	LYS	ASN	VAL	ASP	ILE	ILE	ARG	THR	GLU	VAL GLU	LYS	ALA	ARG	MET	SER	SER	ARG	ILE	ASP	ALA	PHE	LEU	ASN	ACM	SER	LEU	GLU PHE	TEU	GLΥ	TLE	PRO	THR	LEU
GLY SER GLY	HIS	HIS	SIH	SIH	SIH																																					



4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	67266	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE	Depositor
	CORRECTION	
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose $(e^-/\text{\AA}^2)$	50	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	2200	Depositor
Magnification	Not provided	
Image detector	FEI FALCON IV (4k x 4k)	Depositor



5 Model quality (i)

5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Chain		Boi	nd lengths	Bond angles		
		RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.16	0/1620	0.37	0/2204	
2	В	0.24	3/5018~(0.1%)	0.33	1/6818~(0.0%)	
All	All	0.22	3/6638~(0.0%)	0.34	1/9022~(0.0%)	

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\operatorname{Ideal}(\operatorname{\AA})$
2	В	38	ASP	CA-C	-6.36	1.44	1.52
2	В	40	PHE	C-O	-5.52	1.17	1.24
2	В	39	LEU	C-O	-5.16	1.17	1.24

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Ζ	$Observed(^{o})$	$Ideal(^{o})$
2	В	38	ASP	N-CA-C	9.38	121.51	111.28

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	1568	0	1495	7	0
2	В	4880	0	4649	29	0
All	All	6448	0	6144	35	0



The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (35) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:368:LEU:HB3	1:A:375:PHE:HE2	1.51	0.74
2:B:177:ARG:NH2	2:B:495:GLU:O	2.24	0.70
2:B:394:ASN:OD1	2:B:395:GLY:N	2.32	0.63
2:B:528:ALA:HB2	2:B:574:VAL:HG12	1.83	0.60
1:A:354:ASN:OD1	1:A:355:ARG:N	2.36	0.57
2:B:312:GLU:O	2:B:316:VAL:HG23	2.05	0.56
2:B:139:GLN:N	2:B:139:GLN:OE1	2.38	0.56
2:B:290:ASN:OD1	2:B:291:ILE:N	2.39	0.55
2:B:569:ALA:O	2:B:573:VAL:HG23	2.06	0.55
2:B:181:GLU:O	2:B:185:VAL:HG23	2.07	0.54
2:B:161:ARG:NH1	2:B:265:HIS:O	2.41	0.53
2:B:459:TRP:O	2:B:463:VAL:HG23	2.12	0.50
1:A:493:GLN:NE2	2:B:34[B]:HIS:CD2	2.80	0.50
2:B:79:LEU:HD23	2:B:79:LEU:O	2.13	0.49
2:B:180:TYR:O	2:B:184:VAL:HG23	2.14	0.48
1:A:455:LEU:HD23	1:A:455:LEU:H	1.79	0.47
2:B:364:VAL:O	2:B:365:THR:OG1	2.24	0.47
2:B:201:ASP:OD1	2:B:219:ARG:NE	2.41	0.47
2:B:294:THR:O	2:B:298:VAL:HG23	2.15	0.47
2:B:151:ILE:O	2:B:155:SER:OG	2.31	0.46
2:B:222:LEU:O	2:B:226:VAL:HG23	2.15	0.46
2:B:549:GLU:OE1	2:B:549:GLU:N	2.44	0.46
2:B:129:THR:HG22	2:B:129:THR:O	2.15	0.46
1:A:470:THR:HG22	1:A:470:THR:O	2.14	0.46
2:B:169:ARG:NH2	2:B:270:MET:SD	2.87	0.46
2:B:351:LEU:HD12	2:B:351:LEU:N	2.33	0.43
2:B:400:PHE:O	2:B:404:VAL:HG23	2.20	0.42
1:A:368:LEU:HB3	1:A:375:PHE:CE2	2.42	0.42
1:A:375:PHE:HD1	1:A:375:PHE:HA	1.73	0.42
2:B:240:LEU:O	2:B:244:VAL:HG23	2.19	0.42
2:B:581:VAL:O	2:B:581:VAL:HG22	2.20	0.41
2:B:516:TYR:CE2	2:B:520:LEU:HD11	2.56	0.40
2:B:198:ASP:OD1	2:B:200:GLY:N	2.55	0.40
2:B:47:SER:O	2:B:51:ASN:ND2	2.47	0.40
2:B:145:GLU:HB3	2:B:146:PRO:HD3	2.04	0.40

There are no symmetry-related clashes.



5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	А	193/1291~(15%)	184 (95%)	9~(5%)	0	100 100
2	В	596/742~(80%)	588~(99%)	8 (1%)	0	100 100
All	All	789/2033~(39%)	772 (98%)	17 (2%)	0	100 100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentile	s
1	А	169/1115~(15%)	164 (97%)	5(3%)	36 62	
2	В	528/656~(80%)	523~(99%)	5 (1%)	75 85	
All	All	697/1771 (39%)	687 (99%)	10 (1%)	62 78	

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	374	PHE
1	А	375	PHE
1	А	386	LYS
1	А	462	LYS
1	А	498	ARG
2	В	38	ASP
2	В	39	LEU
2	В	45	LEU



Continued from previous page...

Mol	Chain	Res	Type
2	В	283	VAL
2	В	363	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	339	HIS
1	А	437	ASN
1	А	474	GLN
1	А	493	GLN
1	А	505	HIS
2	В	58	ASN
2	В	340	GLN
2	В	373	HIS
2	В	508	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

There are no ligands in this entry.

5.7 Other polymers (i)

There are no such residues in this entry.



5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

