



# Full wwPDB X-ray Structure Validation Report i

Apr 14, 2025 – 08:22 PM JST

PDB ID : 8Z63 / pdb\_00008z63  
Title : alpha-L-fucosidase from Pontiella sulfatireligans F21  
Authors : Zhao, P.; Bai, L.; Wang, S.  
Deposited on : 2024-04-18  
Resolution : 2.82 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>  
with specific help available everywhere you see the i symbol.

The types of validation reports are described at  
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	2.0rc1
EDS	:	3.0
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.006 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.42


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## X-RAY DIFFRACTION


The reported resolution of this entry is 2.82 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	164625	4293 (2.84-2.80)
Clashscore	180529	4801 (2.84-2.80)
Ramachandran outliers	177936	4739 (2.84-2.80)
Sidechain outliers	177891	4741 (2.84-2.80)
RSRZ outliers	164620	4295 (2.84-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



## 2 Entry composition (i)

There is only 1 type of molecule in this entry. The entry contains 5407 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Alpha-L-fucosidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	336	Total	C 2709	N 1740	O 456	S 504	9	0	0
1	B	334	Total	C 2698	N 1734	O 454	S 501	9	0	0


There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	368	HIS	-	expression tag	UNP A0A6C2UIZ6
A	369	HIS	-	expression tag	UNP A0A6C2UIZ6
A	370	HIS	-	expression tag	UNP A0A6C2UIZ6
A	371	HIS	-	expression tag	UNP A0A6C2UIZ6
A	372	HIS	-	expression tag	UNP A0A6C2UIZ6
A	373	HIS	-	expression tag	UNP A0A6C2UIZ6
B	368	HIS	-	expression tag	UNP A0A6C2UIZ6
B	369	HIS	-	expression tag	UNP A0A6C2UIZ6
B	370	HIS	-	expression tag	UNP A0A6C2UIZ6
B	371	HIS	-	expression tag	UNP A0A6C2UIZ6
B	372	HIS	-	expression tag	UNP A0A6C2UIZ6
B	373	HIS	-	expression tag	UNP A0A6C2UIZ6


### 3 Residue-property plots [\(i\)](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Alpha-L-fucosidase



- Molecule 1: Alpha-L-fucosidase



## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	52.06 Å   79.82 Å   89.72 Å 90.00°   98.85°   90.00°	Depositor
Resolution (Å)	47.80 – 2.82 47.80 – 2.82	Depositor EDS
% Data completeness (in resolution range)	94.8 (47.80-2.82) 94.8 (47.80-2.82)	Depositor EDS
$R_{merge}$	0.11	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) >$ <sup>1</sup>	2.35 (at 2.82 Å)	Xtriage
Refinement program	PHENIX (1.20.1_4487: ???)	Depositor
$R$ , $R_{free}$	0.216 , 0.275 0.224 , 0.251	Depositor DCC
$R_{free}$ test set	880 reflections (4.88%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	60.4	Xtriage
Anisotropy	0.289	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.37 , 56.4	EDS
L-test for twinning <sup>2</sup>	$<  L  > = 0.49$ , $< L^2 > = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	5407	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	64.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.41% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $< |L| >$ ,  $< L^2 >$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [\(i\)](#)

### 5.1 Standard geometry [\(i\)](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.37	0/2786	0.57	0/3770
1	B	0.30	0/2775	0.52	0/3755
All	All	0.33	0/5561	0.54	0/7525

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	189	GLY	Peptide

### 5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbit. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2709	0	2627	54	0
1	B	2698	0	2617	65	0
All	All	5407	0	5244	118	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (118) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:35:PRO:HD2	1:B:38:LEU:HD11	1.54	0.87
1:A:123:THR:HA	1:A:169:TYR:HB3	1.65	0.78
1:B:82:LEU:HA	1:B:193:PRO:HB3	1.67	0.77
1:B:125:ARG:NH2	1:B:171:SER:O	2.19	0.76
1:B:123:THR:HA	1:B:169:TYR:HB3	1.67	0.74
1:A:285:PRO:HG3	1:A:289:PHE:HB2	1.71	0.73
1:A:265:GLN:HB2	1:A:268:VAL:HG23	1.70	0.73
1:B:265:GLN:HB2	1:B:268:VAL:HG23	1.71	0.71
1:A:38:LEU:H	1:A:38:LEU:HD23	1.56	0.70
1:A:225:LEU:O	1:A:265:GLN:NE2	2.24	0.70
1:A:78:GLU:HG2	1:A:79:TRP:HD1	1.60	0.67
1:A:248:LYS:HG2	1:A:251:LEU:HD11	1.81	0.62
1:B:108:ILE:HG13	1:B:350:ILE:HD11	1.83	0.61
1:B:225:LEU:O	1:B:265:GLN:NE2	2.34	0.61
1:B:78:GLU:HG2	1:B:79:TRP:HD1	1.66	0.61
1:B:134:GLU:HB2	1:B:143:THR:HG21	1.84	0.60
1:A:256:GLU:OE1	1:A:256:GLU:N	2.28	0.59
1:A:180:HIS:HA	1:A:208:GLN:HG2	1.85	0.58
1:A:265:GLN:HB2	1:A:268:VAL:CG2	2.34	0.57
1:A:293:SER:HB3	1:A:297:LEU:HD21	1.87	0.57
1:B:137:TYR:CZ	1:B:219:ASN:HB3	2.41	0.56
1:A:134:GLU:HB2	1:A:143:THR:HG21	1.87	0.56
1:A:125:ARG:NH2	1:A:175:ASP:OD2	2.32	0.55
1:A:246:LYS:HA	1:A:249:LEU:HB2	1.88	0.55
1:B:315:ASP:OD1	1:B:351:HIS:NE2	2.39	0.54
1:A:58:LYS:HG2	1:A:296:PRO:HG3	1.90	0.54
1:B:65:PHE:HB3	1:B:341:ASN:HA	1.90	0.53
1:B:217:MET:O	1:B:221:ILE:HD12	2.08	0.53
1:A:225:LEU:HD11	1:A:261:ILE:HG23	1.89	0.53
1:B:285:PRO:HG3	1:B:289:PHE:HB2	1.90	0.52
1:B:39:LYS:HD3	1:B:40:ASP:H	1.74	0.52
1:A:137:TYR:CE2	1:A:219:ASN:HB3	2.44	0.52
1:B:277:ILE:HG13	1:B:279:THR:HG23	1.91	0.52
1:A:72:SER:O	1:A:346:PRO:HG3	2.09	0.52
1:A:38:LEU:HD23	1:A:38:LEU:N	2.24	0.51
1:A:95:GLU:HG3	1:A:145:SER:HB3	1.92	0.51
1:B:305:PRO:HG2	1:B:314:LEU:HD22	1.93	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:192:ARG:HD3	1:A:202:TYR:CE2	2.46	0.50
1:B:58:LYS:HG2	1:B:296:PRO:HG3	1.93	0.50
1:B:133:PHE:HB2	1:B:228:TYR:OH	2.12	0.50
1:B:345:LEU:HD11	1:B:351:HIS:CD2	2.47	0.50
1:B:182:PRO:HB3	1:B:187:TRP:CD1	2.47	0.50
1:B:256:GLU:OE1	1:B:256:GLU:N	2.38	0.50
1:B:265:GLN:HB2	1:B:268:VAL:CG2	2.41	0.50
1:A:109:THR:HG21	1:A:158:GLU:HB3	1.94	0.50
1:A:45:TYR:CD1	1:A:49:PRO:HA	2.47	0.49
1:A:176:TRP:CD1	1:A:192:ARG:HA	2.47	0.49
1:A:90:GLU:HA	1:A:93:LYS:HD2	1.95	0.49
1:B:41:TYR:CZ	1:B:56:TYR:HA	2.48	0.48
1:B:320:THR:HG22	1:B:322:ASP:H	1.78	0.48
1:B:149:ARG:NH2	1:B:154:GLU:OE1	2.42	0.48
1:B:62:PHE:CE1	1:B:338:LEU:HD23	2.49	0.48
1:B:317:LYS:NZ	1:B:317:LYS:HB3	2.28	0.48
1:A:186:ASP:O	1:A:245:ARG:NH1	2.46	0.48
1:A:255:GLN:NE2	1:A:259:ASP:OD1	2.46	0.48
1:B:184:ASN:OD1	1:B:192:ARG:HB2	2.14	0.48
1:B:108:ILE:CG1	1:B:350:ILE:HD11	2.44	0.47
1:B:158:GLU:HG3	1:B:162:LYS:HE3	1.95	0.47
1:B:55:GLN:O	1:B:59:GLU:HG3	2.13	0.47
1:B:102:ASN:HD22	1:B:347:ASP:HB2	1.80	0.47
1:B:143:THR:O	1:B:148:LYS:HA	2.14	0.47
1:A:222:THR:HG23	1:A:264:LEU:HD11	1.96	0.47
1:A:100:ALA:O	1:A:149:ARG:NH1	2.48	0.47
1:B:37:TYR:CZ	1:B:38:LEU:HD23	2.50	0.47
1:B:61:LYS:HA	1:B:61:LYS:HD2	1.59	0.47
1:A:37:TYR:CE1	1:A:38:LEU:HD22	2.50	0.46
1:A:82:LEU:HA	1:A:193:PRO:HB3	1.97	0.46
1:B:249:LEU:HD11	1:B:276:LEU:HD11	1.97	0.46
1:B:169:TYR:HA	1:B:235:TRP:HB3	1.98	0.46
1:A:305:PRO:O	1:A:306:TRP:HB2	2.15	0.46
1:A:248:LYS:HG2	1:A:251:LEU:CD1	2.44	0.46
1:A:321:ALA:O	1:A:325:MET:HG2	2.16	0.45
1:A:54:LEU:O	1:A:58:LYS:HG3	2.16	0.45
1:B:110:ASP:O	1:B:114:GLU:HG3	2.17	0.45
1:B:225:LEU:HD21	1:B:268:VAL:HG11	1.99	0.45
1:B:107:PHE:CE2	1:B:350:ILE:HD12	2.51	0.44
1:B:356:LYS:HB2	1:B:356:LYS:HE2	1.68	0.44
1:A:305:PRO:HG2	1:A:314:LEU:HD22	1.98	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:61:LYS:HA	1:A:61:LYS:HD2	1.74	0.44
1:A:285:PRO:HG2	1:A:299:PHE:HD1	1.83	0.44
1:A:186:ASP:HB2	1:A:187:TRP:CD1	2.52	0.44
1:A:123:THR:HG22	1:A:169:TYR:CG	2.53	0.44
1:A:303:LEU:HD23	1:A:303:LEU:HA	1.84	0.43
1:A:113:LEU:HG	1:A:164:LEU:HD11	2.00	0.43
1:B:259:ASP:O	1:B:263:SER:OG	2.35	0.43
1:B:310:TYR:CD2	1:B:346:PRO:HD3	2.52	0.43
1:A:54:LEU:HD13	1:A:54:LEU:HA	1.79	0.43
1:A:78:GLU:HG2	1:A:79:TRP:CD1	2.46	0.43
1:B:60:ALA:O	1:B:61:LYS:HB2	2.18	0.43
1:B:95:GLU:HG3	1:B:145:SER:HB2	2.00	0.43
1:B:111:MET:CE	1:B:350:ILE:HD13	2.48	0.43
1:B:206:GLU:H	1:B:206:GLU:CD	2.22	0.43
1:A:133:PHE:HB2	1:A:228:TYR:OH	2.19	0.43
1:B:74:LEU:HB3	1:B:76:ARG:HD3	2.01	0.43
1:B:324:VAL:HG11	1:B:361:VAL:HG21	2.01	0.42
1:A:283:LYS:HD2	1:A:293:SER:OG	2.19	0.42
1:B:303:LEU:HD23	1:B:303:LEU:HA	1.86	0.42
1:A:106:ASP:HB3	1:B:246:LYS:HG3	2.01	0.42
1:B:104:ASP:HB3	1:B:107:PHE:HB3	2.02	0.41
1:B:137:TYR:CE2	1:B:219:ASN:HB3	2.54	0.41
1:B:180:HIS:HA	1:B:208:GLN:CG	2.51	0.41
1:B:217:MET:O	1:B:220:GLN:N	2.54	0.41
1:B:292:THR:HG22	1:B:293:SER:H	1.85	0.41
1:A:37:TYR:CZ	1:A:38:LEU:HD22	2.55	0.41
1:A:35:PRO:HB2	1:A:38:LEU:CD2	2.51	0.41
1:B:105:ALA:O	1:B:109:THR:OG1	2.33	0.41
1:B:196:ASP:OD1	1:B:196:ASP:N	2.54	0.41
1:B:305:PRO:HG3	1:B:317:LYS:HZ2	1.85	0.41
1:B:55:GLN:NE2	1:B:59:GLU:OE2	2.51	0.41
1:B:36:SER:O	1:B:39:LYS:HG3	2.20	0.40
1:A:54:LEU:HD12	1:A:296:PRO:HG2	2.03	0.40
1:B:186:ASP:HB3	1:B:248:LYS:NZ	2.36	0.40
1:A:188:GLY:O	1:A:241:THR:HG23	2.21	0.40
1:A:273:LYS:HA	1:A:284:ALA:O	2.21	0.40
1:B:325:MET:HE1	1:B:361:VAL:HG13	2.04	0.40
1:A:38:LEU:HD11	1:A:45:TYR:CE1	2.57	0.40
1:A:305:PRO:HG2	1:A:314:LEU:HD13	2.04	0.40
1:B:312:LYS:HD2	1:B:312:LYS:O	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [\(i\)](#)

### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	334/373 (90%)	315 (94%)	18 (5%)	1 (0%)	37 65
1	B	332/373 (89%)	314 (95%)	18 (5%)	0	100 100
All	All	666/746 (89%)	629 (94%)	36 (5%)	1 (0%)	44 71

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	305	PRO

### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	285/315 (90%)	263 (92%)	22 (8%)	10 30
1	B	284/315 (90%)	263 (93%)	21 (7%)	11 32
All	All	569/630 (90%)	526 (92%)	43 (8%)	11 31

All (43) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	37	TYR
1	A	39	LYS
1	A	50	ARG
1	A	54	LEU
1	A	55	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	61	LYS
1	A	62	PHE
1	A	65	PHE
1	A	72	SER
1	A	90	GLU
1	A	101	LYS
1	A	135	SER
1	A	177	ARG
1	A	203	LYS
1	A	206	GLU
1	A	207	ASP
1	A	272	TYR
1	A	273	LYS
1	A	287	ARG
1	A	290	LYS
1	A	294	ASP
1	A	301	ASP
1	B	38	LEU
1	B	39	LYS
1	B	40	ASP
1	B	62	PHE
1	B	65	PHE
1	B	72	SER
1	B	82	LEU
1	B	85	LYS
1	B	101	LYS
1	B	109	THR
1	B	129	SER
1	B	136	LYS
1	B	145	SER
1	B	196	ASP
1	B	231	VAL
1	B	239	VAL
1	B	263	SER
1	B	272	TYR
1	B	279	THR
1	B	307	LYS
1	B	334	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	102	ASN

### 5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [\(i\)](#)

There are no oligosaccharides in this entry.

### 5.6 Ligand geometry [\(i\)](#)

There are no ligands in this entry.

### 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [\(i\)](#)

### 6.1 Protein, DNA and RNA chains [\(i\)](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	336/373 (90%)	0.04	4 (1%) 76 70	30, 59, 89, 111	0
1	B	334/373 (89%)	0.17	6 (1%) 67 60	30, 66, 91, 110	0
All	All	670/746 (89%)	0.11	10 (1%) 71 65	30, 63, 89, 111	0

All (10) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	189	GLY	4.4
1	B	38	LEU	3.3
1	B	334	MET	2.6
1	A	32	SER	2.6
1	A	33	ALA	2.4
1	A	292	THR	2.4
1	A	291	GLY	2.4
1	B	188	GLY	2.3
1	B	367	ALA	2.2
1	B	37	TYR	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [\(i\)](#)

There are no ligands in this entry.

## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.