

wwPDB EM Validation Summary Report (i)

Jan 14, 2025 – 08:26 PM JST

PDB ID	:	8ZK2
EMDB ID	:	EMD-60165
Title	:	Cryo-EM structure of photosynthetic LH1-RC core complex of Roseospirillum
		parvum
Authors	:	Wang, GL.; Wang, XP.; Yu, LJ.
Deposited on	:	2024-05-15
Resolution	:	2.65 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/EMValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

EMDB validation analysis	:	0.0.1.dev113
Mogul	:	1.8.5 (274361), CSD as541be (2020)
MolProbity	:	4.02b-467
buster-report	:	1.1.7(2018)
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ	:	1.9.13
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.40

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $ELECTRON\ MICROSCOPY$

The reported resolution of this entry is 2.65 Å.

Sidechain outliers

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.

Metric	Percentile Ran	ks Value
Ramachandran outliers		0
Sidechain outliers		0.1%
Worse		Better
Percenti	le relative to all structures	
Dercenti	le relative to all EM structures	
	Whole archive	EM structuros
Metric	whole archive	Envi structures
	(#Entries)	(#Entries)
Ramachandran outliers	207382	16835

206894

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for $\geq=3, 2, 1$ and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq=5\%$ The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion < 40%). The numeric value is given above the bar.

16415

Mol	Chain	Length	Quality of chain	
1	С	362	10%	6%
2	L	275	6% 	
3	М	323	89%	11%
4	Н	254	96%	•
5	В	68	72%	28%
5	D	68	72%	28%
5	F	68	72%	28%
5	Ι	68	72%	28%
5	Κ	68	72%	28%



Continued from previous page... Chain Length Quality of chain Mol 10% Ο 568 72% 28% 12% Q 568 72% 28% 7% 5 \mathbf{S} 68 72% 28% 9% U 68 572% 28% 6% W 568 72% 28% 21% 5Υ 68 72% 28% 568 \mathbf{a} 72% 28% 18% 568 \mathbf{c} 72% 28% 9% 68 5е 72% 28% 10% 568 g 72% 28% 5i 68 72% 28% 12% 676 А 79% 21% 6 Е 6779% 21% ÷ \mathbf{G} 6 67 79% 21% • J 6 6779% 21% **.** 6 Ν 67 79% 21% 6% Р 66779% 21% R 6 6779% 21% Т 6 67 79% 21% V 676 79% 21% Х 6 67 79% 21% 12% Ζ 676 69% 31% \mathbf{b} 676 79% 21% 7% d 676 79% 21% ÷ 6 f 67 21% 79%



Mol	Chain	Length	Quality of chain							
6	h	67	79%	21%						
6	j	67	79%	21%						



2 Entry composition (i)

There are 16 unique types of molecules in this entry. The entry contains 26948 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Photosynthetic reaction center cytochrome c subunit.

Mol	Chain	Residues		At	AltConf	Trace			
1	С	342	Total 2618	C 1646	N 446	O 501	$\begin{array}{c} \mathrm{S} \\ \mathrm{25} \end{array}$	0	0

• Molecule 2 is a protein called Reaction center protein L chain.

Mol	Chain	Residues		At	AltConf	Trace			
2	L	273	Total 2163	C 1458	N 344	O 350	S 11	0	0

• Molecule 3 is a protein called Reaction center protein M chain.

Mol	Chain	Residues		At	AltConf	Trace			
3	М	287	Total 2269	C 1514	N 369	O 376	S 10	0	0

• Molecule 4 is a protein called Photosynthetic reaction center H subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	Н	245	Total 1906	C 1214	N 327	O 357	S 8	0	0

• Molecule 5 is a protein called Beta subunit of light-harvesting 1 complex.

Mol	Chain	Residues		Ato	\mathbf{ms}		AltConf	Trace	
5	5 B	49	Total	С	Ν	0	\mathbf{S}	0	0
<u>о</u> р	49	377	248	62	65	2	0	0	
F	Л	40	Total	С	Ν	0	S	0	0
5 D	49	377	248	62	65	2	0	0	
F	F	40	Total	С	Ν	0	S	0	0
D F	49	377	248	62	65	2	0	0	
Б	г т	49	Total	С	Ν	Ο	S	0	0
С	1		377	248	62	65	2		U



Mol	Chain	Residues		Atc	oms			AltConf	Trace
F	IZ.	40	Total	С	Ν	Ο	S	0	0
0	n	49	377	248	62	65	2	0	0
F	0	40	Total	С	Ν	Ο	S	0	0
0	0	49	377	248	62	65	2	0	0
E E	0	40	Total	С	Ν	Ο	S	0	0
0	Q	49	377	248	62	65	2	0	0
5	C	40	Total	С	Ν	Ο	S	0	0
0	G	49	377	248	62	65	2	0	0
5	T	40	Total	С	Ν	0	S	0	0
5	U	49	377	248	62	65	2	0	0
5	W	40	Total	С	Ν	0	S	0	0
0	vv	43	377	248	62	65	2	0	0
5	v	40	Total	С	Ν	Ο	\mathbf{S}	0	0
0	L	43	377	248	62	65	2		
5	9	49	Total	С	Ν	Ο	\mathbf{S}	0	0
0	a	45	377	248	62	65	2	0	0
5	C	49	Total	С	Ν	Ο	\mathbf{S}	0	0
	C	-10	377	248	62	65	2	0	0
5	ρ	49	Total	\mathbf{C}	Ν	Ο	\mathbf{S}	0	0
0	C	45	377	248	62	65	2	0	0
5	ď	49	Total	\mathbf{C}	Ν	Ο	\mathbf{S}	0	0
0	U g	49	377	248	62	65	2	0	0
5	5 i	49	Total	\mathbf{C}	Ν	Ο	S	0	0
	1		377	248	62	65	2		

• Molecule 6 is a protein called Alpha subunit of light-harvesting 1 complex.

Mol	Chain	Residues		Atc	\mathbf{ms}			AltConf	Trace	
6	Λ	53	Total	С	Ν	0	S	0	0	
0	Л		424	283	71	67	3	0	0	
6 E	53	Total	С	Ν	Ο	S	0	0		
		424	283	71	67	3	0	0		
6	G	С	53	Total	С	Ν	Ο	\mathbf{S}	0	0
0 G		424	283	71	67	3	0	0		
6	c I	53	Total	С	Ν	Ο	\mathbf{S}	0	0	
0	J		424	283	71	67	3	0	0	
6	Ν	53	Total	С	Ν	Ο	S	0	0	
0	11		424	283	71	67	3	0	0	
6	P	53	Total	С	Ν	0	S	0	0	
0 1	55	424	283	71	67	3	0	0		
6 D	В	53	Total	С	Ν	0	S	0	0	
	π	บบ	424	283	71	67	3	U	U	



Mol	Chain	Residues		Atc	ms			AltConf	Trace
6	Т	52	Total	С	Ν	0	S	0	0
0	1		424	283	71	67	3	0	0
6	V	53	Total	С	Ν	Ο	\mathbf{S}	0	0
0	• •		424	283	71	67	3	0	0
6	x	53	Total	С	Ν	Ο	\mathbf{S}	0	0
0	Λ		424	283	71	67	3	0	0
6	Z	46	Total	С	Ν	Ο	\mathbf{S}	0	0
0		40	369	248	63	56	2	0	0
6	h	53	Total	С	Ν	Ο	\mathbf{S}	0	0
0	D		424	283	71	67	3	0	Ŭ
6	d	53	Total	С	Ν	Ο	\mathbf{S}	0	0
0	u		424	283	71	67	3	0	0
6	f	53	Total	С	Ν	Ο	\mathbf{S}	0	0
	1		424	283	71	67	3	0	0
6	h	53	Total	С	Ν	Ο	\mathbf{S}	0	0
	0 11	55	424	283	71	67	3	0	0
6	i	53	Total	\mathbf{C}	Ν	Ο	S	0	0
	J	00	424	283	71	67	3		0

• Molecule 7 is HEME C (three-letter code: HEC) (formula: $C_{34}H_{34}FeN_4O_4$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
7	С	1	Total	С	Fe	Ν	Ο	0
1		1	43	34	1	4	4	0
7	C	1	Total	С	Fe	Ν	Ο	0
1	U	1	43	34	1	4	4	0



Mol	Chain	Residues	Atoms					AltConf
7	C	1	Total	С	Fe	Ν	Ο	0
	T	43	34	1	4	4	0	
7	C	1	Total	С	Fe	Ν	Ο	0
1			43	34	1	4	4	

• Molecule 8 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	AltConf
8	С	3	Total Mg 3 3	0
8	Н	1	Total Mg 1 1	0

• Molecule 9 is (1R)-2-{[[(2S)-2,3-DIHYDROXYPROPYL]OXY}(HYDROXY)PHOSPHO RYL]OXY}-1-[(PALMITOYLOXY)METHYL]ETHYL (11E)-OCTADEC-11-ENOATE (three-letter code: PGV) (formula: $C_{40}H_{77}O_{10}P$).



Mol	Chain	Residues	Atoms	AltConf
9	С	1	Total C O P 38 27 10 1	0
9	L	1	Total C O 22 17 5	0
9	М	1	Total C O P 46 37 8 1	0
9	М	1	Total C O P 42 33 8 1	0



Continued from previous page...

Mol	Chain	Residues	Atom	s	AltConf
0	Ц	1	Total C	O P	0
9	11	1	51 40	10 1	0
0	Ц	1	Total C	O P	0
9	11	1	51 40	10 1	0
0	0 D	1	Total C	O P	0
9	n	1	51 40	10 1	0
0	7	1	Total C	O P	0
9		I	42 31	10 1	0

Mol	Chain	Residues	Atoms	AltConf
10	С	1	Total C 16 16	0
10	L	1	Total C 15 15	0
10	L	1	Total C 18 18	0
10	L	1	Total C 18 18	0
10	L	1	Total C 18 18	0
10	L	1	Total C 18 18	0
10	М	1	Total C 18 18	0

Mol	Chain	Residues	Atoms	AltConf
10	Ц	1	Total C	0
10	п	1	17 17	0
10	Ц	1	Total C	0
10	11	1	18 18	0
10	н	1	Total C	0
10	11	1	18 18	0
10	н	1	Total C	0
10	11	I	15 15	0
10	I	1	Total C	0
10	0	1	13 13	0
10	I	1	Total C	0
10	0	1	18 18	0
10	Ν	1	Total C	0
10	11	Ŧ	18 18	0
10	Р	1	Total C	0
10	1	Ŧ	18 18	0
10	V	1	Total C	0
10	•	1	18 18	0
10	V	1	Total C	0
10	v	I	18 18	0
10	x	1	Total C	0
10	Λ	1	18 18	0
10	d	1	Total C	0
10	u	1	18 18	0
10	f	1	Total C	0
10	1	1	18 18	
10	i	1	Total $\overline{\mathbf{C}}$	0
10	J	1	18 18	
10	i	1	Total C	0
10	J	L	18 18	

Continued from previous page...

• Molecule 11 is BACTERIOCHLOROPHYLL A (three-letter code: BCL) (formula: C₅₅H₇₄MgN₄O₆) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues		At	oms			AltConf
11	т	1	Total	С	Mg	Ν	0	0
	L	1	66	55	1	4	6	0
11	т	1	Total	С	Mg	Ν	0	0
		1	66	55	1	4	6	0
11	М	1	Total	С	Mg	Ν	0	0
	111	1	66	55	1	4	6	0
11	М	1	Total	С	Mg	Ν	0	0
	111	1	66	55	1	4	6	0
11	Р	1	Total	С	Mg	Ν	0	0
	D	1	66	55	1	4	6	0
11	Δ	1	Total	С	Mg	Ν	0	0
11	A	1	66	55	1	4	6	0
11	Δ	1	Total	С	Mg	Ν	Ο	0
	A	1	66	55	1	4	6	0
11	Л	1	Total	С	Mg	Ν	0	0
	D	1	66	55	1	4	6	0
11	F	1	Total	С	Mg	Ν	0	0
	Ľ	1	66	55	1	4	6	0
11	Б	1	Total	С	Mg	Ν	0	0
11	E	1	66	55	1	4	6	0
11	Б	1	Total	С	Mg	Ν	0	0
	Г	1	66	55	1	4	6	0
11	C	1	Total	С	Mg	Ν	0	0
	G	1	66	55	1	4	6	0
11	С	1	Total	С	Mg	Ν	Ο	0
	G	1	66	55	1	4	6	0
11	Т	1	Total	С	Mg	Ν	Ο	0
11	L	L	66	55	1	4	6	U

Continued from previous page...

Mol	Chain	Residues		At	oms			AltConf
11	т	1	Total	С	Mg	Ν	Ο	0
	J	1	66	55	1	4	6	0
11	т	1	Total	С	Mg	Ν	0	0
	J	1	66	55	1	4	6	0
11	IZ.	1	Total	С	Mg	Ν	0	0
	n	1	66	55	1	4	6	0
11	N	1	Total	С	Mg	Ν	0	0
	IN	1	66	55	1	4	6	0
11	N	1	Total	С	Mg	Ν	0	0
11	IN	1	66	55	1	4	6	0
11	0	1	Total	С	Mg	Ν	0	0
11	0	1	66	55	1	4	6	0
11	р	1	Total	С	Mg	Ν	Ο	0
11	Г	1	66	55	1	4	6	0
11	р	1	Total	С	Mg	Ν	Ο	0
	Г	1	66	55	1	4	6	0
11	0	1	Total	С	Mg	Ν	Ο	0
	Q	1	66	55	1	4	6	0
11	р	1	Total	С	Mg	Ν	Ο	0
	ĸ	1	66	55	1	4	6	0
11	р	1	Total	С	Mg	Ν	0	0
	ĸ	1	66	55	1	4	6	0
11	C	1	Total	С	Mg	Ν	Ο	0
	S	1	66	55	1	4	6	0
11	Т	1	Total	С	Mg	Ν	Ο	0
	1	1	66	55	1	4	6	0
11	Т	1	Total	С	Mg	Ν	0	0
11	1	1	66	55	1	4	6	0
11	II	1	Total	С	Mg	Ν	0	0
	U	1	66	55	1	4	6	0
11	V	1	Total	С	Mg	Ν	0	0
11	v	1	66	55	1	4	6	0
11	V	1	Total	С	Mg	Ν	0	0
11	v	1	66	55	1	4	6	0
11	W	1	Total	С	Mg	Ν	0	0
	vv	1	66	55	1	4	6	0
11	v	1	Total	С	Mg	Ν	Ο	0
		1	66	55	1	4	6	U
11	v	1	Total	С	Mg	Ν	0	Ο
	Λ	L	66	55	1	4	6	U
11	V	1	Total	С	Mg	Ν	0	0
	ľ	1	66	55	1	4	6	U

Mol	Chain	Residues	5	At	oms			AltConf
1.1	7	1	Total	С	Mg	Ν	Ο	0
	Z	1	66	55	1	4	6	0
11		1	Total	С	Mg	Ν	Ο	0
	a	1	66	55	1	4	6	0
11	h	1	Total	С	Mg	Ν	0	0
	D	1	66	55	1	4	6	0
11	h	1	Total	С	Mg	Ν	0	0
	D	1	66	55	1	4	6	0
11	0	1	Total	С	Mg	Ν	Ο	0
	C	1	66	55	1	4	6	0
11	d	1	Total	С	Mg	Ν	0	0
	u	1	66	55	1	4	6	0
11	d	1	Total	С	Mg	Ν	0	0
	u	1	66	55	1	4	6	0
11	0	1	Total	С	Mg	Ν	0	0
11	е	1	66	55	1	4	6	0
11	f	1	Total	С	Mg	Ν	Ο	0
11	1	1	66	55	1	4	6	0
11	f	1	Total	С	Mg	Ν	Ο	0
11	1	1	66	55	1	4	6	0
11	ď	1	Total	С	Mg	Ν	Ο	0
11	g	1	66	55	1	4	6	0
11	h	1	Total	С	Mg	Ν	Ο	0
11	11	T	66	55	1	4	6	0
11	h	1	Total	С	Mg	Ν	Ο	0
11	11	1	66	55	1	4	6	0
11	i	1	Total	С	Mg	Ν	Ο	0
11	I	1	66	55	1	4	6	0
11	i	1	Total	С	Mg	Ν	Ο	0
	J	1	66	55	1	4	6	U
11	i	1	Total	\mathbf{C}	Mg	N	0	0
11	J	L	66	55	1	4	6	U

Continued from previous page...

• Molecule 12 is BACTERIOPHEOPHYTIN A (three-letter code: BPH) (formula: $C_{55}H_{76}N_4O_6$) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms				AltConf
19	т	1	Total	С	Ν	Ο	0
12	L	1	65	55	4	6	0
19	М	1	Total	С	Ν	Ο	0
12	1/1	L	65	55	4	6	U

• Molecule 13 is DODECYL-BETA-D-MALTOSIDE (three-letter code: LMT) (formula: $\rm C_{24}H_{46}O_{11}).$

Mol	Chain	Residues	Atoms	AltConf
13	L	1	Total C O 32 21 11	0

• Molecule 14 is FE (III) ION (three-letter code: FE) (formula: Fe) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	AltConf
14	М	1	Total Fe 1 1	0

• Molecule 15 is MENAQUINONE 8 (three-letter code: MQ8) (formula: $C_{51}H_{72}O_2$) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	AltConf
15	М	1	Total C O 53 51 2	0

• Molecule 16 is SPIRILLOXANTHIN (three-letter code: CRT) (formula: $C_{42}H_{60}O_2$) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	AltConf	
16	М	1	Total C O	0	
10	IVI	1	44 42 2	0	
16	В	1	Total C O	0	
10	D	1	44 42 2	0	
16	Δ	1	Total C O	0	
10	Π	T	44 42 2	0	
16	E	1	Total C O	0	
10	Ľ	1	44 42 2	0	
16	Т	1	Total C O	0	
10	1	I	44 42 2	0	
16	K	1	Total C O	0	
10	11	I	44 42 2	0	
16	Ν	Ν	1	Total C O	0
10			44 42 2	0	
16	Р	Р	1	Total C O	0
10	-	1	44 42 2	0	
16	В	R	1	Total C O	0
10	10	1	44 42 2	0	
16	U	1	Total C O	0	
10	Ŭ	1	44 42 2	0	
16	W	1	Total C O	0	
	••	1	44 42 2	0	
16	Y	1	Total C O	0	
10	-	1	44 42 2	0	
16	Z	1	Total C O	0	
		*	44 42 2	Ŭ,	
16	a	1	Total C O	0	
10	a		44 42 2		

Continued from previous page...

Mol	Chain	Residues	Atoms	AltConf
16	е	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 44 & 42 & 2 \end{array}$	0
16	i	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 44 & 42 & 2 \end{array}$	0
16	j	1	Total C O 44 42 2	0

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Photosynthetic reaction center cytochrome c subunit

• Molecule 5: Be	ta subunit of light-harvesting 1 complex	
Chain g:	72%	28%
MET ALA THR THR THR ASN VAL SIO SIO THR SIO	EIS WET ALA ALA ALA ALA ALA	
• Molecule 5: Be	ta subunit of light-harvesting 1 complex	
Chain i:	72%	28%
MET ALA THR THR THR ASN VAL VAL THR T11 C11	V57 ASP ASP ASP ALA ALA GLM DHE LEU LEU ALA	
• Molecule 6: Alp	pha subunit of light-harvesting 1 complex	
Chain A:	79%	21%
M1 84 84 84 81 81 81 816	A20 A51 A51 A51 A52 K53 A1A A1A A1A A1A A1A A1A A1A A1A A1A A1	
• Molecule 6: Alp	pha subunit of light-harvesting 1 complex	
Chain E:	79%	21%
M1 84 813 813 815 815 ALA ALA ALA ALA ALA	ALA VAL THR PRO PRO VAL ALA ALA	
• Molecule 6: Alj	pha subunit of light-harvesting 1 complex	
Chain G:	79%	21%
M1 R15 R53 A51 A53 A1A A1A A1A A1A A1A A1A	VAL THR MET PRO VAL ASN PRO PRO ALA	
• Molecule 6: Alp	pha subunit of light-harvesting 1 complex	
Chain J:	79%	21%
	「「「「「」」を見ていた。	
M1 K7 K7 K7 K15 A51 A51 A51 A53 A1A ALA	$\mathbf{A} \mathbf{A} \mathbf{V} \mathbf{H} \Sigma \mathbf{U} \mathbf{V} \mathbf{A} \mathbf{U} \mathbf{V} \mathbf{A}$	
• Molecule 6: Al	pha subunit of light-harvesting 1 complex	
• Molecule 6: Alj Chain N:	pha subunit of light-harvesting 1 complex	21%

WORLDWIDE PROTEIN DATA BANK

• Molecule 6: Alpha subunit of light-harvesting 1 complex

Chain b:	79%	21%
M1 451 453 K53 K53 ALA ALA ALA ALA ALA	VAL THR MET PRO VAL ASN PRO VAL ALA	
• Molecule 6:	Alpha subunit of light-harvesting 1 complex	
Chain d:	79%	21%
M1 S4 M7 D13	T52 T52 ALA ALA ALA ALA ALA ALA PRO PRO PRO ALA	
• Molecule 6:	Alpha subunit of light-harvesting 1 complex	
Chain f:	79%	21%
M1 R15 K53 ALA ALA ALA ALA	ALA VAL TTRR PRC PRC VAL ASM ALA ALA	
• Molecule 6:	Alpha subunit of light-harvesting 1 complex	
Chain h:	79%	21%
M1 54 815 815 815 451 752 K53	ALA ALA ALA ALA ALA ALA VAL PRO PRO PRO VAL VAL VAL	
• Molecule 6:	Alpha subunit of light-harvesting 1 complex	
Chain j:	79%	21%
M1 R15 A51 T52 K153 ALA ALA	ALA ALA ALA THR PRO PRO PRO ASN ALA ALA	

4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	281288	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING ONLY	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose $(e^-/\text{\AA}^2)$	61.6	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	2400	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	3.289	Depositor
Minimum map value	-1.682	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.065	Depositor
Recommended contour level	0.562	Depositor
Map size (Å)	374.4, 374.4, 374.4	wwPDB
Map dimensions	360, 360, 360	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.04, 1.04, 1.04	Depositor

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: BCL, LMT, PGV, 8K6, MG, HEC, FE, BPH, MQ8, CRT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond lengths		Bond angles		
	Unam	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	С	0.27	0/2693	0.48	0/3681	
2	L	0.31	0/2250	0.46	0/3075	
3	М	0.30	0/2357	0.46	0/3230	
4	Н	0.28	0/1952	0.52	0/2658	
5	В	0.26	0/392	0.41	0/537	
5	D	0.26	0/392	0.39	0/537	
5	F	0.26	0/392	0.40	0/537	
5	Ι	0.26	0/392	0.44	0/537	
5	Κ	0.26	0/392	0.41	0/537	
5	0	0.25	0/392	0.38	0/537	
5	Q	0.27	0/392	0.39	0/537	
5	S	0.27	0/392	0.41	0/537	
5	U	0.27	0/392	0.39	0/537	
5	W	0.27	0/392	0.45	0/537	
5	Y	0.24	0/392	0.36	0/537	
5	a	0.26	0/392	0.40	0/537	
5	с	0.26	0/392	0.39	0/537	
5	е	0.27	0/392	0.41	0/537	
5	g	0.25	0/392	0.39	0/537	
5	i	0.26	0/392	0.39	0/537	
6	А	0.31	0/437	0.50	0/595	
6	Ε	0.31	0/437	0.46	0/595	
6	G	0.27	0/437	0.43	0/595	
6	J	0.26	0/437	0.47	0/595	
6	Ν	0.27	0/437	0.44	0/595	
6	Р	$0.\overline{26}$	$0/\overline{437}$	0.45	$0/\overline{595}$	
6	R	0.26	0/437	0.44	0/595	
6	Т	$0.\overline{25}$	0/437	0.43	0/595	
6	V	0.25	0/437	0.43	0/595	
6	Х	0.26	0/437	0.44	0/595	
6	Ζ	0.27	0/381	0.45	0/520	
6	b	$0.\overline{27}$	0/437	0.44	0/595	

Mal	Chain	Bond lengths		Bond angles	
		RMSZ	# Z > 5	RMSZ	# Z > 5
6	d	0.25	0/437	0.46	0/595
6	f	0.26	0/437	0.44	0/595
6	h	0.26	0/437	0.43	0/595
6	j	0.27	0/437	0.45	0/595
All	All	0.27	0/22460	0.45	0/30681

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	С	340/362~(94%)	325~(96%)	15 (4%)	0	100	100
2	L	271/275~(98%)	265~(98%)	6 (2%)	0	100	100
3	М	285/323~(88%)	277 (97%)	8 (3%)	0	100	100
4	Н	241/254~(95%)	237~(98%)	4 (2%)	0	100	100
5	В	47/68~(69%)	47 (100%)	0	0	100	100
5	D	47/68~(69%)	47 (100%)	0	0	100	100
5	F	47/68~(69%)	46 (98%)	1 (2%)	0	100	100
5	Ι	47/68~(69%)	45 (96%)	2 (4%)	0	100	100
5	K	47/68~(69%)	45 (96%)	2 (4%)	0	100	100

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
5	Ο	47/68~(69%)	45 (96%)	2~(4%)	0	100	100
5	Q	47/68~(69%)	46 (98%)	1 (2%)	0	100	100
5	S	47/68~(69%)	46 (98%)	1 (2%)	0	100	100
5	U	47/68~(69%)	46 (98%)	1 (2%)	0	100	100
5	W	47/68~(69%)	46 (98%)	1 (2%)	0	100	100
5	Y	47/68~(69%)	45 (96%)	2(4%)	0	100	100
5	a	47/68~(69%)	47 (100%)	0	0	100	100
5	с	47/68~(69%)	47 (100%)	0	0	100	100
5	е	47/68~(69%)	45 (96%)	2(4%)	0	100	100
5	g	47/68~(69%)	46 (98%)	1 (2%)	0	100	100
5	i	47/68~(69%)	46 (98%)	1 (2%)	0	100	100
6	А	51/67~(76%)	50 (98%)	1 (2%)	0	100	100
6	Е	51/67~(76%)	51 (100%)	0	0	100	100
6	G	51/67~(76%)	51 (100%)	0	0	100	100
6	J	51/67~(76%)	51 (100%)	0	0	100	100
6	Ν	51/67~(76%)	51 (100%)	0	0	100	100
6	Р	51/67~(76%)	51 (100%)	0	0	100	100
6	R	51/67~(76%)	51 (100%)	0	0	100	100
6	Т	51/67~(76%)	51 (100%)	0	0	100	100
6	V	51/67~(76%)	51 (100%)	0	0	100	100
6	Х	51/67~(76%)	51 (100%)	0	0	100	100
6	Z	44/67~(66%)	43 (98%)	1 (2%)	0	100	100
6	b	51/67~(76%)	51 (100%)	0	0	100	100
6	d	51/67~(76%)	51 (100%)	0	0	100	100
6	f	51/67~(76%)	51 (100%)	0	0	100	100
6	h	51/67~(76%)	50 (98%)	1 (2%)	0	100	100
6	j	51/67~(76%)	51 (100%)	0	0	100	100
All	All	2698/3374~(80%)	2645 (98%)	53 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	\mathbf{C}	278/296~(94%)	277~(100%)	1 (0%)	89	95
2	L	218/219~(100%)	216 (99%)	2 (1%)	75	87
3	М	225/254~(89%)	225 (100%)	0	100	100
4	Н	200/202~(99%)	200 (100%)	0	100	100
5	В	35/51~(69%)	35 (100%)	0	100	100
5	D	35/51~(69%)	35 (100%)	0	100	100
5	F	35/51~(69%)	35 (100%)	0	100	100
5	Ι	35/51~(69%)	35 (100%)	0	100	100
5	К	35/51~(69%)	35 (100%)	0	100	100
5	О	35/51~(69%)	35 (100%)	0	100	100
5	Q	35/51~(69%)	35 (100%)	0	100	100
5	S	35/51~(69%)	35 (100%)	0	100	100
5	U	35/51~(69%)	35 (100%)	0	100	100
5	W	35/51~(69%)	35 (100%)	0	100	100
5	Y	35/51~(69%)	35 (100%)	0	100	100
5	a	35/51~(69%)	35 (100%)	0	100	100
5	с	35/51~(69%)	35 (100%)	0	100	100
5	е	35/51~(69%)	35 (100%)	0	100	100
5	g	35/51~(69%)	35 (100%)	0	100	100
5	i	35/51~(69%)	35 (100%)	0	100	100
6	А	45/53~(85%)	45 (100%)	0	100	100
6	Е	45/53~(85%)	45 (100%)	0	100	100
6	G	45/53~(85%)	45 (100%)	0	100	100
6	J	45/53~(85%)	45 (100%)	0	100	100
6	Ν	45/53~(85%)	45 (100%)	0	100	100
6	Р	45/53~(85%)	45 (100%)	0	100	100

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
6	R	45/53~(85%)	45 (100%)	0	100	100
6	Т	45/53~(85%)	45 (100%)	0	100	100
6	V	45/53~(85%)	45 (100%)	0	100	100
6	Х	45/53~(85%)	45 (100%)	0	100	100
6	Z	38/53~(72%)	38~(100%)	0	100	100
6	b	45/53~(85%)	45 (100%)	0	100	100
6	d	45/53~(85%)	45~(100%)	0	100	100
6	f	45/53~(85%)	45 (100%)	0	100	100
6	h	45/53~(85%)	45~(100%)	0	100	100
6	j	45/53~(85%)	45 (100%)	0	100	100
All	All	2194/2635 (83%)	2191 (100%)	3 (0%)	92	97

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	С	260	TYR
2	L	168	HIS
2	L	274	TRP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
2	L	146	HIS
4	Н	232	GLN
4	Н	253	ASN
6	Т	39	HIS

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

Of 111 ligands modelled in this entry, 5 are monoatomic - leaving 106 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Iol Type Chain Be		Bos	Link	B	ond leng	gths	Bond angles			
WIOI	Type	Ullalli	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2	
11	BCL	d	101	-	64,74,74	1.75	14 (21%)	78,115,115	2.42	23 (29%)	
10	8K6	J	104	-	17,17,17	0.07	0	16,16,16	0.11	0	
10	8K6	V	104	-	17,17,17	0.09	0	16,16,16	0.07	0	
10	8K6	Н	305	-	17,17,17	0.09	0	16,16,16	0.10	0	
11	BCL	е	101	-	64,74,74	1.75	11 (17%)	78,115,115	2.15	20 (25%)	
10	8K6	f	103	-	17,17,17	0.08	0	16,16,16	0.10	0	
10	8K6	Р	104	-	$17,\!17,\!17$	0.09	0	16,16,16	0.10	0	
13	LMT	L	408	-	33,33,36	0.39	0	44,44,47	0.78	1 (2%)	
10	8K6	V	103	-	17,17,17	0.08	0	16,16,16	0.07	0	
11	BCL	Q	101	-	64,74,74	1.74	12 (18%)	78,115,115	2.06	22 (28%)	
11	BCL	J	102	6	64,74,74	1.67	11 (17%)	78,115,115	2.33	25 (32%)	
11	BCL	Ε	101	-	64,74,74	1.75	16 (25%)	78,115,115	2.45	22 (28%)	
16	CRT	В	102	-	41,43,43	1.92	12 (29%)	50,54,54	1.68	12 (24%)	
16	CRT	е	102	-	41,43,43	1.93	12 (29%)	50,54,54	1.67	13 (26%)	
10	8K6	С	509	-	$15,\!15,\!17$	0.09	0	14,14,16	0.11	0	
11	BCL	R	102	6	64,74,74	1.68	13 (20%)	78,115,115	2.32	21 (26%)	
9	PGV	С	508	-	37,37,50	1.06	2 (5%)	40,43,56	1.19	3 (7%)	
11	BCL	f	102	6	64,74,74	1.66	11 (17%)	78,115,115	2.26	19 (24%)	
11	BCL	W	101	-	64,74,74	1.74	13 (20%)	78,115,115	2.10	20 (25%)	
16	CRT	К	102	-	41,43,43	1.96	12 (29%)	50,54,54	1.73	14 (28%)	
16	CRT	W	102	-	41,43,43	1.91	12 (29%)	50,54,54	1.63	13 (26%)	
10	8K6	М	409	-	$17,\!17,\!17$	0.07	0	16,16,16	0.10	0	
11	BCL	с	101	-	64,74,74	1.73	12 (18%)	78,115,115	2.14	20 (25%)	
11	BCL	J	101	-	64,74,74	1.76	14 (21%)	78,115,115	2.36	22 (28%)	

Mal	Turne	Chain	Dec	Tink	B	ond leng	gths	Bo	ond ang	es
IVI01	туре	Chain	nes	LIIIK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2
16	CRT	Ε	103	-	41,43,43	1.90	12 (29%)	$50,\!54,\!54$	1.87	16 (32%)
11	BCL	G	102	6	64,74,74	1.65	12 (18%)	78,115,115	2.22	21 (26%)
10	8K6	J	103	-	$12,\!12,\!17$	0.08	0	11,11,16	0.10	0
7	HEC	С	504	1	$32,\!50,\!50$	2.14	3 (9%)	24,82,82	1.47	2 (8%)
11	BCL	j	103	6	64,74,74	1.69	13 (20%)	78,115,115	2.30	21 (26%)
11	BCL	М	402	-	64,74,74	1.73	13 (20%)	78,115,115	2.37	18 (23%)
11	BCL	Ι	101	-	64,74,74	1.75	13 (20%)	78,115,115	2.11	19 (24%)
7	HEC	С	503	1	32,50,50	2.21	3 (9%)	24,82,82	1.51	3 (12%)
11	BCL	Z	101	-	64,74,74	1.73	13 (20%)	78,115,115	2.32	22 (28%)
11	BCL	F	101	_	64,74,74	1.78	14 (21%)	78,115,115	2.05	24 (30%)
16	CRT	М	406	-	41,43,43	1.93	12 (29%)	50,54,54	1.49	11 (22%)
11	BCL	N	102	6	64,74,74	1.65	13 (20%)	78,115,115	2.39	25 (32%)
16	CRT	a	102	-	41,43,43	1.91	12 (29%)	50,54,54	1.65	14 (28%)
11	BCL	j	102	-	64,74,74	1.76	13 (20%)	78,115,115	2.43	21 (26%)
11	BCL	G	101	_	64,74,74	1.75	12 (18%)	78,115,115	2.44	21 (26%)
10	8K6	Н	306	-	14,14,17	0.08	0	13,13,16	0.18	0
11	BCL	М	403	-	64,74,74	1.84	14 (21%)	78,115,115	2.69	23 (29%)
9	PGV	L	410	-	21,21,50	1.28	2 (9%)	23,23,56	1.69	5 (21%)
11	BCL	d	102	6	64,74,74	1.68	12 (18%)	78,115,115	2.25	21 (26%)
11	BCL	Х	102	6	64,74,74	1.68	13 (20%)	78,115,115	2.23	19 (24%)
10	8K6	N	104	-	$17,\!17,\!17$	0.08	0	16,16,16	0.12	0
10	8K6	j	105	-	17,17,17	0.08	0	16,16,16	0.10	0
10	8K6	j	104	-	$17,\!17,\!17$	0.09	0	16,16,16	0.11	0
9	PGV	Н	301	-	$50,\!50,\!50$	0.91	2 (4%)	$53,\!56,\!56$	1.09	4 (7%)
10	8K6	L	406	-	17,17,17	0.09	0	16,16,16	0.10	0
9	PGV	Н	302	-	50, 50, 50	0.91	2 (4%)	53,56,56	1.05	3 (5%)
11	BCL	S	101	-	64,74,74	1.76	16 (25%)	78,115,115	1.97	23 (29%)
10	8K6	L	407	-	17,17,17	0.09	0	16,16,16	0.08	0
11	BCL	Т	102	6	64,74,74	1.68	12 (18%)	78,115,115	2.33	23 (29%)
9	PGV	R	104	-	50,50,50	0.92	2 (4%)	53,56,56	0.95	2 (3%)
11	BCL	U	101	-	64,74,74	1.80	14 (21%)	78,115,115	2.07	20 (25%)
12	BPH	L	403	-	51,70,70	0.86	1 (1%)	52,101,101	1.02	4 (7%)
11	BCL	D	101	-	64,74,74	1.77	15 (23%)	78,115,115	2.10	22 (28%)
11	BCL	R	101	-	64,74,74	1.78	12 (18%)	78,115,115	2.25	20 (25%)
10	8K6	Х	103	-	17,17,17	0.08	0	16,16,16	0.08	0
16	CRT	Ι	102	-	41,43,43	1.91	12 (29%)	50,54,54	1.92	16 (32%)

Mal	Turne	Chain	Dec	Link	B	ond leng	gths	Bo	Bond angles			
NIOI	туре	Unain	nes	LIIIK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2		
11	BCL	b	101	-	64,74,74	1.76	13 (20%)	78,115,115	2.28	22 (28%)		
10	8K6	L	404	-	14,14,17	0.08	0	13,13,16	0.14	0		
10	8K6	d	103	-	17,17,17	0.08	0	16,16,16	0.07	0		
10	8K6	Н	304	-	17,17,17	0.09	0	16,16,16	0.07	0		
11	BCL	В	101	-	64,74,74	1.75	12 (18%)	78,115,115	2.08	23 (29%)		
16	CRT	R	103	-	41,43,43	1.92	12 (29%)	$50,\!54,\!54$	1.67	13 (26%)		
11	BCL	Х	101	-	64,74,74	1.75	15 (23%)	78,115,115	2.49	23 (29%)		
11	BCL	V	101	-	64,74,74	1.70	12 (18%)	78,115,115	2.40	20 (25%)		
11	BCL	Y	101	-	64,74,74	1.75	13 (20%)	78,115,115	2.08	24 (30%)		
12	BPH	М	404	-	51,70,70	0.89	1 (1%)	52,101,101	1.05	5 (9%)		
16	CRT	i	102	-	41,43,43	1.90	12 (29%)	50,54,54	1.65	14 (28%)		
11	BCL	L	401	-	64,74,74	1.75	12 (18%)	78,115,115	2.43	21 (26%)		
11	BCL	h	102	6	64,74,74	1.66	13 (20%)	78,115,115	2.30	18 (23%)		
7	HEC	С	502	1	32,50,50	2.14	4 (12%)	24,82,82	1.52	3 (12%)		
15	MQ8	М	405	-	54,54,54	0.40	0	66,69,69	0.38	0		
10	8K6	L	409	-	17,17,17	0.08	0	16,16,16	0.16	0		
11	BCL	Е	102	6	64,74,74	1.68	14 (21%)	78,115,115	2.23	18 (23%)		
11	BCL	Р	101	-	64,74,74	1.72	13 (20%)	78,115,115	2.57	22 (28%)		
11	BCL	Т	101	-	64,74,74	1.75	11 (17%)	78,115,115	2.37	20 (25%)		
11	BCL	Ν	101	-	64,74,74	1.73	13 (20%)	78,115,115	2.46	23 (29%)		
10	8K6	L	405	-	17,17,17	0.09	0	16,16,16	0.11	0		
11	BCL	f	101	-	64,74,74	1.76	13 (20%)	78,115,115	2.41	20 (25%)		
10	8K6	Н	303	-	16,16,17	0.08	0	15,15,16	0.12	0		
16	CRT	Р	103	-	41,43,43	1.91	12 (29%)	50,54,54	1.64	13 (26%)		
9	PGV	М	407	-	45,45,50	0.98	2 (4%)	49,50,56	1.03	4 (8%)		
11	BCL	a	101	-	64,74,74	1.75	13 (20%)	78,115,115	2.10	21 (26%)		
11	BCL	А	102	6	64,74,74	1.74	15 (23%)	78,115,115	2.31	23 (29%)		
16	CRT	Y	102	-	41,43,43	1.98	12 (29%)	50,54,54	1.74	16 (32%)		
16	CRT	Ν	103	-	41,43,43	1.92	12 (29%)	50,54,54	1.65	13 (26%)		
11	BCL	g	101	-	64,74,74	1.71	12 (18%)	78,115,115	2.15	18 (23%)		
11	BCL	i	101	-	64,74,74	1.75	11 (17%)	78,115,115	2.09	20 (25%)		
11	BCL	h	101	-	64,74,74	1.71	11 (17%)	78,115,115	2.35	18 (23%)		
7	HEC	С	501	1	32,50,50	2.16	3 (9%)	24,82,82	1.47	4 (16%)		
11	BCL	K	101	-	64,74,74	1.75	13 (20%)	78,115,115	2.06	20 (25%)		
16	CRT	U	102	-	41,43,43	1.94	12 (29%)	50,54,54	1.71	14 (28%)		
16	CRT	Ζ	102	-	41,43,43	2.02	12 (29%)	50,54,54	2.02	18 (36%)		

Mal	Turne	Chain	Dec	Tink	B	ond leng	gths	Bond angles			
1VIOI	туре	Unam	nes	LIIIK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z > 2	
11	BCL	Р	102	6	64,74,74	1.66	13 (20%)	78,115,115	2.37	22 (28%)	
9	PGV	Z	103	-	41,41,50	1.00	2 (4%)	44,47,56	1.07	4 (9%)	
11	BCL	b	102	6	64,74,74	1.68	13 (20%)	78,115,115	2.33	22 (28%)	
11	BCL	А	101	-	64,74,74	1.78	13 (20%)	78,115,115	2.44	22 (28%)	
16	CRT	j	101	-	41,43,43	1.94	12 (29%)	50,54,54	1.69	13 (26%)	
11	BCL	Ο	101	-	64,74,74	1.77	13 (20%)	78,115,115	2.06	20 (25%)	
11	BCL	L	402	-	64,74,74	1.75	14 (21%)	78,115,115	2.37	24 (30%)	
11	BCL	V	102	6	64,74,74	1.66	13 (20%)	78,115,115	2.26	21 (26%)	
9	PGV	М	408	-	41,41,50	1.04	2 (4%)	44,46,56	1.20	5 (11%)	
16	CRT	А	103	-	41,43,43	1.90	12 (29%)	50,54,54	1.69	13 (26%)	

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	\mathbf{Res}	Link	Chirals	Torsions	Rings
11	BCL	d	101	-	-	14/37/137/137	-
10	8K6	J	104	-	-	1/15/15/15	-
10	8K6	V	104	-	-	0/15/15/15	-
10	8K6	Н	305	-	-	0/15/15/15	-
11	BCL	е	101	-	-	20/37/137/137	-
10	8K6	f	103	-	-	1/15/15/15	-
10	8K6	Р	104	-	-	1/15/15/15	-
13	LMT	L	408	-	-	7/18/58/61	0/2/2/2
10	8K6	V	103	-	-	1/15/15/15	-
11	BCL	Q	101	-	-	16/37/137/137	-
11	BCL	J	102	6	-	17/37/137/137	-
11	BCL	Е	101	-	-	25/37/137/137	-
16	CRT	В	102	-	-	5/51/51/51	-
16	CRT	е	102	-	-	6/51/51/51	-
10	8K6	С	509	-	-	2/13/13/15	-
11	BCL	R	102	6	-	15/37/137/137	-
9	PGV	С	508	-	-	7/42/42/55	-
11	BCL	f	102	6	-	20/37/137/137	-
11	BCL	W	101	-	-	17/37/137/137	-
16	CRT	К	102	_	_	3/51/51/51	_

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
16	CRT	W	102	-	-	7/51/51/51	-
10	8K6	М	409	-	-	0/15/15/15	-
11	BCL	С	101	-	-	13/37/137/137	-
11	BCL	J	101	-	-	21/37/137/137	-
16	CRT	Е	103	-	-	3/51/51/51	-
11	BCL	G	102	6	-	19/37/137/137	-
10	8K6	J	103	-	-	0/10/10/15	-
7	HEC	С	504	1	-	4/10/54/54	-
11	BCL	j	103	6	-	16/37/137/137	-
11	BCL	М	402	-	-	14/37/137/137	-
11	BCL	Ι	101	-	-	15/37/137/137	-
7	HEC	С	503	1	-	0/10/54/54	-
11	BCL	Z	101	-	-	24/37/137/137	-
11	BCL	F	101	-	-	18/37/137/137	-
16	CRT	М	406	-	-	0/51/51/51	_
11	BCL	N	102	6	-	15/37/137/137	-
16	CRT	a	102	-	-	5/51/51/51	-
11	BCL	j	102	-	-	15/37/137/137	-
11	BCL	G	101	-	-	17/37/137/137	-
10	8K6	Н	306	-	-	0/12/12/15	-
11	BCL	М	403	-	-	17/37/137/137	-
9	PGV	L	410	-	-	9/23/23/55	-
11	BCL	d	102	6	-	22/37/137/137	-
11	BCL	Х	102	6	-	20/37/137/137	_
10	8K6	N	104	-	-	0/15/15/15	-
10	8K6	j	105	-	-	2/15/15/15	-
10	8K6	j	104	-	-	2/15/15/15	-
9	PGV	Н	301	-	-	21/55/55/55	-
10	8K6	L	406	-	-	2/15/15/15	-
9	PGV	Н	302	-	-	12/55/55/55	-
11	BCL	S	101	-	-	13/37/137/137	-
10	8K6	L	407	-	-	1/15/15/15	-
11	BCL	Т	102	6	-	17/37/137/137	-
9	PGV	R	104	-	-	15/55/55/55	_
11	BCL	U	101	-	-	17/37/137/137	_

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
12	BPH	L	403	-	-	4/37/105/105	0/5/6/6
11	BCL	D	101	-	-	18/37/137/137	-
11	BCL	R	101	-	-	19/37/137/137	-
10	8K6	Х	103	-	-	1/15/15/15	-
16	CRT	Ι	102	-	-	5/51/51/51	-
11	BCL	b	101	-	-	24/37/137/137	-
10	8K6	L	404	-	-	0/12/12/15	-
10	8K6	d	103	-	-	3/15/15/15	-
10	8K6	Н	304	-	-	0/15/15/15	-
11	BCL	В	101	-	-	15/37/137/137	-
16	CRT	R	103	-	-	4/51/51/51	-
11	BCL	Х	101	-	-	22/37/137/137	-
11	BCL	V	101	-	-	23/37/137/137	_
11	BCL	Y	101	-	-	17/37/137/137	-
12	BPH	М	404	-	-	8/37/105/105	0/5/6/6
16	CRT	i	102	-	-	4/51/51/51	-
11	BCL	L	401	-	-	10/37/137/137	-
11	BCL	h	102	6	-	22/37/137/137	-
7	HEC	С	502	1	-	1/10/54/54	-
15	MQ8	М	405	-	-	12/47/67/67	0/2/2/2
10	8K6	L	409	-	-	0/15/15/15	-
11	BCL	Е	102	6	-	17/37/137/137	-
11	BCL	Р	101	-	-	21/37/137/137	-
11	BCL	Т	101	-	-	22/37/137/137	_
11	BCL	N	101	-	-	20/37/137/137	-
10	8K6	L	405	-	-	1/15/15/15	-
11	BCL	f	101	-	-	23/37/137/137	-
10	8K6	Н	303	-	-	2/14/14/15	-
16	CRT	Р	103	-	-	4/51/51/51	-
9	PGV	М	407	-	-	13/47/47/55	-
11	BCL	a	101	_	-	14/37/137/137	-
11	BCL	А	102	6	-	15/37/137/137	-
16	CRT	Y	102	-	-	3/51/51/51	-
16	CRT	N	103	-	_	4/51/51/51	_
11	BCL	g	101	-	_	15/37/137/137	_

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
11	BCL	i	101	-	-	16/37/137/137	-
11	BCL	h	101	-	-	12/37/137/137	-
7	HEC	С	501	1	-	1/10/54/54	-
11	BCL	K	101	-	-	16/37/137/137	-
16	CRT	U	102	-	-	7/51/51/51	-
16	CRT	Z	102	-	-	11/51/51/51	-
11	BCL	Р	102	6	-	18/37/137/137	-
9	PGV	Z	103	-	-	11/46/46/55	-
11	BCL	b	102	6	-	24/37/137/137	-
11	BCL	А	101	-	-	24/37/137/137	-
16	CRT	j	101	-	-	5/51/51/51	-
11	BCL	0	101	-	-	12/37/137/137	-
11	BCL	L	402	-	-	8/37/137/137	-
11	BCL	V	102	6	-	19/37/137/137	-
9	PGV	М	408	-	-	11/43/43/55	-
16	CRT	А	103	-	-	4/51/51/51	-

The worst 5 of 894 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\mathrm{Ideal}(\mathrm{\AA})$
7	С	503	HEC	C2B-C3B	-6.86	1.33	1.40
7	С	501	HEC	C2B-C3B	-6.33	1.34	1.40
7	С	503	HEC	C3C-C2C	-6.28	1.34	1.40
7	С	501	HEC	C3C-C2C	-6.18	1.34	1.40
7	С	504	HEC	C2B-C3B	-6.16	1.34	1.40

The worst 5 of 1370 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms		$Observed(^{o})$	$Ideal(^{o})$
11	М	402	BCL	CHD-C1D-ND	-9.45	115.77	124.45
11	L	401	BCL	O2D-CGD-CBD	8.71	126.75	111.27
11	А	102	BCL	CHD-C1D-ND	-8.62	116.54	124.45
11	d	102	BCL	CHD-C1D-ND	-8.35	116.78	124.45
11	Р	102	BCL	CHD-C1D-ND	-8.32	116.81	124.45

There are no chirality outliers.

5 of 1139 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
9	L	410	PGV	C01-C02-C03-O11
9	L	410	PGV	O01-C02-C03-O11
9	М	407	PGV	C03-O11-P-O12
9	М	407	PGV	C03-O11-P-O14
9	Н	301	PGV	C03-O11-P-O14

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


































































































































5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Map visualisation (i)

This section contains visualisations of the EMDB entry EMD-60165. These allow visual inspection of the internal detail of the map and identification of artifacts.

Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections (i)

6.1.1 Primary map



6.1.2 Raw map



The images above show the map projected in three orthogonal directions.



6.2 Central slices (i)

6.2.1 Primary map



X Index: 180



Y Index: 180



Z Index: 180

6.2.2 Raw map



X Index: 180

Y Index: 180



The images above show central slices of the map in three orthogonal directions.



6.3 Largest variance slices (i)

6.3.1 Primary map



X Index: 187



Y Index: 179



Z Index: 179

6.3.2 Raw map



X Index: 192

Y Index: 180



The images above show the largest variance slices of the map in three orthogonal directions.



6.4 Orthogonal standard-deviation projections (False-color) (i)

6.4.1 Primary map



6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.



6.5 Orthogonal surface views (i)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.562. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.

6.6 Mask visualisation (i)

This section was not generated. No masks/segmentation were deposited.



7 Map analysis (i)

This section contains the results of statistical analysis of the map.

7.1 Map-value distribution (i)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.



7.2 Volume estimate (i)



The volume at the recommended contour level is 89 nm^3 ; this corresponds to an approximate mass of 81 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.



7.3 Rotationally averaged power spectrum (i)



*Reported resolution corresponds to spatial frequency of 0.377 \AA^{-1}



8 Fourier-Shell correlation (i)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC (i)



*Reported resolution corresponds to spatial frequency of 0.377 ${\rm \AA^{-1}}$



8.2 Resolution estimates (i)

$\begin{bmatrix} Bosolution ostimato (Å) \end{bmatrix}$	Estimation criterion (FSC cut-off)		
resolution estimate (A)	0.143	0.5	Half-bit
Reported by author	2.65	-	-
Author-provided FSC curve	2.65	3.05	2.71
Unmasked-calculated*	3.22	3.79	3.25

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.22 differs from the reported value 2.65 by more than 10 %



9 Map-model fit (i)

This section contains information regarding the fit between EMDB map EMD-60165 and PDB model 8ZK2. Per-residue inclusion information can be found in section 3 on page 18.

9.1 Map-model overlay (i)



The images above show the 3D surface view of the map at the recommended contour level 0.562 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.



9.2 Q-score mapped to coordinate model (i)



The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model (i)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.562).



9.4 Atom inclusion (i)



At the recommended contour level, 75% of all backbone atoms, 72% of all non-hydrogen atoms, are inside the map.



1.0

0.0 <0.0

9.5 Map-model fit summary (i)

The table lists the average atom inclusion at the recommended contour level (0.562) and Q-score for the entire model and for each chain.

\mathbf{Chain}	Atom inclusion	$\mathbf{Q} extsf{-score}$
All	0.7220	0.6360
А	0.6740	0.6380
В	0.6430	0.6190
С	0.7380	0.6320
D	0.6850	0.6350
Е	0.7510	0.6440
F	0.7150	0.6240
G	0.7620	0.6460
Н	0.6530	0.6250
Ι	0.7250	0.6320
J	0.7380	0.6410
K	0.7160	0.6300
L	0.7920	0.6510
М	0.7740	0.6520
Ν	0.7220	0.6390
О	0.6990	0.6220
Р	0.6970	0.6340
Q	0.7180	0.6290
R	0.7320	0.6390
S	0.7200	0.6370
Т	0.7490	0.6480
U	0.7290	0.6330
V	0.7020	0.6410
W	0.7650	0.6340
Х	0.7700	0.6490
Y	0.6090	0.6110
Z	0.5700	0.5990
a	0.7580	0.6360
b	0.7640	0.6480
С	0.6410	0.6220
d	0.6320	0.6290
е	0.7080	0.6340
f	0.7020	0.6390
g	0.7010	0.6400
h	0.7140	0.6350

Continued on next page...



Continued from previous page...

Chain	Atom inclusion	Q-score
i	0.7580	0.6340
j	0.7150	0.6350

