



Full wwPDB X-ray Structure Validation Report i

Mar 18, 2025 – 08:09 PM JST

PDB ID : 8ZYF
Title : Crystal structure of ZW2G10 Fab in complex with omicron RBD
Authors : Yuan, H.Y.; Li, J.M.
Deposited on : 2024-06-17
Resolution : 2.60 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The types of validation reports are described at
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) i) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.21
EDS : 3.0
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.004 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.41.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	3775 (2.60-2.60)
Clashscore	180529	4181 (2.60-2.60)
Ramachandran outliers	177936	4129 (2.60-2.60)
Sidechain outliers	177891	4129 (2.60-2.60)
RSRZ outliers	164620	3775 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 18204 atoms, of which 8655 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Spike protein S1.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	H	N	O	S			
1	A	195	3053	1013	1485	265	282	8	0	0	0
1	B	195	3053	1013	1485	265	282	8	0	0	0

There are 30 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	339	ASP	GLY	variant	UNP P0DTC2
A	371	LEU	SER	variant	UNP P0DTC2
A	373	PRO	SER	variant	UNP P0DTC2
A	375	PHE	SER	variant	UNP P0DTC2
A	417	ASN	LYS	variant	UNP P0DTC2
A	440	LYS	ASN	variant	UNP P0DTC2
A	446	SER	GLY	variant	UNP P0DTC2
A	477	ASN	SER	variant	UNP P0DTC2
A	478	LYS	THR	variant	UNP P0DTC2
A	484	ALA	GLU	variant	UNP P0DTC2
A	493	ARG	GLN	variant	UNP P0DTC2
A	496	SER	GLY	variant	UNP P0DTC2
A	498	ARG	GLN	variant	UNP P0DTC2
A	501	TYR	ASN	variant	UNP P0DTC2
A	505	HIS	TYR	variant	UNP P0DTC2
B	339	ASP	GLY	variant	UNP P0DTC2
B	371	LEU	SER	variant	UNP P0DTC2
B	373	PRO	SER	variant	UNP P0DTC2
B	375	PHE	SER	variant	UNP P0DTC2
B	417	ASN	LYS	variant	UNP P0DTC2
B	440	LYS	ASN	variant	UNP P0DTC2
B	446	SER	GLY	variant	UNP P0DTC2
B	477	ASN	SER	variant	UNP P0DTC2
B	478	LYS	THR	variant	UNP P0DTC2
B	484	ALA	GLU	variant	UNP P0DTC2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	493	ARG	GLN	variant	UNP P0DTC2
B	496	SER	GLY	variant	UNP P0DTC2
B	498	ARG	GLN	variant	UNP P0DTC2
B	501	TYR	ASN	variant	UNP P0DTC2
B	505	HIS	TYR	variant	UNP P0DTC2


- Molecule 2 is a protein called ZW2G10 fab light chain.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
2	D	203	Total C H N O S 2950 944 1438 256 308 4	0	0	0
2	C	210	Total C H N O S 3047 969 1495 263 316 4	0	0	0

- Molecule 3 is a protein called ZW2G10 fab heavy chain.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
3	H	178	Total C H N O S 2655 867 1291 225 267 5	0	0	0
3	E	215	Total C H N O S 3095 1033 1461 273 321 7	0	0	0

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C N O 14 8 1 5	0	0
4	B	1	Total C N O 14 8 1 5	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	68	Total O 68 68	0	0
5	D	48	Total O 48 48	0	0
5	H	68	Total O 68 68	0	0
5	B	64	Total O 64 64	0	0
5	C	38	Total O 38 38	0	0
5	E	37	Total O 37 37	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Spike protein S1




- Molecule 1: Spike protein S1




- Molecule 2: ZW2G10 fab light chain



- Molecule 2: ZW2G10 fab light chain



- Molecule 3: ZW2G10 fab heavy chain



- Molecule 3: ZW2G10 fab heavy chain



4 Data and refinement statistics i

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	44.66 Å 103.53 Å 299.35 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	39.53 – 2.60 39.53 – 2.60	Depositor EDS
% Data completeness (in resolution range)	98.0 (39.53-2.60) 97.9 (39.53-2.60)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ ¹	3.22 (at 2.61 Å)	Xtriage
Refinement program	PHENIX (1.17_3644: ???)	Depositor
R , R_{free}	0.232 , 0.285 0.231 , 0.273	Depositor DCC
R_{free} test set	2219 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	24.8	Xtriage
Anisotropy	0.293	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.40 , 38.5	EDS
L-test for twinning ²	$< L > = 0.48$, $< L^2 > = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	18204	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.03% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.37	0/1615	0.55	1/2196 (0.0%)
1	B	0.34	0/1615	0.51	1/2196 (0.0%)
2	C	0.69	2/1589 (0.1%)	0.86	6/2170 (0.3%)
2	D	0.60	3/1549 (0.2%)	0.72	2/2115 (0.1%)
3	E	0.45	0/1673	0.68	0/2277
3	H	0.34	0/1399	0.57	1/1905 (0.1%)
All	All	0.49	5/9440 (0.1%)	0.66	11/12859 (0.1%)

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	169	PRO	N-CA	12.55	1.68	1.47
2	C	124	PRO	N-CA	11.94	1.67	1.47
2	D	168	THR	C-N	5.84	1.45	1.34
2	D	164	VAL	CB-CG1	-5.58	1.41	1.52
2	C	123	PHE	C-N	5.34	1.44	1.34

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	169	PRO	CA-N-CD	-8.44	99.69	111.50
1	A	477	ASN	CB-CA-C	-7.92	94.55	110.40
2	C	124	PRO	CA-N-CD	-6.50	102.40	111.50
2	D	134	LYS	N-CA-CB	-6.44	99.01	110.60
2	C	154	LYS	CB-CA-C	5.77	121.94	110.40
2	C	161	LYS	CB-CA-C	5.77	121.94	110.40
2	C	159	PRO	N-CA-C	-5.51	97.76	112.10
2	C	155	ALA	C-N-CA	5.48	135.40	121.70
2	C	124	PRO	N-CD-CG	5.39	111.29	103.20
1	B	493	ARG	CG-CD-NE	-5.35	100.57	111.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
3	H	120	GLN	CA-C-N	5.18	126.56	116.20

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1568	1485	1507	19	0
1	B	1568	1485	1507	37	0
2	C	1552	1495	1508	52	0
2	D	1512	1438	1462	30	0
3	E	1634	1461	1582	47	0
3	H	1364	1291	1305	28	0
4	A	14	0	13	4	0
4	B	14	0	13	5	0
5	A	68	0	0	5	0
5	B	64	0	0	9	2
5	C	38	0	0	9	0
5	D	48	0	0	1	2
5	E	37	0	0	3	0
5	H	68	0	0	6	0
All	All	9549	8655	8897	205	4

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (205) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (\AA)	Clash overlap (\AA)
1:A:343:ASN:HD21	4:A:601:NAG:C1	1.08	1.58
1:B:343:ASN:HD21	4:B:601:NAG:C1	1.25	1.49
1:B:478:LYS:NZ	1:B:486:PHE:HD2	1.10	1.47
2:D:169:PRO:CA	2:D:169:PRO:N	1.68	1.46
2:C:124:PRO:N	2:C:124:PRO:CA	1.67	1.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:478:LYS:NZ	1:B:486:PHE:CD2	1.92	1.33
1:B:343:ASN:ND2	4:B:601:NAG:C1	1.95	1.27
3:E:208:THR:O	5:E:301:HOH:O	1.53	1.20
3:E:150:THR:N	5:E:302:HOH:O	1.89	1.05
2:D:164:VAL:HG22	2:D:183:LEU:HD13	1.38	1.02
3:H:4:LEU:O	5:H:301:HOH:O	1.83	0.97
2:C:205:SER:O	5:C:301:HOH:O	1.82	0.96
1:B:478:LYS:NZ	1:B:486:PHE:HB3	1.81	0.95
3:E:211:CYS:SG	3:E:211:CYS:O	2.27	0.92
1:B:478:LYS:HZ1	1:B:486:PHE:HD2	1.12	0.92
3:H:156:LEU:N	5:H:304:HOH:O	2.06	0.89
1:A:369:TYR:O	5:A:701:HOH:O	1.92	0.86
2:C:167:THR:CG2	3:E:184:VAL:HG12	2.05	0.86
1:B:478:LYS:HZ3	1:B:486:PHE:HB3	1.42	0.83
3:H:163:GLU:HG2	3:H:164:PRO:HA	1.61	0.83
3:E:15:GLY:O	5:E:303:HOH:O	1.96	0.83
1:B:335:LEU:N	5:B:704:HOH:O	2.11	0.81
2:C:81:GLN:OE1	5:C:302:HOH:O	1.98	0.80
3:E:225:LYS:H	3:E:225:LYS:HD2	1.47	0.80
2:C:124:PRO:O	5:C:303:HOH:O	2.00	0.79
1:B:478:LYS:CE	1:B:486:PHE:HD2	1.95	0.79
3:E:138:PRO:HG3	3:E:224:LYS:CG	2.13	0.77
3:H:167:VAL:HG11	3:H:195:SER:CB	2.15	0.77
2:C:167:THR:HG22	3:E:184:VAL:HG12	1.66	0.77
3:H:116:ASP:O	5:H:302:HOH:O	2.02	0.76
3:H:84:ASN:OD1	5:H:303:HOH:O	2.03	0.75
2:C:85:GLU:OE2	5:C:304:HOH:O	2.03	0.75
1:A:467:ASP:OD2	5:A:703:HOH:O	2.04	0.74
1:B:478:LYS:NZ	1:B:486:PHE:CB	2.51	0.73
3:H:167:VAL:HG11	3:H:195:SER:HB2	1.71	0.72
2:C:203:GLU:OE2	5:C:305:HOH:O	2.08	0.72
2:C:83:GLU:OE1	5:C:302:HOH:O	2.08	0.71
2:D:125:PRO:HD3	2:D:137:LEU:HD21	1.71	0.71
2:C:120:VAL:O	2:C:209:LYS:HD2	1.90	0.71
1:B:478:LYS:NZ	1:B:486:PHE:CG	2.53	0.71
3:E:138:PRO:HG3	3:E:224:LYS:HG2	1.71	0.71
1:A:449:TYR:O	5:A:704:HOH:O	2.09	0.71
3:H:34:MET:HB3	3:H:79:LEU:HD22	1.73	0.70
1:B:343:ASN:HD21	4:B:601:NAG:C2	2.04	0.69
2:C:127:SER:O	2:C:127:SER:OG	2.10	0.69
2:D:140:LEU:HD21	3:H:194:SER:HB2	1.73	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:478:LYS:HZ2	1:B:486:PHE:CB	2.06	0.69
1:A:480:CYS:O	5:A:705:HOH:O	2.11	0.69
2:C:124:PRO:N	2:C:124:PRO:C	2.47	0.68
1:B:451:TYR:O	5:B:703:HOH:O	2.10	0.68
3:E:225:LYS:HD2	3:E:225:LYS:N	2.08	0.68
3:H:137:PHE:HB3	3:H:138:PRO:HD2	1.74	0.68
1:B:405:ASP:OD1	5:B:705:HOH:O	2.11	0.68
3:H:140:ALA:HB3	3:H:141:PRO:HD3	1.76	0.67
2:C:33:TYR:CZ	3:E:110:LEU:HD22	2.30	0.67
3:H:189:GLY:O	5:H:305:HOH:O	2.12	0.67
2:C:41:LEU:HD23	2:C:86:ALA:HB2	1.76	0.67
3:E:138:PRO:CG	3:E:224:LYS:HE2	2.25	0.67
2:D:125:PRO:HD3	2:D:137:LEU:CD2	2.25	0.66
1:A:364:ASP:O	1:A:367:VAL:HG22	1.95	0.66
3:E:225:LYS:H	3:E:225:LYS:CD	2.08	0.66
2:C:65:SER:O	2:C:75:LEU:HD12	1.95	0.66
2:D:169:PRO:N	2:D:169:PRO:C	2.47	0.65
1:B:393:THR:OG1	5:B:706:HOH:O	2.12	0.65
2:D:126:SER:O	2:D:130:LEU:HD12	1.96	0.65
2:D:44:THR:HG22	2:D:45:ALA:O	1.97	0.64
3:H:12:VAL:HG11	3:H:86:LEU:HD13	1.81	0.63
2:C:154:LYS:HZ2	2:C:158:SER:HB3	1.64	0.62
1:B:395:VAL:HG23	1:B:524:VAL:HG11	1.82	0.62
3:H:12:VAL:HG22	3:H:16:ARG:HB2	1.84	0.60
2:C:138:VAL:HG22	2:C:182:TYR:CD1	2.35	0.60
3:E:180:THR:HG22	3:E:195:SER:OG	2.02	0.60
3:E:138:PRO:HG2	3:E:224:LYS:HE2	1.84	0.60
2:D:158:SER:OG	2:D:159:PRO:HD2	2.02	0.59
3:H:77:ASN:ND2	5:H:307:HOH:O	2.31	0.59
1:B:478:LYS:HD2	1:B:487:ASN:HB2	1.85	0.59
1:A:403:ARG:NE	5:A:706:HOH:O	2.36	0.59
1:B:373:PRO:O	5:B:707:HOH:O	2.17	0.59
2:C:167:THR:HG23	3:E:184:VAL:HG12	1.85	0.58
1:A:343:ASN:HD22	4:A:601:NAG:C1	2.06	0.57
1:B:478:LYS:HD2	1:B:486:PHE:O	2.05	0.57
2:C:154:LYS:NZ	2:C:158:SER:HB3	2.18	0.57
2:C:141:ILE:HG22	2:C:144:PHE:CE1	2.39	0.57
3:E:199:VAL:HG11	3:E:209:TYR:OH	2.05	0.56
2:C:210:THR:O	2:C:210:THR:HG22	2.05	0.56
2:D:87:ASP:OD1	2:D:107:ARG:NE	2.39	0.56
3:H:165:VAL:HG12	3:H:193:LEU:HD21	1.88	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:146:PRO:HD2	2:D:203:GLU:HG3	1.87	0.55
2:D:33:TYR:O	2:D:68:LYS:NZ	2.39	0.55
2:D:1:GLN:NE2	2:D:1:GLN:H3	2.04	0.55
2:D:49:LEU:HD21	2:D:64:PHE:CD2	2.42	0.54
2:C:63:ARG:NH2	2:C:84:ASP:OD1	2.40	0.54
1:A:357:ARG:NH1	1:A:396:TYR:OH	2.41	0.53
2:C:158:SER:OG	5:C:306:HOH:O	2.19	0.52
2:C:137:LEU:HD13	2:C:183:LEU:HD23	1.90	0.52
3:E:12:VAL:HG11	3:E:86:LEU:HD13	1.91	0.52
3:H:91:THR:HG23	3:H:125:THR:HA	1.91	0.52
2:C:171:LYS:H	2:C:171:LYS:HE2	1.76	0.51
1:B:405:ASP:CG	5:B:705:HOH:O	2.48	0.51
3:E:93:LEU:HD23	3:E:95:TYR:CZ	2.45	0.51
3:E:203:SER:HB3	3:E:228:PRO:HG3	1.92	0.51
2:C:208:GLU:O	2:C:209:LYS:HG2	2.11	0.51
3:E:138:PRO:HG3	3:E:224:LYS:HG3	1.90	0.51
3:H:94:TYR:O	3:H:121:GLY:HA2	2.11	0.50
3:E:203:SER:HB3	3:E:228:PRO:CG	2.41	0.50
1:B:376:THR:OG1	5:B:702:HOH:O	2.10	0.50
2:D:63:ARG:HB2	2:D:78:THR:HG22	1.92	0.50
2:C:138:VAL:HG22	2:C:182:TYR:CE1	2.46	0.50
3:E:216:LYS:N	3:E:216:LYS:HD3	2.26	0.50
1:B:474:GLN:HG2	1:B:480:CYS:SG	2.52	0.50
3:H:136:VAL:HA	3:H:156:LEU:O	2.12	0.50
2:D:1:GLN:NE2	2:D:1:GLN:N	2.59	0.49
3:E:12:VAL:HG22	3:E:13:GLN:N	2.26	0.49
3:E:225:LYS:N	3:E:225:LYS:CD	2.73	0.49
2:D:138:VAL:HG13	2:D:182:TYR:CE1	2.47	0.49
1:B:403:ARG:NE	5:B:710:HOH:O	2.42	0.49
3:E:43:LYS:HA	3:E:43:LYS:HE2	1.94	0.49
3:H:197:VAL:HG12	3:H:199:VAL:HG13	1.93	0.49
2:C:35:VAL:N	2:C:53:ASN:OD1	2.28	0.49
2:D:168:THR:HG21	3:H:42:GLY:HA3	1.95	0.49
2:C:138:VAL:HG13	2:C:182:TYR:CE1	2.47	0.49
3:E:151:ALA:HB2	3:E:199:VAL:HG12	1.94	0.49
3:E:99:ASP:OD1	3:E:100:ASN:N	2.46	0.48
3:E:20:LEU:HD22	3:E:122:THR:HG21	1.96	0.48
2:C:193:HIS:CE1	2:C:196:TYR:HH	2.29	0.48
3:H:83:MET:HB3	3:H:86:LEU:HD21	1.96	0.48
1:B:400:PHE:HZ	1:B:410:ILE:HG12	1.78	0.47
2:C:56:ARG:HB3	2:C:60:VAL:HG23	1.96	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:108:LEU:C	2:C:108:LEU:HD23	2.36	0.47
1:A:342:PHE:CE1	1:A:511:VAL:HG11	2.50	0.46
2:D:124:PRO:HA	2:D:137:LEU:CD2	2.46	0.46
1:A:367:VAL:HG23	4:A:601:NAG:H81	1.98	0.46
3:E:210:ILE:HA	3:E:224:LYS:O	2.15	0.46
3:H:99:ASP:OD1	3:H:100:ASN:N	2.47	0.46
1:B:449:TYR:CD2	3:E:65:LYS:HG2	2.51	0.46
3:E:185:LEU:HD13	3:E:191:TYR:CZ	2.51	0.46
2:D:192:SER:OG	2:D:193:HIS:N	2.48	0.45
3:E:34:MET:HB3	3:E:79:LEU:HD22	1.98	0.45
2:C:56:ARG:HB3	2:C:60:VAL:CG2	2.46	0.45
2:C:63:ARG:HB2	2:C:78:THR:HG22	1.98	0.45
1:B:403:ARG:NH2	5:B:710:HOH:O	2.48	0.45
1:B:342:PHE:HB2	4:B:601:NAG:H82	1.98	0.44
1:A:367:VAL:O	4:A:601:NAG:H83	2.17	0.44
2:C:158:SER:N	5:C:306:HOH:O	2.50	0.44
1:A:448:ASN:OD1	1:A:498:ARG:NH1	2.35	0.44
2:C:145:TYR:OH	5:C:307:HOH:O	2.21	0.44
2:D:49:LEU:O	2:D:57:PRO:HD2	2.18	0.44
3:E:175:THR:O	3:E:175:THR:OG1	2.27	0.44
1:A:354:ASN:O	1:A:398:ASP:HA	2.18	0.44
3:E:138:PRO:HG3	3:E:224:LYS:HE2	2.00	0.44
2:C:164:VAL:HG22	2:C:183:LEU:CD1	2.48	0.44
3:H:137:PHE:O	3:H:156:LEU:N	2.51	0.44
2:D:153:TRP:CD1	2:D:164:VAL:HG11	2.53	0.43
3:E:199:VAL:CG1	3:E:209:TYR:OH	2.66	0.43
2:C:190:TRP:O	2:C:213:PRO:HG3	2.18	0.43
3:E:6:GLU:OE1	3:E:121:GLY:N	2.50	0.43
1:B:487:ASN:HA	1:B:489:TYR:CE1	2.53	0.43
2:C:1:GLN:N	2:C:1:GLN:CD	2.71	0.43
1:A:355:ARG:HD3	1:A:396:TYR:CD2	2.54	0.43
3:H:12:VAL:CG2	3:H:16:ARG:HB2	2.49	0.43
2:C:160:VAL:CG1	2:C:160:VAL:O	2.67	0.43
2:C:200:VAL:O	2:C:206:THR:HA	2.19	0.43
3:E:83:MET:HB3	3:E:86:LEU:HD21	2.01	0.43
3:E:215:HIS:CD2	3:E:217:PRO:HD2	2.54	0.43
1:B:343:ASN:CG	4:B:601:NAG:C1	2.78	0.42
3:E:154:GLY:HA3	3:E:195:SER:O	2.19	0.42
2:C:60:VAL:HG23	2:C:60:VAL:O	2.20	0.42
2:C:87:ASP:OD1	2:C:107:ARG:NE	2.47	0.42
1:A:401:VAL:HG22	1:A:509:ARG:HG2	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:29:ILE:HG22	2:C:70:GLY:O	2.19	0.42
1:B:389:ASP:OD2	1:B:528:LYS:HD2	2.20	0.42
2:C:139:CYS:HB2	2:C:153:TRP:CH2	2.54	0.42
2:C:183:LEU:HD21	2:C:185:LEU:HD21	2.02	0.42
3:E:134:PRO:HB3	3:E:160:TYR:HB3	2.00	0.42
1:A:349:SER:OG	1:A:451:TYR:HA	2.20	0.42
1:B:410:ILE:N	1:B:410:ILE:HD12	2.35	0.42
2:C:149:VAL:HG22	2:C:200:VAL:HG13	2.00	0.42
2:C:172:GLN:CA	2:C:172:GLN:HE21	2.32	0.42
3:E:157:VAL:HG11	3:E:165:VAL:HG11	2.02	0.42
2:D:17:ARG:NH1	5:D:305:HOH:O	2.40	0.42
2:C:164:VAL:HG22	2:C:183:LEU:HD13	2.01	0.42
1:A:342:PHE:CZ	1:A:368:LEU:HD22	2.55	0.41
2:C:41:LEU:HB3	2:C:42:PRO:HD2	2.02	0.41
3:E:27:PHE:CE2	3:E:98:LYS:HD2	2.55	0.41
2:D:1:GLN:H3	2:D:1:GLN:CD	2.24	0.41
1:B:342:PHE:CZ	1:B:511:VAL:HG11	2.55	0.41
1:A:490:PHE:CD1	1:A:491:PRO:HD2	2.55	0.41
2:D:84:ASP:O	2:D:108:LEU:HD22	2.21	0.41
3:E:140:ALA:HB1	3:E:141:PRO:HD2	2.02	0.41
2:D:129:GLU:OE2	2:D:136:THR:HG22	2.19	0.41
3:E:215:HIS:CG	3:E:218:SER:HG	2.38	0.41
1:B:502:GLY:O	1:B:506:GLN:HG3	2.21	0.41
2:C:161:LYS:HA	2:C:161:LYS:HD2	1.67	0.41
1:B:342:PHE:CE2	1:B:511:VAL:HG11	2.56	0.41
2:D:140:LEU:HB3	3:H:181:PHE:CZ	2.56	0.40
3:H:140:ALA:HB3	3:H:141:PRO:CD	2.49	0.40
2:C:154:LYS:HZ2	2:C:158:SER:CB	2.31	0.40
2:D:189:GLN:O	2:D:196:TYR:OH	2.35	0.40
1:B:402:ILE:CD1	1:B:410:ILE:HD13	2.52	0.40
3:H:12:VAL:O	3:H:126:VAL:HA	2.21	0.40
2:D:166:THR:HG22	2:D:181:SER:OG	2.21	0.40
2:D:174:ASN:HD22	2:D:174:ASN:HA	1.73	0.40
1:B:399:SER:O	1:B:400:PHE:HB3	2.21	0.40
3:E:140:ALA:HB1	3:E:229:LYS:HD2	2.03	0.40
3:E:193:LEU:HD12	3:E:193:LEU:C	2.42	0.40

All (4) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:B:762:HOH:O	5:B:764:HOH:O[1_455]	1.88	0.32
5:D:310:HOH:O	5:D:339:HOH:O[4_455]	2.06	0.14
5:B:740:HOH:O	5:B:764:HOH:O[1_455]	2.07	0.13
5:D:321:HOH:O	5:D:338:HOH:O[4_555]	2.19	0.01

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	193/195 (99%)	185 (96%)	8 (4%)	0	100 100
1	B	193/195 (99%)	187 (97%)	6 (3%)	0	100 100
2	C	206/214 (96%)	189 (92%)	17 (8%)	0	100 100
2	D	201/214 (94%)	188 (94%)	13 (6%)	0	100 100
3	E	209/229 (91%)	190 (91%)	19 (9%)	0	100 100
3	H	172/229 (75%)	164 (95%)	8 (5%)	0	100 100
All	All	1174/1276 (92%)	1103 (94%)	71 (6%)	0	100 100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	170/170 (100%)	169 (99%)	1 (1%)	84 94
1	B	170/170 (100%)	167 (98%)	3 (2%)	54 77

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
2	C	175/179 (98%)	163 (93%)	12 (7%)	13 28
2	D	170/179 (95%)	157 (92%)	13 (8%)	11 23
3	E	182/192 (95%)	169 (93%)	13 (7%)	12 26
3	H	150/192 (78%)	148 (99%)	2 (1%)	65 84
All	All	1017/1082 (94%)	973 (96%)	44 (4%)	25 49

All (44) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	377	PHE
2	D	1	GLN
2	D	3	VAL
2	D	47	LYS
2	D	68	LYS
2	D	96	SER
2	D	112	ARG
2	D	133	ASN
2	D	134	LYS
2	D	154	LYS
2	D	161	LYS
2	D	174	ASN
2	D	192	SER
2	D	195	SER
3	H	166	THR
3	H	167	VAL
1	B	377	PHE
1	B	399	SER
1	B	493	ARG
2	C	1	GLN
2	C	115	LYS
2	C	119	SER
2	C	133	ASN
2	C	154	LYS
2	C	158	SER
2	C	160	VAL
2	C	171	LYS
2	C	172	GLN
2	C	174	ASN
2	C	188	GLU
2	C	191	LYS
3	E	62	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	E	175	THR
3	E	179	HIS
3	E	206	THR
3	E	207	GLN
3	E	208	THR
3	E	211	CYS
3	E	212	ASN
3	E	214	ASN
3	E	222	VAL
3	E	225	LYS
3	E	227	GLU
3	E	229	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	343	ASN
2	D	1	GLN
2	D	174	ASN
3	H	179	HIS
1	B	343	ASN
1	B	409	GLN
2	C	172	GLN
2	C	174	ASN
3	E	207	GLN
3	E	212	ASN
3	E	214	ASN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	B	601	-	14,14,15	1.05	0	17,19,21	2.28	6 (35%)
4	NAG	A	601	1	14,14,15	1.24	1 (7%)	17,19,21	3.19	11 (64%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	B	601	-	-	0/6/23/26	0/1/1/1
4	NAG	A	601	1	-	2/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	601	NAG	O5-C1	-3.36	1.38	1.43

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	601	NAG	O5-C1-C2	-8.62	97.68	111.29
4	B	601	NAG	C1-O5-C5	5.92	120.21	112.19
4	A	601	NAG	C1-O5-C5	4.97	118.93	112.19
4	A	601	NAG	O3-C3-C2	3.64	116.99	109.47
4	A	601	NAG	C3-C4-C5	-3.42	104.13	110.24
4	B	601	NAG	O3-C3-C2	-3.10	103.06	109.47
4	A	601	NAG	O7-C7-N2	3.03	127.53	121.95
4	B	601	NAG	O4-C4-C5	2.93	116.57	109.30
4	B	601	NAG	O3-C3-C4	-2.80	103.87	110.35
4	B	601	NAG	O6-C6-C5	2.70	120.54	111.29

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	601	NAG	C6-C5-C4	-2.63	106.84	113.00
4	A	601	NAG	C1-C2-N2	2.45	114.67	110.49
4	A	601	NAG	C2-N2-C7	2.42	126.35	122.90
4	A	601	NAG	O4-C4-C5	2.40	115.27	109.30
4	A	601	NAG	O3-C3-C4	-2.39	104.82	110.35
4	B	601	NAG	C4-C3-C2	2.33	114.44	111.02
4	A	601	NAG	C8-C7-N2	-2.29	112.23	116.10

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	601	NAG	O5-C5-C6-O6
4	A	601	NAG	C4-C5-C6-O6

There are no ring outliers.

2 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	601	NAG	5	0
4	A	601	NAG	4	0

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	195/195 (100%)	-0.08	2 (1%) 79 75	13, 23, 36, 52	0
1	B	195/195 (100%)	0.16	8 (4%) 42 36	15, 25, 47, 71	0
2	C	210/214 (98%)	0.64	17 (8%) 19 16	19, 34, 50, 59	0
2	D	203/214 (94%)	0.72	31 (15%) 6 5	16, 29, 62, 99	0
3	E	215/229 (93%)	0.46	16 (7%) 22 18	14, 26, 46, 65	0
3	H	178/229 (77%)	0.24	12 (6%) 25 20	13, 22, 56, 70	0
All	All	1196/1276 (93%)	0.36	86 (7%) 23 18	13, 26, 54, 99	0

All (86) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	C	160	VAL	6.8
3	E	208	THR	6.3
2	D	133	ASN	5.8
2	D	132	ALA	5.6
3	H	139	LEU	5.5
2	C	156	ASP	5.3
3	E	199	VAL	5.2
3	E	205	GLY	4.8
1	B	456	PHE	4.7
3	E	204	LEU	4.7
1	B	478	LYS	4.6
3	H	138	PRO	4.6
1	B	473	TYR	4.4
3	H	140	ALA	4.4
1	B	475	ALA	4.3
3	E	212	ASN	4.3
3	E	211	CYS	4.2
2	D	116	ALA	4.1
3	E	177	GLY	4.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	E	207	GLN	4.0
3	H	141	PRO	4.0
3	E	206	THR	3.9
2	C	188	GLU	3.9
2	C	155	ALA	3.9
2	D	174	ASN	3.8
2	C	157	SER	3.7
3	H	135	SER	3.6
1	B	477	ASN	3.5
3	E	151	ALA	3.4
2	C	127	SER	3.3
2	C	161	LYS	3.3
2	C	143	ASP	3.3
3	E	175	THR	3.2
2	D	150	THR	3.2
2	C	206	THR	3.2
2	C	192	SER	3.2
2	D	193	HIS	3.2
2	D	188	GLU	3.1
2	C	132	ALA	3.1
2	D	175	ASN	3.0
2	D	194	LYS	3.0
2	D	149	VAL	3.0
2	D	162	ALA	3.0
2	D	192	SER	3.0
3	H	168	SER	2.9
2	D	190	TRP	2.9
2	D	121	THR	2.8
2	D	185	LEU	2.8
2	D	163	GLY	2.8
1	B	373	PRO	2.7
2	D	160	VAL	2.7
3	E	176	SER	2.7
3	E	227	GLU	2.6
2	C	62	ASP	2.5
1	B	474	GLN	2.5
2	D	140	LEU	2.5
1	A	388	ASN	2.5
2	C	172	GLN	2.5
3	H	202	SER	2.5
2	D	195	SER	2.5
2	C	210	THR	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	180	SER	2.4
2	D	153	TRP	2.4
3	H	167	VAL	2.4
2	D	126	SER	2.4
2	D	173	SER	2.4
3	H	161	PHE	2.3
2	D	156	ASP	2.3
2	D	164	VAL	2.3
3	E	203	SER	2.3
2	D	201	THR	2.3
2	C	190	TRP	2.3
2	C	207	VAL	2.2
3	H	196	VAL	2.2
1	A	396	TYR	2.2
2	D	158	SER	2.2
1	B	493	ARG	2.2
2	D	131	GLN	2.2
2	D	129	GLU	2.1
3	E	198	THR	2.1
2	D	191	LYS	2.1
3	H	194	SER	2.1
3	E	168	SER	2.1
2	D	181	SER	2.0
2	C	193	HIS	2.0
3	H	201	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	NAG	A	601	14/15	0.57	0.23	20,20,20,20	0
4	NAG	B	601	14/15	0.85	0.11	20,20,20,20	0

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.