



wwPDB EM Validation Summary Report ⓘ

Mar 23, 2026 – 07:04 pm GMT

PDB ID : 28JW / pdb_000028jw
EMDB ID : EMD-56567
Title : Structure of the Chlamydomonas reinhardtii chlororibosome with P-site tRNA
Authors : Waltz, F.; Kater, L.; Engel, B.D.
Deposited on : 2026-02-04
Resolution : 2.84 Å (reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.48.1

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.84 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	210492	15764	-
Ramachandran outliers	207382	16835	-
Sidechain outliers	206894	16415	-
RNA backbone	6643	2191	-
Q-score	-	25397	11884 (2.34 - 3.34)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	0	66	 68% 29%
2	3	121	 70% 26%
3	5	47	 87% 13%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	6	101	
5	7	124	
6	8	114	
7	9	37	
8	B	278	
9	C	259	
10	D	243	
11	E	179	
12	F	207	
13	G	200	
14	H	235	
15	I	176	
16	J	225	
17	K	122	
18	L	241	
19	M	136	
20	N	173	
21	O	145	
22	P	153	
23	Q	112	
24	R	179	
25	S	175	
26	T	111	
27	U	170	
28	V	161	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
29	W	195	67% 29%
30	X	134	72% 7% 21%
31	Z	98	37% 58%
32	Y	136	10% 36% 11% 52%
33	1	2375	77% 21%
34	4	272	81% 15%
35	y	76	5% 62% 34%
36	xx	5	100%
37	a	436	27% 47% 7% 46%
38	d	257	24% 91% 9%
39	f	171	60% 40%
40	g	168	11% 90% 9%
41	h	141	94% 6%
42	j	169	6% 59% 13% 28%
43	k	130	84% 6% 10%
44	l	133	83% 5% 9%
45	m	164	57% 12% 30%
46	n	100	89% 9%
47	o	141	65% 6% 28%
48	p	128	53% 9% 38%
49	q	105	68% 7% 26%
50	r	137	57% 41%
51	s	92	72% 16% 12%
52	t	166	67% 5% 28%
53	u	184	47% 50%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
54	v	298	
55	x	120	
56	w	560	
57	2	1470	
58	b	910	
59	c	712	
60	e	673	
61	i	191	
62	A	6	

2 Entry composition [i](#)

There are 65 unique types of molecules in this entry. The entry contains 160214 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called cL38/PSRP6.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
1	0	47	369	233	76	60	0	0

There are 5 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
0	17	SER	THR	conflict	UNP A0A835SZL0
0	37	ARG	ALA	conflict	UNP A0A835SZL0
0	38	ALA	SER	conflict	UNP A0A835SZL0
0	41	ASN	ARG	conflict	UNP A0A835SZL0
0	63	ALA	GLY	conflict	UNP A0A835SZL0

- Molecule 2 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
2	3	121	2571	1148	449	853	121	0	0

- Molecule 3 is a RNA chain called 3S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
3	5	47	1006	450	185	324	47	0	0

- Molecule 4 is a protein called bL33c.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	6	58	473	293	91	86	3	0	0

- Molecule 5 is a protein called bL34c.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	7	60	Total	C	N	O	S	0	0
			455	271	104	77	3		

- Molecule 6 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	8	68	Total	C	N	O	S	0	0
			520	322	104	91	3		

- Molecule 7 is a protein called Large ribosomal subunit protein bL36c.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	9	37	Total	C	N	O	S	0	0
			292	177	63	46	6		

- Molecule 8 is a protein called Large ribosomal subunit protein uL2c.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	B	276	Total	C	N	O	S	0	0
			2159	1347	431	377	4		

- Molecule 9 is a protein called Large ribosomal subunit protein uL3c.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	C	223	Total	C	N	O	S	0	0
			1681	1057	310	305	9		

- Molecule 10 is a protein called Large ribosomal subunit protein uL4c.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	D	216	Total	C	N	O	S	0	0
			1599	997	290	306	6		

- Molecule 11 is a protein called Large ribosomal subunit protein uL5c.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	E	178	Total	C	N	O	S	0	0
			1413	900	247	260	6		

- Molecule 12 is a protein called Plastid ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	F	177	Total	C	N	O	S	0	0
			1338	845	245	244	4		

- Molecule 13 is a protein called Large ribosomal subunit protein bL9c.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	G	54	Total	C	N	O	S	0	0
			418	272	72	73	1		

- Molecule 14 is a protein called uL10c.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	H	141	Total	C	N	O	S	0	0
			1114	711	189	209	5		

- Molecule 15 is a protein called Large ribosomal subunit protein uL11c.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	I	132	Total	C	N	O	S	0	0
			980	623	171	181	5		

- Molecule 16 is a protein called uL13c.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	J	173	Total	C	N	O	S	0	0
			1346	857	243	243	3		

- Molecule 17 is a protein called Large ribosomal subunit protein uL14c.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	K	122	Total	C	N	O	S	0	0
			942	588	180	169	5		

- Molecule 18 is a protein called uL15c.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	L	198	Total	C	N	O	S	0	0
			1484	921	282	276	5		

- Molecule 19 is a protein called Large ribosomal subunit protein uL16c.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
19	M	135	1080	689	211	173	7	0	0

- Molecule 20 is a protein called Large ribosomal subunit protein bL17c.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
20	N	117	937	585	185	162	5	0	0

- Molecule 21 is a protein called Large ribosomal subunit protein uL18c.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
21	O	118	902	557	173	168	4	0	0

- Molecule 22 is a protein called bL19c.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
22	P	130	995	620	199	174	2	0	0

- Molecule 23 is a protein called Large ribosomal subunit protein bL20c.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
23	Q	111	943	592	193	152	6	0	0

- Molecule 24 is a protein called bL21c.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
24	R	115	907	585	161	157	4	0	0

- Molecule 25 is a protein called Large ribosomal subunit protein uL22c.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
25	S	115	903	564	174	157	8	0	0

- Molecule 26 is a protein called uL23c, Large ribosomal subunit protein uL23c.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	T	107	Total	C	N	O	S	0	0
			837	542	148	146	1		

- Molecule 27 is a protein called KOW domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	U	132	Total	C	N	O	S	0	0
			1020	650	189	178	3		

- Molecule 28 is a protein called bL27c.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	V	114	Total	C	N	O	S	0	0
			869	535	172	159	3		

- Molecule 29 is a protein called Large ribosomal subunit protein bL28c.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	W	138	Total	C	N	O	S	0	0
			1104	700	205	193	6		

- Molecule 30 is a protein called uL29c.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	X	106	Total	C	N	O	S	0	0
			843	518	169	153	3		

- Molecule 31 is a protein called bL32c.

Mol	Chain	Residues	Atoms				AltConf	Trace
31	Z	41	Total	C	N	O	0	0
			323	213	57	53		

- Molecule 32 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	Y	65	Total	C	N	O	S	0	0
			521	331	90	98	2		

- Molecule 33 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
33	1	2375	50934	22751	9345	16463	2375	0	0

- Molecule 34 is a RNA chain called 7S RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
34	4	272	5856	2616	1106	1862	272	0	0

- Molecule 35 is a RNA chain called P-site tRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	N	O	P	S		
35	y	76	1627	726	296	528	76	1	0	0

- Molecule 36 is a RNA chain called Nascent peptide.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
36	xx	5	25	15	5	5	0	0

- Molecule 37 is a protein called Ribosomal protein S1 homologue.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
37	a	236	1868	1175	285	395	13	0	0

- Molecule 38 is a protein called Small ribosomal subunit protein uS4c.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
38	d	256	2107	1356	403	341	7	0	0

- Molecule 39 is a protein called bS6c.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
39	f	103	850	543	148	156	3	0	0

- Molecule 40 is a protein called Small ribosomal subunit protein uS7c.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
40	g	167	1334	846	253	229	6	0	0

- Molecule 41 is a protein called Small ribosomal subunit protein uS8c.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
41	h	141	1113	698	206	203	6	0	0

- Molecule 42 is a protein called Small ribosomal subunit protein uS10 domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
42	j	122	957	597	173	178	9	0	0

- Molecule 43 is a protein called Small ribosomal subunit protein uS11c.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
43	k	117	894	560	179	151	4	0	0

- Molecule 44 is a protein called Small ribosomal subunit protein uS12c.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
44	l	121	941	591	190	157	3	0	0

- Molecule 45 is a protein called uS13c.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
45	m	114	924	569	181	172	2	0	0

- Molecule 46 is a protein called Small ribosomal subunit protein uS14c.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
46	n	99	814	513	163	132	6	0	0

- Molecule 47 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	o	101	Total	C	N	O	S	0	0
			813	502	156	151	4		

- Molecule 48 is a protein called 30S ribosomal protein S16, chloroplastic.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	p	80	Total	C	N	O	S	0	0
			666	433	120	112	1		

- Molecule 49 is a protein called Small ribosomal subunit protein uS17c.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	q	78	Total	C	N	O	S	0	0
			621	386	117	116	2		

- Molecule 50 is a protein called Small ribosomal subunit protein bS18c.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	r	81	Total	C	N	O	S	0	0
			664	434	123	106	1		

- Molecule 51 is a protein called Small ribosomal subunit protein uS19c.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	s	81	Total	C	N	O	S	0	0
			645	414	122	106	3		

- Molecule 52 is a protein called bS20c.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	t	119	Total	C	N	O	S	0	0
			935	592	172	167	4		

- Molecule 53 is a protein called bS21c.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	u	92	Total	C	N	O	S	0	0
			789	494	144	147	4		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
u	652	ARG	ASP	conflict	UNP A8HPN4

- Molecule 54 is a protein called 30S ribosomal protein 3, chloroplastic.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
54	v	181	1430	907	245	276	2	0	0

- Molecule 55 is a protein called cS26/PSRP8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
55	x	60	462	299	80	81	2	0	0

- Molecule 56 is a protein called Plastid-specific ribosomal protein-7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
56	w	365	2786	1749	429	598	10	0	0

- Molecule 57 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
57	2	1470	31537	14077	5779	10211	1470	0	0

- Molecule 58 is a protein called Small ribosomal subunit protein uS2c.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
58	b	685	5545	3581	1010	934	20	0	0

- Molecule 59 is a protein called Small ribosomal subunit protein uS3c.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
59	c	607	4939	3179	905	844	11	0	0

- Molecule 60 is a protein called uS5c.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
60	e	536	3988	2477	658	838	15	0	0

- Molecule 61 is a protein called Small ribosomal subunit protein uS9c.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
61	i	155	1209	762	225	219	3	0	0

- Molecule 62 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
62	A	6	128	58	24	40	6	0	0

- Molecule 63 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		AltConf
63	3	5	Total	Mg	0
			5	5	
63	5	4	Total	Mg	0
			4	4	
63	D	1	Total	Mg	0
			1	1	
63	L	1	Total	Mg	0
			1	1	
63	N	2	Total	Mg	0
			2	2	
63	1	202	Total	Mg	0
			202	202	
63	4	7	Total	Mg	0
			7	7	
63	n	1	Total	Mg	0
			1	1	
63	q	1	Total	Mg	0
			1	1	
63	2	95	Total	Mg	0
			95	95	

- Molecule 64 is POTASSIUM ION (CCD ID: K) (formula: K).

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: cL38/PSRP6




- Molecule 2: 5S rRNA




- Molecule 3: 3S rRNA




- Molecule 4: bL33c




- Molecule 5: bL34c






- Molecule 6: 50S ribosomal protein L35





- Molecule 7: Large ribosomal subunit protein bL36c




- Molecule 8: Large ribosomal subunit protein uL2c





- Molecule 9: Large ribosomal subunit protein uL3c




- Molecule 10: Large ribosomal subunit protein uL4c




- Molecule 11: Large ribosomal subunit protein uL5c







• Molecule 16: uL13c




• Molecule 17: Large ribosomal subunit protein uL14c



• Molecule 18: uL15c




• Molecule 19: Large ribosomal subunit protein uL16c



• Molecule 20: Large ribosomal subunit protein bL17c









• Molecule 21: Large ribosomal subunit protein uL18c





• Molecule 22: bL19c




• Molecule 23: Large ribosomal subunit protein bL20c




• Molecule 24: bL21c





• Molecule 25: Large ribosomal subunit protein uL22c








• Molecule 26: uL23c, Large ribosomal subunit protein uL23c




• Molecule 27: KOW domain-containing protein




• Molecule 28: bL27c





• Molecule 29: Large ribosomal subunit protein bL28c





• Molecule 30: uL29c





• Molecule 31: bL32c




• Molecule 32: 50S ribosomal protein L31





• Molecule 33: 23S rRNA





• Molecule 34: 7S RNA




• Molecule 35: P-site tRNA




• Molecule 36: Nascent peptide





There are no outlier residues recorded for this chain.





• Molecule 41: Small ribosomal subunit protein uS8c





• Molecule 42: Small ribosomal subunit protein uS10 domain-containing protein





• Molecule 43: Small ribosomal subunit protein uS11c




• Molecule 44: Small ribosomal subunit protein uS12c




• Molecule 45: uS13c



• Molecule 46: Small ribosomal subunit protein uS14c



● Molecule 58: Small ribosomal subunit protein uS2c



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	49141	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	40	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	75000	Depositor
Image detector	TFS FALCON 4i (4k x 4k)	Depositor
Maximum map value	0.778	Depositor
Minimum map value	-0.174	Depositor
Average map value	0.002	Depositor
Map value standard deviation	0.015	Depositor
Recommended contour level	0.0707	Depositor
Map size (Å)	544.3072, 544.3072, 544.3072	wwPDB
Map dimensions	512, 512, 512	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.0631, 1.0631, 1.0631	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 5MC, 5MU, OMG, 6MZ, CLM, MG, UR3, OMC, 4SU, 2MG, 2MA, MA6, G7M, K, PSU, H2U, OMU, 4OC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	0	0.22	0/382	0.39	0/518
2	3	0.19	0/2871	0.36	0/4471
3	5	0.23	0/1126	0.38	0/1753
4	6	0.23	0/479	0.40	0/640
5	7	0.28	0/457	0.45	0/595
6	8	0.23	0/528	0.39	0/702
7	9	0.25	0/292	0.41	0/379
8	B	0.26	0/2200	0.44	0/2965
9	C	0.26	0/1711	0.45	0/2304
10	D	0.24	0/1619	0.41	0/2183
11	E	0.27	0/1433	0.63	1/1920 (0.1%)
12	F	0.19	0/1354	0.41	0/1821
13	G	0.21	0/424	0.45	0/570
14	H	0.25	0/1131	0.58	0/1520
15	I	2.22	3/992 (0.3%)	1.01	5/1336 (0.4%)
16	J	0.24	0/1375	0.44	0/1855
17	K	0.26	0/952	0.47	0/1280
18	L	0.25	0/1505	0.52	0/2009
19	M	0.24	0/1105	0.39	0/1482
20	N	0.23	0/951	0.43	0/1275
21	O	0.21	0/913	0.49	0/1222
22	P	0.24	0/1005	0.47	0/1351
23	Q	0.28	0/958	0.45	0/1272
24	R	0.25	0/927	0.41	0/1247
25	S	0.25	0/915	0.47	0/1221
26	T	0.26	0/772	0.47	0/1043
27	U	0.23	0/1036	0.44	0/1381
28	V	0.23	0/884	0.47	0/1187
29	W	0.25	0/1126	0.44	0/1507
30	X	0.23	0/853	0.43	0/1141
31	Z	0.25	0/328	0.42	0/436

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
32	Y	0.30	0/532	0.70	0/715
33	1	0.54	6/56765 (0.0%)	0.38	3/88499 (0.0%)
34	4	0.26	0/6566	0.37	0/10240
35	y	0.23	0/1728	0.37	0/2694
37	a	0.24	0/1899	0.63	0/2570
38	d	0.19	0/2144	0.46	0/2867
39	f	0.14	0/868	0.34	0/1172
40	g	0.22	0/1354	0.54	1/1820 (0.1%)
41	h	0.16	0/1125	0.39	0/1505
42	j	0.23	0/974	0.61	0/1316
43	k	0.17	0/908	0.43	0/1210
44	l	0.17	0/955	0.43	0/1282
45	m	0.20	0/931	0.49	0/1246
46	n	0.16	0/827	0.37	1/1097 (0.1%)
47	o	0.19	0/822	0.42	0/1098
48	p	0.20	0/682	0.47	0/917
49	q	0.19	0/626	0.46	0/836
50	r	0.18	0/676	0.41	0/907
51	s	0.17	0/661	0.43	0/887
52	t	0.23	0/948	0.51	0/1269
53	u	0.20	0/801	0.51	0/1070
54	v	0.25	0/1463	0.68	4/1994 (0.2%)
55	x	0.18	0/472	0.40	0/637
56	w	0.20	0/2835	0.50	0/3845
57	2	0.15	0/35103	0.31	0/54745
58	b	0.24	0/5616	0.60	3/7512 (0.0%)
59	c	0.19	0/5008	0.47	2/6698 (0.0%)
60	e	0.18	0/4029	0.50	3/5461 (0.1%)
61	i	0.24	0/1222	0.62	0/1630
62	A	0.11	0/143	0.30	0/220
All	All	0.39	9/171287 (0.0%)	0.42	23/252545 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
18	L	0	1
33	1	2	0
54	v	0	1
56	w	0	1
All	All	2	3

The worst 5 of 9 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
15	I	162	MET	CA-C	68.70	2.44	1.52
33	1	720	U	N3-C4	51.15	2.40	1.38
33	1	720	U	C2-N3	48.05	2.33	1.37
33	1	720	U	N1-C2	47.63	2.33	1.38
33	1	720	U	N1-C6	45.80	2.29	1.38

The worst 5 of 23 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	I	162	MET	O-C-N	-18.92	97.64	122.42
15	I	162	MET	CB-CA-C	14.60	135.06	109.65
15	I	162	MET	N-CA-C	9.29	124.81	113.38
15	I	162	MET	N-CA-CB	-9.29	96.69	110.53
15	I	162	MET	CA-C-O	8.99	129.40	119.15

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
33	1	312	A	C1'
33	1	1379	A	C1'

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
18	L	204	ASP	Peptide
54	v	141	ASP	Peptide
56	w	286	PHE	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	0	369	0	381	2	0
2	3	2571	0	1300	13	0
3	5	1006	0	507	2	0
4	6	473	0	498	9	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	7	455	0	500	1	0
6	8	520	0	543	2	0
7	9	292	0	332	8	0
8	B	2159	0	2239	6	0
9	C	1681	0	1736	6	0
10	D	1599	0	1659	8	0
11	E	1413	0	1479	23	0
12	F	1338	0	1434	9	0
13	G	418	0	456	2	0
14	H	1114	0	1149	11	0
15	I	980	0	1056	42	0
16	J	1346	0	1389	6	0
17	K	942	0	998	9	0
18	L	1484	0	1530	6	0
19	M	1080	0	1143	5	0
20	N	937	0	978	0	0
21	O	902	0	920	6	0
22	P	995	0	1057	10	0
23	Q	943	0	992	6	0
24	R	907	0	951	5	0
25	S	903	0	948	8	0
26	T	837	0	823	5	0
27	U	1020	0	1097	9	0
28	V	869	0	882	3	0
29	W	1104	0	1151	3	0
30	X	843	0	884	6	0
31	Z	323	0	367	5	0
32	Y	521	0	500	83	0
33	1	50934	0	25630	231	0
34	4	5856	0	2946	18	0
35	y	1627	0	828	16	0
36	xx	25	0	8	0	0
37	a	1868	0	1762	19	0
38	d	2107	0	2303	15	0
39	f	850	0	852	0	0
40	g	1334	0	1441	7	0
41	h	1113	0	1184	5	0
42	j	957	0	968	11	0
43	k	894	0	956	5	0
44	l	941	0	1029	6	0
45	m	924	0	969	42	0
46	n	814	0	877	30	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
47	o	813	0	828	6	0
48	p	666	0	697	8	0
49	q	621	0	658	5	0
50	r	664	0	743	0	0
51	s	645	0	677	42	0
52	t	935	0	1008	5	0
53	u	789	0	794	2	0
54	v	1430	0	1333	23	0
55	x	462	0	480	7	0
56	w	2786	0	2612	26	0
57	2	31537	0	15887	165	0
58	b	5545	0	6140	73	0
59	c	4939	0	5339	38	0
60	e	3988	0	3837	30	0
61	i	1209	0	1269	10	0
62	A	128	0	65	0	0
63	1	202	0	0	0	0
63	2	95	0	0	0	0
63	3	5	0	0	0	0
63	4	7	0	0	0	0
63	5	4	0	0	0	0
63	D	1	0	0	0	0
63	L	1	0	0	0	0
63	N	2	0	0	0	0
63	n	1	0	0	0	0
63	q	1	0	0	0	0
64	1	81	0	0	0	0
64	2	43	0	0	0	0
64	4	4	0	0	0	0
64	5	1	0	0	0	0
64	D	1	0	0	0	0
65	1	20	0	11	0	0
All	All	160214	0	116010	920	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

The worst 5 of 920 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
35:y:54:5MU:C4	35:y:54:5MU:C5	1.82	1.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
33:1:1551:A:H2	57:2:1432:A:C4	1.13	1.65
33:1:1577:5MU:C5	33:1:1577:5MU:C4	1.82	1.64
33:1:404:5MU:C5	33:1:404:5MU:C4	1.82	1.60
32:Y:101:GLU:HG3	46:n:38:LYS:CE	1.23	1.58

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	0	45/66 (68%)	45 (100%)	0	0	100	100
4	6	56/101 (55%)	55 (98%)	1 (2%)	0	100	100
5	7	58/124 (47%)	57 (98%)	1 (2%)	0	100	100
6	8	66/114 (58%)	65 (98%)	1 (2%)	0	100	100
7	9	35/37 (95%)	34 (97%)	1 (3%)	0	100	100
8	B	274/278 (99%)	268 (98%)	6 (2%)	0	100	100
9	C	221/259 (85%)	215 (97%)	6 (3%)	0	100	100
10	D	214/243 (88%)	210 (98%)	4 (2%)	0	100	100
11	E	176/179 (98%)	166 (94%)	10 (6%)	0	100	100
12	F	175/207 (84%)	167 (95%)	8 (5%)	0	100	100
13	G	52/200 (26%)	51 (98%)	1 (2%)	0	100	100
14	H	139/235 (59%)	138 (99%)	1 (1%)	0	100	100
15	I	130/176 (74%)	124 (95%)	6 (5%)	0	100	100
16	J	171/225 (76%)	164 (96%)	7 (4%)	0	100	100
17	K	120/122 (98%)	116 (97%)	4 (3%)	0	100	100
18	L	196/241 (81%)	188 (96%)	8 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
19	M	133/136 (98%)	129 (97%)	4 (3%)	0	100	100
20	N	115/173 (66%)	113 (98%)	2 (2%)	0	100	100
21	O	116/145 (80%)	115 (99%)	1 (1%)	0	100	100
22	P	128/153 (84%)	122 (95%)	6 (5%)	0	100	100
23	Q	109/112 (97%)	109 (100%)	0	0	100	100
24	R	113/179 (63%)	112 (99%)	1 (1%)	0	100	100
25	S	113/175 (65%)	113 (100%)	0	0	100	100
26	T	90/111 (81%)	88 (98%)	2 (2%)	0	100	100
27	U	130/170 (76%)	127 (98%)	3 (2%)	0	100	100
28	V	112/161 (70%)	108 (96%)	4 (4%)	0	100	100
29	W	136/195 (70%)	133 (98%)	3 (2%)	0	100	100
30	X	104/134 (78%)	104 (100%)	0	0	100	100
31	Z	39/98 (40%)	37 (95%)	2 (5%)	0	100	100
32	Y	61/136 (45%)	53 (87%)	7 (12%)	1 (2%)	8	16
37	a	234/436 (54%)	221 (94%)	12 (5%)	1 (0%)	30	49
38	d	254/257 (99%)	246 (97%)	8 (3%)	0	100	100
39	f	101/171 (59%)	100 (99%)	1 (1%)	0	100	100
40	g	165/168 (98%)	160 (97%)	5 (3%)	0	100	100
41	h	139/141 (99%)	136 (98%)	3 (2%)	0	100	100
42	j	120/169 (71%)	115 (96%)	2 (2%)	3 (2%)	4	9
43	k	115/130 (88%)	112 (97%)	3 (3%)	0	100	100
44	l	119/133 (90%)	113 (95%)	6 (5%)	0	100	100
45	m	112/164 (68%)	109 (97%)	3 (3%)	0	100	100
46	n	97/100 (97%)	97 (100%)	0	0	100	100
47	o	99/141 (70%)	96 (97%)	3 (3%)	0	100	100
48	p	78/128 (61%)	78 (100%)	0	0	100	100
49	q	76/105 (72%)	73 (96%)	3 (4%)	0	100	100
50	r	79/137 (58%)	76 (96%)	3 (4%)	0	100	100
51	s	79/92 (86%)	78 (99%)	1 (1%)	0	100	100
52	t	117/166 (70%)	117 (100%)	0	0	100	100
53	u	90/184 (49%)	86 (96%)	4 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
54	v	179/298 (60%)	160 (89%)	16 (9%)	3 (2%)	7	15
55	x	58/120 (48%)	56 (97%)	2 (3%)	0	100	100
56	w	361/560 (64%)	357 (99%)	4 (1%)	0	100	100
58	b	679/910 (75%)	656 (97%)	22 (3%)	1 (0%)	48	69
59	c	597/712 (84%)	582 (98%)	15 (2%)	0	100	100
60	e	528/673 (78%)	500 (95%)	27 (5%)	1 (0%)	44	63
61	i	149/191 (78%)	136 (91%)	12 (8%)	1 (1%)	19	36
All	All	8252/11171 (74%)	7986 (97%)	255 (3%)	11 (0%)	50	69

5 of 11 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
42	j	123	VAL
37	a	71	VAL
42	j	50	VAL
54	v	131	VAL
54	v	142	PHE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	0	39/54 (72%)	39 (100%)	0	100	100
4	6	53/90 (59%)	51 (96%)	2 (4%)	28	53
5	7	45/90 (50%)	45 (100%)	0	100	100
6	8	55/92 (60%)	53 (96%)	2 (4%)	30	55
7	9	33/33 (100%)	31 (94%)	2 (6%)	15	31
8	B	228/230 (99%)	223 (98%)	5 (2%)	47	71
9	C	176/204 (86%)	171 (97%)	5 (3%)	38	64
10	D	167/187 (89%)	166 (99%)	1 (1%)	84	92
11	E	156/157 (99%)	156 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
12	F	145/168 (86%)	142 (98%)	3 (2%)	48	72
13	G	46/167 (28%)	46 (100%)	0	100	100
14	H	122/197 (62%)	119 (98%)	3 (2%)	42	68
15	I	106/138 (77%)	102 (96%)	4 (4%)	28	53
16	J	140/180 (78%)	137 (98%)	3 (2%)	48	72
17	K	101/101 (100%)	99 (98%)	2 (2%)	50	74
18	L	149/180 (83%)	147 (99%)	2 (1%)	65	83
19	M	110/111 (99%)	106 (96%)	4 (4%)	30	55
20	N	97/140 (69%)	94 (97%)	3 (3%)	35	60
21	O	93/116 (80%)	91 (98%)	2 (2%)	47	71
22	P	104/122 (85%)	100 (96%)	4 (4%)	28	53
23	Q	100/101 (99%)	98 (98%)	2 (2%)	50	74
24	R	97/145 (67%)	92 (95%)	5 (5%)	19	39
25	S	94/136 (69%)	88 (94%)	6 (6%)	14	30
26	T	85/89 (96%)	84 (99%)	1 (1%)	67	85
27	U	109/137 (80%)	107 (98%)	2 (2%)	54	76
28	V	90/127 (71%)	88 (98%)	2 (2%)	47	71
29	W	116/164 (71%)	113 (97%)	3 (3%)	41	67
30	X	89/109 (82%)	87 (98%)	2 (2%)	47	71
31	Z	33/81 (41%)	33 (100%)	0	100	100
32	Y	55/106 (52%)	53 (96%)	2 (4%)	30	55
37	a	206/368 (56%)	201 (98%)	5 (2%)	44	69
38	d	233/234 (100%)	231 (99%)	2 (1%)	75	88
39	f	89/140 (64%)	89 (100%)	0	100	100
40	g	146/147 (99%)	142 (97%)	4 (3%)	40	65
41	h	125/125 (100%)	124 (99%)	1 (1%)	79	90
42	j	107/143 (75%)	104 (97%)	3 (3%)	38	64
43	k	93/105 (89%)	93 (100%)	0	100	100
44	l	103/111 (93%)	99 (96%)	4 (4%)	27	52
45	m	101/138 (73%)	100 (99%)	1 (1%)	73	87
46	n	88/89 (99%)	87 (99%)	1 (1%)	70	86

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
47	o	86/115 (75%)	85 (99%)	1 (1%)	67	85
48	p	69/108 (64%)	66 (96%)	3 (4%)	25	48
49	q	69/90 (77%)	69 (100%)	0	100	100
50	r	73/128 (57%)	70 (96%)	3 (4%)	26	50
51	s	71/80 (89%)	71 (100%)	0	100	100
52	t	99/133 (74%)	98 (99%)	1 (1%)	73	87
53	u	85/149 (57%)	82 (96%)	3 (4%)	31	56
54	v	143/246 (58%)	139 (97%)	4 (3%)	38	64
55	x	50/95 (53%)	49 (98%)	1 (2%)	50	74
56	w	287/434 (66%)	282 (98%)	5 (2%)	56	78
58	b	620/807 (77%)	610 (98%)	10 (2%)	58	79
59	c	541/634 (85%)	535 (99%)	6 (1%)	70	86
60	e	411/527 (78%)	402 (98%)	9 (2%)	47	71
61	i	128/159 (80%)	124 (97%)	4 (3%)	35	60
All	All	7056/9257 (76%)	6913 (98%)	143 (2%)	50	74

5 of 143 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
58	b	210	VAL
58	b	585	GLU
60	e	135	ILE
23	Q	94	VAL
23	Q	74	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 57 such sidechains are listed below:

Mol	Chain	Res	Type
39	f	171	GLN
61	i	24	ASN
47	o	97	GLN
61	i	19	GLN
59	c	530	ASN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
2	3	120/121 (99%)	20 (16%)	1 (0%)
3	5	46/47 (97%)	4 (8%)	0
33	1	2362/2375 (99%)	333 (14%)	4 (0%)
34	4	270/272 (99%)	35 (12%)	1 (0%)
35	y	75/76 (98%)	12 (16%)	0
36	xx	0/5	-	-
57	2	1468/1470 (99%)	202 (13%)	3 (0%)
62	A	5/6 (83%)	1 (20%)	0
All	All	4346/4372 (99%)	607 (13%)	9 (0%)

5 of 607 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
2	3	14	U
2	3	16	G
2	3	19	C
2	3	25	G
2	3	33	C

5 of 9 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
57	2	595	U
57	2	980	G
33	1	1961	G
33	1	2396	U
34	4	277	G

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

23 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
33	OMG	1	1891	35,64,33	18,26,27	2.47	8 (44%)	19,38,41	1.43	4 (21%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
33	2MA	1	2143	64,63,33	19,25,26	3.61	6 (31%)	21,37,40	2.30	4 (19%)
57	5MC	2	913	57	18,22,23	3.57	7 (38%)	26,32,35	1.04	2 (7%)
33	5MC	1	1600	64,33	18,22,23	3.45	7 (38%)	26,32,35	1.06	1 (3%)
57	UR3	2	1437	57	19,22,23	2.76	8 (42%)	26,32,35	1.32	2 (7%)
33	6MZ	1	1669	33	18,25,26	5.42	11 (61%)	16,36,39	3.51	3 (18%)
57	MA6	2	1458	57	18,26,27	1.24	3 (16%)	19,38,41	3.54	3 (15%)
35	5MC	y	32	35	18,22,23	3.60	7 (38%)	26,32,35	1.19	2 (7%)
35	5MU	y	54	35	19,22,23	7.68	9 (47%)	28,32,35	3.22	11 (39%)
57	4OC	2	1341	57	20,23,24	3.39	8 (40%)	26,32,35	0.85	1 (3%)
35	4SU	y	8	35	18,21,22	3.94	7 (38%)	26,30,33	2.15	4 (15%)
33	5MU	1	1577	64,33	19,22,23	7.66	9 (47%)	28,32,35	3.48	10 (35%)
33	2MG	1	1471	33	18,26,27	2.58	6 (33%)	16,38,41	1.48	4 (25%)
57	2MG	2	1455	57	18,26,27	2.64	6 (33%)	16,38,41	1.74	4 (25%)
57	MA6	2	1457	57	18,26,27	1.19	3 (16%)	19,38,41	3.49	3 (15%)
33	OMC	1	2138	63,33	19,22,23	2.84	8 (42%)	26,31,34	0.90	0
35	PSU	y	55	35	18,21,22	1.12	1 (5%)	22,30,33	1.65	4 (18%)
57	2MG	2	912	57	18,26,27	2.73	6 (33%)	16,38,41	1.45	3 (18%)
33	H2U	1	2089	33	18,21,22	0.57	0	21,30,33	1.01	1 (4%)
33	OMU	1	2192	64,33	19,22,23	2.98	8 (42%)	26,31,34	1.77	5 (19%)
57	G7M	2	480	64,57	20,26,27	2.19	6 (30%)	17,39,42	1.29	3 (17%)
33	5MU	1	404	33	19,22,23	7.67	8 (42%)	28,32,35	3.32	9 (32%)
33	2MG	1	2085	33	18,26,27	2.56	6 (33%)	16,38,41	1.43	3 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
33	OMG	1	1891	35,64,33	-	3/5/27/28	0/3/3/3
33	2MA	1	2143	64,63,33	-	1/3/25/26	0/3/3/3
57	5MC	2	913	57	-	0/7/25/26	0/2/2/2
33	5MC	1	1600	64,33	-	2/7/25/26	0/2/2/2
57	UR3	2	1437	57	-	0/7/25/26	0/2/2/2
33	6MZ	1	1669	33	-	2/5/27/28	0/3/3/3
57	MA6	2	1458	57	-	2/7/29/30	0/3/3/3
35	5MC	y	32	35	-	0/7/25/26	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
35	5MU	y	54	35	-	0/7/25/26	0/2/2/2
57	4OC	2	1341	57	-	2/9/29/30	0/2/2/2
35	4SU	y	8	35	-	0/7/25/26	0/2/2/2
33	5MU	1	1577	64,33	-	0/7/25/26	0/2/2/2
33	2MG	1	1471	33	-	0/5/27/28	0/3/3/3
57	2MG	2	1455	57	-	0/5/27/28	0/3/3/3
57	MA6	2	1457	57	-	0/7/29/30	0/3/3/3
33	OMC	1	2138	63,33	-	0/9/27/28	0/2/2/2
35	PSU	y	55	35	-	0/7/25/26	0/2/2/2
57	2MG	2	912	57	-	2/5/27/28	0/3/3/3
33	H2U	1	2089	33	-	0/7/38/39	0/2/2/2
33	OMU	1	2192	64,33	-	0/9/27/28	0/2/2/2
57	G7M	2	480	64,57	-	3/3/25/26	0/3/3/3
33	5MU	1	404	33	-	0/7/25/26	0/2/2/2
33	2MG	1	2085	33	-	2/5/27/28	0/3/3/3

The worst 5 of 148 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
33	1	1577	5MU	C4-C5	22.76	1.82	1.44
35	y	54	5MU	C4-C5	22.61	1.82	1.44
33	1	404	5MU	C4-C5	22.41	1.82	1.44
35	y	54	5MU	C6-N1	15.66	1.64	1.38
33	1	404	5MU	C6-N1	15.52	1.64	1.38

The worst 5 of 86 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
57	2	1458	MA6	N1-C6-N6	-13.96	102.36	117.06
57	2	1457	MA6	N1-C6-N6	-13.76	102.58	117.06
33	1	1577	5MU	C5-C4-N3	10.60	124.36	115.31
35	y	54	5MU	C5-C4-N3	10.08	123.92	115.31
33	1	404	5MU	C5-C4-N3	10.03	123.87	115.31

There are no chirality outliers.

5 of 19 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
33	1	1669	6MZ	C3'-C4'-C5'-O5'
33	1	1891	OMG	C1'-C2'-O2'-CM2
57	2	912	2MG	O4'-C4'-C5'-O5'

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
57	2	1458	MA6	O4'-C4'-C5'-O5'
33	1	1669	6MZ	O4'-C4'-C5'-O5'

There are no ring outliers.

9 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
33	1	1891	OMG	1	0
33	1	1669	6MZ	1	0
57	2	1458	MA6	1	0
35	y	54	5MU	1	0
57	2	1341	4OC	1	0
33	1	1577	5MU	1	0
57	2	1455	2MG	2	0
57	2	912	2MG	1	0
33	1	404	5MU	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 450 ligands modelled in this entry, 449 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
65	CLM	1	2884	64	19,20,20	1.55	3 (15%)	23,27,27	0.98	2 (8%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
65	CLM	1	2884	64	-	5/20/22/22	0/1/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
65	1	2884	CLM	C2-N2	4.83	1.44	1.34
65	1	2884	CLM	O9B-N9	-3.15	1.17	1.22
65	1	2884	CLM	O2-C2	-2.60	1.18	1.23

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
65	1	2884	CLM	C3-N2-C2	-2.60	118.48	123.07
65	1	2884	CLM	O2-C2-N2	-2.01	119.21	122.93

There are no chirality outliers.


All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
65	1	2884	CLM	CL1-C1-C2-O2
65	1	2884	CLM	CL1-C1-C2-N2
65	1	2884	CLM	CL2-C1-C2-N2
65	1	2884	CLM	C5-C3-C4-O4
65	1	2884	CLM	N2-C3-C4-O4

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
33	1	12
57	2	2
60	e	1
34	4	1

The worst 5 of 16 chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	e	187:GLY	C	227:ALA	N	24.73

Continued on next page...

Continued from previous page...

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	1	1506:C	O3'	1509:G	P	16.37
1	4	259:U	O3'	266:A	P	16.18
1	1	1190:A	O3'	1196:U	P	16.03
1	1	1738:G	O3'	1830:G	P	15.23


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-56567. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y



Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 256



Y Index: 256




Z Index: 256


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 251



Y Index: 244




Z Index: 286


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z


The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)


6.5.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.0707. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 1070 nm³; this corresponds to an approximate mass of 967 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i



*Reported resolution corresponds to spatial frequency of 0.352 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-56567 and PDB model 28JW. Per-residue inclusion information can be found in section 3 on page 17.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.0707 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0707).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 86% of all backbone atoms, 86% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

























































The table lists the average atom inclusion at the recommended contour level (0.0707) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8580	 0.5450
0	 0.9280	 0.6230
1	 0.9550	 0.6040
2	 0.9690	 0.5740
3	 0.9110	 0.5200
4	 0.9690	 0.6090
5	 0.9780	 0.6170
6	 0.9080	 0.6070
7	 0.9340	 0.6300
8	 0.9650	 0.6330
9	 0.9400	 0.6230
A	 0.5700	 0.4400
B	 0.9430	 0.6360
C	 0.9250	 0.6210
D	 0.9420	 0.6230
E	 0.6740	 0.4790
F	 0.7930	 0.5490
G	 0.7610	 0.5110
H	 0.1980	 0.2310
I	 0.0790	 0.1530
J	 0.9350	 0.6230
K	 0.9080	 0.6180
L	 0.9000	 0.6010
M	 0.9290	 0.6170
N	 0.9550	 0.6290
O	 0.8520	 0.5570
P	 0.8550	 0.5890
Q	 0.9600	 0.6330
R	 0.9360	 0.6220
S	 0.9100	 0.6180
T	 0.9220	 0.6090
U	 0.8860	 0.6000
V	 0.8710	 0.5780
W	 0.9070	 0.6110
X	 0.8890	 0.5910



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
Y	 0.6180	 0.3790
Z	 0.9250	 0.6130
a	 0.4100	 0.2630
b	 0.4540	 0.3110
c	 0.5940	 0.3770
d	 0.7000	 0.4560
e	 0.4390	 0.3110
f	 0.8390	 0.5580
g	 0.7280	 0.5010
h	 0.8710	 0.5800
i	 0.6840	 0.4470
j	 0.8030	 0.5300
k	 0.8350	 0.5700
l	 0.9120	 0.5960
m	 0.8550	 0.5450
n	 0.9090	 0.5820
o	 0.8410	 0.5550
p	 0.9210	 0.5850
q	 0.8510	 0.5700
r	 0.9010	 0.5820
s	 0.8760	 0.5600
t	 0.8250	 0.5170
u	 0.7450	 0.5300
v	 0.3990	 0.2730
w	 0.4220	 0.2690
x	 0.8680	 0.5690
xx	 0.7600	 0.5060
y	 0.7690	 0.4680