



wwPDB X-ray Structure Validation Summary Report ⓘ

Nov 4, 2025 – 04:04 pm GMT

PDB ID : 9HAQ / pdb_00009haq
Title : Crystal structure of methionine gamma-lyase from *Brevibacterium sandarakinum* in complex with PLP and norleucine at pH 8.5
Authors : Kopecny, D.; Ferchaud, N.; Briozzo, P.
Deposited on : 2024-11-04
Resolution : 2.69 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 2.0
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.46


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.69 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	3333 (2.70-2.70)
Clashscore	180529	3684 (2.70-2.70)
Ramachandran outliers	177936	3633 (2.70-2.70)
Sidechain outliers	177891	3633 (2.70-2.70)
RSRZ outliers	164620	3333 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	414	% 86% 7% • 7%
1	B	414	% 87% 6% • 6%
1	D	414	% 86% 7% 7%
1	F	414	 88% 5% • 6%
1	H	414	3% 83% 6% • 10%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	I	414	 88% 5% 6%
1	J	414	 86% 6% 7%
1	L	414	 85% 6% 9%
1	P	414	 86% 7% 7%
2	C	413	 86% 8% 6%
2	E	413	 90% 6%
2	G	413	 87% 7% 6%
2	K	413	 87% 6% 7%
2	M	413	 87% 5% 8%
2	N	413	 88% 5% 6%
2	O	413	 86% 6% 8%

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 89962 atoms, of which 44658 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cystathionine gamma-synthase.

Mol	Chain	Residues	Atoms							ZeroOcc	AltConf	Trace
1	A	386	Total	C	H	N	O	P	S	0	0	0
			5597	1761	2780	497	545	1	13			
1	B	388	Total	C	H	N	O	P	S	0	0	0
			5638	1773	2800	504	547	1	13			
1	D	383	Total	C	H	N	O	P	S	0	0	0
			5556	1748	2758	494	542	1	13			
1	F	387	Total	C	H	N	O	P	S	0	0	0
			5624	1769	2794	502	545	1	13			
1	H	372	Total	C	H	N	O	P	S	0	1	0
			5425	1709	2693	482	527	1	13			
1	I	387	Total	C	H	N	O	P	S	0	1	0
			5648	1776	2807	505	546	1	13			
1	J	384	Total	C	H	N	O	P	S	0	0	0
			5585	1758	2776	497	540	1	13			
1	L	374	Total	C	H	N	O	P	S	0	0	0
			5427	1710	2690	483	530	1	13			
1	P	385	Total	C	H	N	O	P	S	0	1	0
			5626	1769	2797	502	544	1	13			

There are 180 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	initiating methionine	UNP A0A1H1YBL2
A	-18	GLY	-	expression tag	UNP A0A1H1YBL2
A	-17	SER	-	expression tag	UNP A0A1H1YBL2
A	-16	SER	-	expression tag	UNP A0A1H1YBL2
A	-15	HIS	-	expression tag	UNP A0A1H1YBL2
A	-14	HIS	-	expression tag	UNP A0A1H1YBL2
A	-13	HIS	-	expression tag	UNP A0A1H1YBL2
A	-12	HIS	-	expression tag	UNP A0A1H1YBL2
A	-11	HIS	-	expression tag	UNP A0A1H1YBL2
A	-10	HIS	-	expression tag	UNP A0A1H1YBL2
A	-9	SER	-	expression tag	UNP A0A1H1YBL2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-8	SER	-	expression tag	UNP A0A1H1YBL2
A	-7	GLY	-	expression tag	UNP A0A1H1YBL2
A	-6	LEU	-	expression tag	UNP A0A1H1YBL2
A	-5	VAL	-	expression tag	UNP A0A1H1YBL2
A	-4	PRO	-	expression tag	UNP A0A1H1YBL2
A	-3	ARG	-	expression tag	UNP A0A1H1YBL2
A	-2	GLY	-	expression tag	UNP A0A1H1YBL2
A	-1	SER	-	expression tag	UNP A0A1H1YBL2
A	0	HIS	-	expression tag	UNP A0A1H1YBL2
B	-19	MET	-	initiating methionine	UNP A0A1H1YBL2
B	-18	GLY	-	expression tag	UNP A0A1H1YBL2
B	-17	SER	-	expression tag	UNP A0A1H1YBL2
B	-16	SER	-	expression tag	UNP A0A1H1YBL2
B	-15	HIS	-	expression tag	UNP A0A1H1YBL2
B	-14	HIS	-	expression tag	UNP A0A1H1YBL2
B	-13	HIS	-	expression tag	UNP A0A1H1YBL2
B	-12	HIS	-	expression tag	UNP A0A1H1YBL2
B	-11	HIS	-	expression tag	UNP A0A1H1YBL2
B	-10	HIS	-	expression tag	UNP A0A1H1YBL2
B	-9	SER	-	expression tag	UNP A0A1H1YBL2
B	-8	SER	-	expression tag	UNP A0A1H1YBL2
B	-7	GLY	-	expression tag	UNP A0A1H1YBL2
B	-6	LEU	-	expression tag	UNP A0A1H1YBL2
B	-5	VAL	-	expression tag	UNP A0A1H1YBL2
B	-4	PRO	-	expression tag	UNP A0A1H1YBL2
B	-3	ARG	-	expression tag	UNP A0A1H1YBL2
B	-2	GLY	-	expression tag	UNP A0A1H1YBL2
B	-1	SER	-	expression tag	UNP A0A1H1YBL2
B	0	HIS	-	expression tag	UNP A0A1H1YBL2
D	-19	MET	-	initiating methionine	UNP A0A1H1YBL2
D	-18	GLY	-	expression tag	UNP A0A1H1YBL2
D	-17	SER	-	expression tag	UNP A0A1H1YBL2
D	-16	SER	-	expression tag	UNP A0A1H1YBL2
D	-15	HIS	-	expression tag	UNP A0A1H1YBL2
D	-14	HIS	-	expression tag	UNP A0A1H1YBL2
D	-13	HIS	-	expression tag	UNP A0A1H1YBL2
D	-12	HIS	-	expression tag	UNP A0A1H1YBL2
D	-11	HIS	-	expression tag	UNP A0A1H1YBL2
D	-10	HIS	-	expression tag	UNP A0A1H1YBL2
D	-9	SER	-	expression tag	UNP A0A1H1YBL2
D	-8	SER	-	expression tag	UNP A0A1H1YBL2
D	-7	GLY	-	expression tag	UNP A0A1H1YBL2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-6	LEU	-	expression tag	UNP A0A1H1YBL2
D	-5	VAL	-	expression tag	UNP A0A1H1YBL2
D	-4	PRO	-	expression tag	UNP A0A1H1YBL2
D	-3	ARG	-	expression tag	UNP A0A1H1YBL2
D	-2	GLY	-	expression tag	UNP A0A1H1YBL2
D	-1	SER	-	expression tag	UNP A0A1H1YBL2
D	0	HIS	-	expression tag	UNP A0A1H1YBL2
F	-19	MET	-	initiating methionine	UNP A0A1H1YBL2
F	-18	GLY	-	expression tag	UNP A0A1H1YBL2
F	-17	SER	-	expression tag	UNP A0A1H1YBL2
F	-16	SER	-	expression tag	UNP A0A1H1YBL2
F	-15	HIS	-	expression tag	UNP A0A1H1YBL2
F	-14	HIS	-	expression tag	UNP A0A1H1YBL2
F	-13	HIS	-	expression tag	UNP A0A1H1YBL2
F	-12	HIS	-	expression tag	UNP A0A1H1YBL2
F	-11	HIS	-	expression tag	UNP A0A1H1YBL2
F	-10	HIS	-	expression tag	UNP A0A1H1YBL2
F	-9	SER	-	expression tag	UNP A0A1H1YBL2
F	-8	SER	-	expression tag	UNP A0A1H1YBL2
F	-7	GLY	-	expression tag	UNP A0A1H1YBL2
F	-6	LEU	-	expression tag	UNP A0A1H1YBL2
F	-5	VAL	-	expression tag	UNP A0A1H1YBL2
F	-4	PRO	-	expression tag	UNP A0A1H1YBL2
F	-3	ARG	-	expression tag	UNP A0A1H1YBL2
F	-2	GLY	-	expression tag	UNP A0A1H1YBL2
F	-1	SER	-	expression tag	UNP A0A1H1YBL2
F	0	HIS	-	expression tag	UNP A0A1H1YBL2
H	-19	MET	-	initiating methionine	UNP A0A1H1YBL2
H	-18	GLY	-	expression tag	UNP A0A1H1YBL2
H	-17	SER	-	expression tag	UNP A0A1H1YBL2
H	-16	SER	-	expression tag	UNP A0A1H1YBL2
H	-15	HIS	-	expression tag	UNP A0A1H1YBL2
H	-14	HIS	-	expression tag	UNP A0A1H1YBL2
H	-13	HIS	-	expression tag	UNP A0A1H1YBL2
H	-12	HIS	-	expression tag	UNP A0A1H1YBL2
H	-11	HIS	-	expression tag	UNP A0A1H1YBL2
H	-10	HIS	-	expression tag	UNP A0A1H1YBL2
H	-9	SER	-	expression tag	UNP A0A1H1YBL2
H	-8	SER	-	expression tag	UNP A0A1H1YBL2
H	-7	GLY	-	expression tag	UNP A0A1H1YBL2
H	-6	LEU	-	expression tag	UNP A0A1H1YBL2
H	-5	VAL	-	expression tag	UNP A0A1H1YBL2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	-4	PRO	-	expression tag	UNP A0A1H1YBL2
H	-3	ARG	-	expression tag	UNP A0A1H1YBL2
H	-2	GLY	-	expression tag	UNP A0A1H1YBL2
H	-1	SER	-	expression tag	UNP A0A1H1YBL2
H	0	HIS	-	expression tag	UNP A0A1H1YBL2
I	-19	MET	-	initiating methionine	UNP A0A1H1YBL2
I	-18	GLY	-	expression tag	UNP A0A1H1YBL2
I	-17	SER	-	expression tag	UNP A0A1H1YBL2
I	-16	SER	-	expression tag	UNP A0A1H1YBL2
I	-15	HIS	-	expression tag	UNP A0A1H1YBL2
I	-14	HIS	-	expression tag	UNP A0A1H1YBL2
I	-13	HIS	-	expression tag	UNP A0A1H1YBL2
I	-12	HIS	-	expression tag	UNP A0A1H1YBL2
I	-11	HIS	-	expression tag	UNP A0A1H1YBL2
I	-10	HIS	-	expression tag	UNP A0A1H1YBL2
I	-9	SER	-	expression tag	UNP A0A1H1YBL2
I	-8	SER	-	expression tag	UNP A0A1H1YBL2
I	-7	GLY	-	expression tag	UNP A0A1H1YBL2
I	-6	LEU	-	expression tag	UNP A0A1H1YBL2
I	-5	VAL	-	expression tag	UNP A0A1H1YBL2
I	-4	PRO	-	expression tag	UNP A0A1H1YBL2
I	-3	ARG	-	expression tag	UNP A0A1H1YBL2
I	-2	GLY	-	expression tag	UNP A0A1H1YBL2
I	-1	SER	-	expression tag	UNP A0A1H1YBL2
I	0	HIS	-	expression tag	UNP A0A1H1YBL2
J	-19	MET	-	initiating methionine	UNP A0A1H1YBL2
J	-18	GLY	-	expression tag	UNP A0A1H1YBL2
J	-17	SER	-	expression tag	UNP A0A1H1YBL2
J	-16	SER	-	expression tag	UNP A0A1H1YBL2
J	-15	HIS	-	expression tag	UNP A0A1H1YBL2
J	-14	HIS	-	expression tag	UNP A0A1H1YBL2
J	-13	HIS	-	expression tag	UNP A0A1H1YBL2
J	-12	HIS	-	expression tag	UNP A0A1H1YBL2
J	-11	HIS	-	expression tag	UNP A0A1H1YBL2
J	-10	HIS	-	expression tag	UNP A0A1H1YBL2
J	-9	SER	-	expression tag	UNP A0A1H1YBL2
J	-8	SER	-	expression tag	UNP A0A1H1YBL2
J	-7	GLY	-	expression tag	UNP A0A1H1YBL2
J	-6	LEU	-	expression tag	UNP A0A1H1YBL2
J	-5	VAL	-	expression tag	UNP A0A1H1YBL2
J	-4	PRO	-	expression tag	UNP A0A1H1YBL2
J	-3	ARG	-	expression tag	UNP A0A1H1YBL2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
J	-2	GLY	-	expression tag	UNP A0A1H1YBL2
J	-1	SER	-	expression tag	UNP A0A1H1YBL2
J	0	HIS	-	expression tag	UNP A0A1H1YBL2
L	-19	MET	-	initiating methionine	UNP A0A1H1YBL2
L	-18	GLY	-	expression tag	UNP A0A1H1YBL2
L	-17	SER	-	expression tag	UNP A0A1H1YBL2
L	-16	SER	-	expression tag	UNP A0A1H1YBL2
L	-15	HIS	-	expression tag	UNP A0A1H1YBL2
L	-14	HIS	-	expression tag	UNP A0A1H1YBL2
L	-13	HIS	-	expression tag	UNP A0A1H1YBL2
L	-12	HIS	-	expression tag	UNP A0A1H1YBL2
L	-11	HIS	-	expression tag	UNP A0A1H1YBL2
L	-10	HIS	-	expression tag	UNP A0A1H1YBL2
L	-9	SER	-	expression tag	UNP A0A1H1YBL2
L	-8	SER	-	expression tag	UNP A0A1H1YBL2
L	-7	GLY	-	expression tag	UNP A0A1H1YBL2
L	-6	LEU	-	expression tag	UNP A0A1H1YBL2
L	-5	VAL	-	expression tag	UNP A0A1H1YBL2
L	-4	PRO	-	expression tag	UNP A0A1H1YBL2
L	-3	ARG	-	expression tag	UNP A0A1H1YBL2
L	-2	GLY	-	expression tag	UNP A0A1H1YBL2
L	-1	SER	-	expression tag	UNP A0A1H1YBL2
L	0	HIS	-	expression tag	UNP A0A1H1YBL2
P	-19	MET	-	initiating methionine	UNP A0A1H1YBL2
P	-18	GLY	-	expression tag	UNP A0A1H1YBL2
P	-17	SER	-	expression tag	UNP A0A1H1YBL2
P	-16	SER	-	expression tag	UNP A0A1H1YBL2
P	-15	HIS	-	expression tag	UNP A0A1H1YBL2
P	-14	HIS	-	expression tag	UNP A0A1H1YBL2
P	-13	HIS	-	expression tag	UNP A0A1H1YBL2
P	-12	HIS	-	expression tag	UNP A0A1H1YBL2
P	-11	HIS	-	expression tag	UNP A0A1H1YBL2
P	-10	HIS	-	expression tag	UNP A0A1H1YBL2
P	-9	SER	-	expression tag	UNP A0A1H1YBL2
P	-8	SER	-	expression tag	UNP A0A1H1YBL2
P	-7	GLY	-	expression tag	UNP A0A1H1YBL2
P	-6	LEU	-	expression tag	UNP A0A1H1YBL2
P	-5	VAL	-	expression tag	UNP A0A1H1YBL2
P	-4	PRO	-	expression tag	UNP A0A1H1YBL2
P	-3	ARG	-	expression tag	UNP A0A1H1YBL2
P	-2	GLY	-	expression tag	UNP A0A1H1YBL2
P	-1	SER	-	expression tag	UNP A0A1H1YBL2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
P	0	HIS	-	expression tag	UNP A0A1H1YBL2

- Molecule 2 is a protein called Cystathionine gamma-synthase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	C	388	Total	C	H	N	O	S	0	0	0
			5618	1765	2795	503	542	13			
2	E	389	Total	C	H	N	O	S	0	0	0
			5638	1770	2807	506	542	13			
2	G	387	Total	C	H	N	O	S	0	0	0
			5607	1762	2790	502	540	13			
2	K	386	Total	C	H	N	O	S	0	0	0
			5594	1759	2783	500	539	13			
2	M	382	Total	C	H	N	O	S	0	0	0
			5543	1743	2757	496	534	13			
2	N	387	Total	C	H	N	O	S	0	0	0
			5604	1761	2789	501	540	13			
2	O	380	Total	C	H	N	O	S	0	0	0
			5517	1735	2745	493	531	13			

There are 140 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	-19	MET	-	initiating methionine	UNP A0A1H1YBL2
C	-18	GLY	-	expression tag	UNP A0A1H1YBL2
C	-17	SER	-	expression tag	UNP A0A1H1YBL2
C	-16	SER	-	expression tag	UNP A0A1H1YBL2
C	-15	HIS	-	expression tag	UNP A0A1H1YBL2
C	-14	HIS	-	expression tag	UNP A0A1H1YBL2
C	-13	HIS	-	expression tag	UNP A0A1H1YBL2
C	-12	HIS	-	expression tag	UNP A0A1H1YBL2
C	-11	HIS	-	expression tag	UNP A0A1H1YBL2
C	-10	HIS	-	expression tag	UNP A0A1H1YBL2
C	-9	SER	-	expression tag	UNP A0A1H1YBL2
C	-8	SER	-	expression tag	UNP A0A1H1YBL2
C	-7	GLY	-	expression tag	UNP A0A1H1YBL2
C	-6	LEU	-	expression tag	UNP A0A1H1YBL2
C	-5	VAL	-	expression tag	UNP A0A1H1YBL2
C	-4	PRO	-	expression tag	UNP A0A1H1YBL2
C	-3	ARG	-	expression tag	UNP A0A1H1YBL2
C	-2	GLY	-	expression tag	UNP A0A1H1YBL2
C	-1	SER	-	expression tag	UNP A0A1H1YBL2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	0	HIS	-	expression tag	UNP A0A1H1YBL2
E	-19	MET	-	initiating methionine	UNP A0A1H1YBL2
E	-18	GLY	-	expression tag	UNP A0A1H1YBL2
E	-17	SER	-	expression tag	UNP A0A1H1YBL2
E	-16	SER	-	expression tag	UNP A0A1H1YBL2
E	-15	HIS	-	expression tag	UNP A0A1H1YBL2
E	-14	HIS	-	expression tag	UNP A0A1H1YBL2
E	-13	HIS	-	expression tag	UNP A0A1H1YBL2
E	-12	HIS	-	expression tag	UNP A0A1H1YBL2
E	-11	HIS	-	expression tag	UNP A0A1H1YBL2
E	-10	HIS	-	expression tag	UNP A0A1H1YBL2
E	-9	SER	-	expression tag	UNP A0A1H1YBL2
E	-8	SER	-	expression tag	UNP A0A1H1YBL2
E	-7	GLY	-	expression tag	UNP A0A1H1YBL2
E	-6	LEU	-	expression tag	UNP A0A1H1YBL2
E	-5	VAL	-	expression tag	UNP A0A1H1YBL2
E	-4	PRO	-	expression tag	UNP A0A1H1YBL2
E	-3	ARG	-	expression tag	UNP A0A1H1YBL2
E	-2	GLY	-	expression tag	UNP A0A1H1YBL2
E	-1	SER	-	expression tag	UNP A0A1H1YBL2
E	0	HIS	-	expression tag	UNP A0A1H1YBL2
G	-19	MET	-	initiating methionine	UNP A0A1H1YBL2
G	-18	GLY	-	expression tag	UNP A0A1H1YBL2
G	-17	SER	-	expression tag	UNP A0A1H1YBL2
G	-16	SER	-	expression tag	UNP A0A1H1YBL2
G	-15	HIS	-	expression tag	UNP A0A1H1YBL2
G	-14	HIS	-	expression tag	UNP A0A1H1YBL2
G	-13	HIS	-	expression tag	UNP A0A1H1YBL2
G	-12	HIS	-	expression tag	UNP A0A1H1YBL2
G	-11	HIS	-	expression tag	UNP A0A1H1YBL2
G	-10	HIS	-	expression tag	UNP A0A1H1YBL2
G	-9	SER	-	expression tag	UNP A0A1H1YBL2
G	-8	SER	-	expression tag	UNP A0A1H1YBL2
G	-7	GLY	-	expression tag	UNP A0A1H1YBL2
G	-6	LEU	-	expression tag	UNP A0A1H1YBL2
G	-5	VAL	-	expression tag	UNP A0A1H1YBL2
G	-4	PRO	-	expression tag	UNP A0A1H1YBL2
G	-3	ARG	-	expression tag	UNP A0A1H1YBL2
G	-2	GLY	-	expression tag	UNP A0A1H1YBL2
G	-1	SER	-	expression tag	UNP A0A1H1YBL2
G	0	HIS	-	expression tag	UNP A0A1H1YBL2
K	-19	MET	-	initiating methionine	UNP A0A1H1YBL2

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
K	-18	GLY	-	expression tag	UNP A0A1H1YBL2
K	-17	SER	-	expression tag	UNP A0A1H1YBL2
K	-16	SER	-	expression tag	UNP A0A1H1YBL2
K	-15	HIS	-	expression tag	UNP A0A1H1YBL2
K	-14	HIS	-	expression tag	UNP A0A1H1YBL2
K	-13	HIS	-	expression tag	UNP A0A1H1YBL2
K	-12	HIS	-	expression tag	UNP A0A1H1YBL2
K	-11	HIS	-	expression tag	UNP A0A1H1YBL2
K	-10	HIS	-	expression tag	UNP A0A1H1YBL2
K	-9	SER	-	expression tag	UNP A0A1H1YBL2
K	-8	SER	-	expression tag	UNP A0A1H1YBL2
K	-7	GLY	-	expression tag	UNP A0A1H1YBL2
K	-6	LEU	-	expression tag	UNP A0A1H1YBL2
K	-5	VAL	-	expression tag	UNP A0A1H1YBL2
K	-4	PRO	-	expression tag	UNP A0A1H1YBL2
K	-3	ARG	-	expression tag	UNP A0A1H1YBL2
K	-2	GLY	-	expression tag	UNP A0A1H1YBL2
K	-1	SER	-	expression tag	UNP A0A1H1YBL2
K	0	HIS	-	expression tag	UNP A0A1H1YBL2
M	-19	MET	-	initiating methionine	UNP A0A1H1YBL2
M	-18	GLY	-	expression tag	UNP A0A1H1YBL2
M	-17	SER	-	expression tag	UNP A0A1H1YBL2
M	-16	SER	-	expression tag	UNP A0A1H1YBL2
M	-15	HIS	-	expression tag	UNP A0A1H1YBL2
M	-14	HIS	-	expression tag	UNP A0A1H1YBL2
M	-13	HIS	-	expression tag	UNP A0A1H1YBL2
M	-12	HIS	-	expression tag	UNP A0A1H1YBL2
M	-11	HIS	-	expression tag	UNP A0A1H1YBL2
M	-10	HIS	-	expression tag	UNP A0A1H1YBL2
M	-9	SER	-	expression tag	UNP A0A1H1YBL2
M	-8	SER	-	expression tag	UNP A0A1H1YBL2
M	-7	GLY	-	expression tag	UNP A0A1H1YBL2
M	-6	LEU	-	expression tag	UNP A0A1H1YBL2
M	-5	VAL	-	expression tag	UNP A0A1H1YBL2
M	-4	PRO	-	expression tag	UNP A0A1H1YBL2
M	-3	ARG	-	expression tag	UNP A0A1H1YBL2
M	-2	GLY	-	expression tag	UNP A0A1H1YBL2
M	-1	SER	-	expression tag	UNP A0A1H1YBL2
M	0	HIS	-	expression tag	UNP A0A1H1YBL2
N	-19	MET	-	initiating methionine	UNP A0A1H1YBL2
N	-18	GLY	-	expression tag	UNP A0A1H1YBL2
N	-17	SER	-	expression tag	UNP A0A1H1YBL2

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
N	-16	SER	-	expression tag	UNP A0A1H1YBL2
N	-15	HIS	-	expression tag	UNP A0A1H1YBL2
N	-14	HIS	-	expression tag	UNP A0A1H1YBL2
N	-13	HIS	-	expression tag	UNP A0A1H1YBL2
N	-12	HIS	-	expression tag	UNP A0A1H1YBL2
N	-11	HIS	-	expression tag	UNP A0A1H1YBL2
N	-10	HIS	-	expression tag	UNP A0A1H1YBL2
N	-9	SER	-	expression tag	UNP A0A1H1YBL2
N	-8	SER	-	expression tag	UNP A0A1H1YBL2
N	-7	GLY	-	expression tag	UNP A0A1H1YBL2
N	-6	LEU	-	expression tag	UNP A0A1H1YBL2
N	-5	VAL	-	expression tag	UNP A0A1H1YBL2
N	-4	PRO	-	expression tag	UNP A0A1H1YBL2
N	-3	ARG	-	expression tag	UNP A0A1H1YBL2
N	-2	GLY	-	expression tag	UNP A0A1H1YBL2
N	-1	SER	-	expression tag	UNP A0A1H1YBL2
N	0	HIS	-	expression tag	UNP A0A1H1YBL2
O	-19	MET	-	initiating methionine	UNP A0A1H1YBL2
O	-18	GLY	-	expression tag	UNP A0A1H1YBL2
O	-17	SER	-	expression tag	UNP A0A1H1YBL2
O	-16	SER	-	expression tag	UNP A0A1H1YBL2
O	-15	HIS	-	expression tag	UNP A0A1H1YBL2
O	-14	HIS	-	expression tag	UNP A0A1H1YBL2
O	-13	HIS	-	expression tag	UNP A0A1H1YBL2
O	-12	HIS	-	expression tag	UNP A0A1H1YBL2
O	-11	HIS	-	expression tag	UNP A0A1H1YBL2
O	-10	HIS	-	expression tag	UNP A0A1H1YBL2
O	-9	SER	-	expression tag	UNP A0A1H1YBL2
O	-8	SER	-	expression tag	UNP A0A1H1YBL2
O	-7	GLY	-	expression tag	UNP A0A1H1YBL2
O	-6	LEU	-	expression tag	UNP A0A1H1YBL2
O	-5	VAL	-	expression tag	UNP A0A1H1YBL2
O	-4	PRO	-	expression tag	UNP A0A1H1YBL2
O	-3	ARG	-	expression tag	UNP A0A1H1YBL2
O	-2	GLY	-	expression tag	UNP A0A1H1YBL2
O	-1	SER	-	expression tag	UNP A0A1H1YBL2
O	0	HIS	-	expression tag	UNP A0A1H1YBL2

- Molecule 3 is NORLEUCINE (CCD ID: NLE) (formula: $C_6H_{13}NO_2$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	H	N	O	0	0
			21	6	12	1	2		
3	B	1	Total	C	H	N	O	0	0
			21	6	12	1	2		
3	D	1	Total	C	H	N	O	0	0
			22	6	13	1	2		
3	F	1	Total	C	H	N	O	0	0
			21	6	12	1	2		
3	J	1	Total	C	H	N	O	0	0
			21	6	12	1	2		

- Molecule 4 is 2-[O-PHOSPHONOPYRIDOXYL]-AMINO-HEXANOIC ACID (CCD ID: PY6) (formula: $C_{14}H_{23}N_2O_7P$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
4	C	1	Total	C	H	N	O	P	0	0
			44	14	20	2	7	1		
4	E	1	Total	C	H	N	O	P	0	0
			44	14	20	2	7	1		
4	G	1	Total	C	H	N	O	P	0	0
			44	14	20	2	7	1		
4	H	1	Total	C	H	N	O	P	0	1
			44	14	20	2	7	1		
4	I	1	Total	C	H	N	O	P	0	1
			44	14	20	2	7	1		
4	K	1	Total	C	H	N	O	P	0	0
			43	14	19	2	7	1		
4	M	1	Total	C	H	N	O	P	0	0
			44	14	20	2	7	1		
4	N	1	Total	C	H	N	O	P	0	0
			44	14	20	2	7	1		
4	O	1	Total	C	H	N	O	P	0	0
			44	14	20	2	7	1		
4	P	1	Total	C	H	N	O	P	0	1
			44	14	20	2	7	1		

- Molecule 5 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: C₄H₁₀O₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	D	1	Total	C	H	O	0	0
			17	4	10	3		
5	F	1	Total	C	H	O	0	0
			17	4	10	3		
5	J	1	Total	C	H	O	0	0
			17	4	10	3		

- Molecule 6 is PYRIDOXAL-5'-PHOSPHATE (CCD ID: PLP) (formula: $C_8H_{10}NO_6P$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
6	P	1	Total	C	H	N	O	P	0	1
			22	8	7	1	5	1		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	19	Total O 19 19	0	0
7	B	11	Total O 11 11	0	0
7	C	10	Total O 10 10	0	0
7	D	10	Total O 10 10	0	0
7	E	2	Total O 2 2	0	0
7	F	6	Total O 6 6	0	0
7	G	5	Total O 5 5	0	0
7	H	2	Total O 2 2	0	0
7	I	2	Total O 2 2	0	0
7	J	10	Total O 10 10	0	0
7	K	3	Total O 3 3	0	0
7	L	2	Total O 2 2	0	0
7	M	9	Total O 9 9	0	0
7	O	2	Total O 2 2	0	0
7	P	4	Total O 4 4	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Cystathionine gamma-synthase




- Molecule 1: Cystathionine gamma-synthase



- Molecule 1: Cystathionine gamma-synthase





- Molecule 1: Cystathionine gamma-synthase








• Molecule 1: Cystathionine gamma-synthase





• Molecule 1: Cystathionine gamma-synthase



• Molecule 1: Cystathionine gamma-synthase




• Molecule 1: Cystathionine gamma-synthase




- Molecule 1: Cystathionine gamma-synthase

Chain P:  86% 7% 7%




- Molecule 2: Cystathionine gamma-synthase

Chain C:  86% 8% 6%




- Molecule 2: Cystathionine gamma-synthase

Chain E:  90% 6%




- Molecule 2: Cystathionine gamma-synthase

Chain G:  87% 7% 6%





- Molecule 2: Cystathionine gamma-synthase

Chain K:  87% 6% 7%








• Molecule 2: Cystathionine gamma-synthase



• Molecule 2: Cystathionine gamma-synthase



• Molecule 2: Cystathionine gamma-synthase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	113.83Å 151.94Å 316.56Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	136.98 – 2.69 136.98 – 2.69	Depositor EDS
% Data completeness (in resolution range)	79.0 (136.98-2.69) 79.0 (136.98-2.69)	Depositor EDS
R_{merge}	0.23	Depositor
R_{sym}	0.22	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.55 (at 2.69Å)	Xtriage
Refinement program	BUSTER 2.10.4	Depositor
R, R_{free}	0.258 , 0.278 0.247 , 0.265	Depositor DCC
R_{free} test set	6037 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	70.5	Xtriage
Anisotropy	0.054	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 49.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.28$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	89962	wwPDB-VP
Average B, all atoms (Å ²)	90.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.33% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PY6, NLE, PLP, LLP, PEG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.73	0/2845	1.01	2/3886 (0.1%)
1	B	0.72	0/2868	0.98	0/3919
1	D	0.72	0/2825	0.98	0/3858
1	F	0.72	0/2860	0.98	1/3908 (0.0%)
1	H	0.72	0/2757	0.97	0/3762
1	I	0.73	0/2871	0.99	0/3922
1	J	0.75	0/2838	0.98	0/3877
1	L	0.72	0/2762	0.97	0/3770
1	P	0.73	0/2858	0.99	0/3902
2	C	0.73	0/2878	0.99	1/3933 (0.0%)
2	E	0.74	0/2886	0.99	0/3943
2	G	0.73	0/2872	1.00	0/3925
2	K	0.74	0/2865	0.99	1/3914 (0.0%)
2	M	0.73	1/2840 (0.0%)	0.98	0/3878
2	N	0.72	0/2870	0.98	0/3922
2	O	0.74	0/2824	0.99	1/3855 (0.0%)
All	All	0.73	1/45519 (0.0%)	0.98	6/62174 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	M	350	LEU	CA-C	5.84	1.57	1.52

The worst 5 of 6 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	K	341	ASP	CA-CB-CG	9.18	121.78	112.60
2	C	179	VAL	N-CA-CB	5.78	116.42	110.23
1	A	324	PHE	CA-CB-CG	5.42	119.22	113.80
2	O	38	ASP	CA-CB-CG	5.37	117.97	112.60
1	F	324	PHE	CA-CB-CG	5.26	119.06	113.80

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2817	2780	2779	17	0
1	B	2838	2800	2799	13	0
1	D	2798	2758	2757	14	0
1	F	2830	2794	2793	17	0
1	H	2732	2693	2690	10	0
1	I	2841	2807	2805	7	2
1	J	2809	2776	2775	15	0
1	L	2737	2690	2690	8	0
1	P	2829	2797	2793	15	0
2	C	2823	2795	2795	14	0
2	E	2831	2807	2807	9	0
2	G	2817	2790	2790	12	2
2	K	2811	2783	2785	17	0
2	M	2786	2757	2757	10	0
2	N	2815	2789	2789	7	0
2	O	2772	2745	2745	11	0
3	A	9	12	12	3	0
3	B	9	12	12	2	0
3	D	9	13	12	0	0
3	F	9	12	12	3	0
3	J	9	12	12	3	0
4	C	24	20	20	0	0
4	E	24	20	20	3	0
4	G	24	20	20	0	0
4	H	24	20	19	0	0
4	I	24	20	19	0	0
4	K	24	19	19	7	0
4	M	24	20	20	0	0
4	N	24	20	20	0	0
4	O	24	20	20	2	0
4	P	24	20	19	0	0
5	D	7	10	10	1	0
5	F	7	10	10	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	J	7	10	10	0	0
6	P	15	7	6	0	0
7	A	19	0	0	0	0
7	B	11	0	0	0	0
7	C	10	0	0	0	0
7	D	10	0	0	0	0
7	E	2	0	0	0	0
7	F	6	0	0	0	0
7	G	5	0	0	0	0
7	H	2	0	0	0	0
7	I	2	0	0	0	0
7	J	10	0	0	0	0
7	K	3	0	0	0	0
7	L	2	0	0	0	0
7	M	9	0	0	0	0
7	O	2	0	0	0	0
7	P	4	0	0	0	0
All	All	45304	44658	44641	175	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

The worst 5 of 175 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:209:LYS:HE3	4:E:401:PY6:H4A2	1.48	0.95
2:O:209:LYS:HE3	4:O:401:PY6:H4A2	1.49	0.93
2:K:209:LYS:HZ2	4:K:401:PY6:H4A2	1.34	0.92
2:K:209:LYS:HZ1	4:K:401:PY6:HA	1.39	0.86
1:F:209:LLP:H4'1	3:F:401:NLE:H	1.42	0.85

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:G:315:ALA:HB3	1:I:147:ILE:O[3_745]	1.47	0.13
2:G:315:ALA:CB	1:I:147:ILE:O[3_745]	2.10	0.10

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	381/414 (92%)	366 (96%)	14 (4%)	1 (0%)	37	61
1	B	385/414 (93%)	371 (96%)	14 (4%)	0	100	100
1	D	378/414 (91%)	365 (97%)	13 (3%)	0	100	100
1	F	384/414 (93%)	368 (96%)	16 (4%)	0	100	100
1	H	365/414 (88%)	354 (97%)	11 (3%)	0	100	100
1	I	384/414 (93%)	367 (96%)	16 (4%)	1 (0%)	37	61
1	J	379/414 (92%)	368 (97%)	11 (3%)	0	100	100
1	L	367/414 (89%)	353 (96%)	14 (4%)	0	100	100
1	P	380/414 (92%)	358 (94%)	22 (6%)	0	100	100
2	C	386/413 (94%)	371 (96%)	15 (4%)	0	100	100
2	E	387/413 (94%)	373 (96%)	14 (4%)	0	100	100
2	G	385/413 (93%)	367 (95%)	18 (5%)	0	100	100
2	K	382/413 (92%)	367 (96%)	15 (4%)	0	100	100
2	M	378/413 (92%)	363 (96%)	15 (4%)	0	100	100
2	N	385/413 (93%)	370 (96%)	15 (4%)	0	100	100
2	O	374/413 (91%)	359 (96%)	15 (4%)	0	100	100
All	All	6080/6617 (92%)	5840 (96%)	238 (4%)	2 (0%)	100	100

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	I	291	ASN
1	A	355	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	283/305 (93%)	276 (98%)	7 (2%)	42	72
1	B	285/305 (93%)	274 (96%)	11 (4%)	27	56
1	D	281/305 (92%)	272 (97%)	9 (3%)	34	63
1	F	284/305 (93%)	275 (97%)	9 (3%)	34	63
1	H	274/305 (90%)	263 (96%)	11 (4%)	27	55
1	I	285/305 (93%)	275 (96%)	10 (4%)	31	60
1	J	282/305 (92%)	269 (95%)	13 (5%)	23	49
1	L	275/305 (90%)	266 (97%)	9 (3%)	33	62
1	P	285/305 (93%)	274 (96%)	11 (4%)	27	56
2	C	286/305 (94%)	278 (97%)	8 (3%)	38	68
2	E	286/305 (94%)	280 (98%)	6 (2%)	48	76
2	G	285/305 (93%)	276 (97%)	9 (3%)	34	63
2	K	285/305 (93%)	276 (97%)	9 (3%)	34	63
2	M	283/305 (93%)	275 (97%)	8 (3%)	38	68
2	N	285/305 (93%)	276 (97%)	9 (3%)	34	63
2	O	281/305 (92%)	270 (96%)	11 (4%)	27	56
All	All	4525/4880 (93%)	4375 (97%)	150 (3%)	33	62

5 of 150 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	M	197	ARG
1	P	194	GLN
2	N	10	MET
2	O	139	LYS
1	F	337	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 63 such sidechains are listed below:

Mol	Chain	Res	Type
1	H	53	HIS
2	N	148	GLN
1	I	345	GLN
2	N	124	HIS
1	P	34	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

9 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	LLP	J	209	1	23,24,25	1.68	2 (8%)	25,32,34	0.83	0
1	LLP	A	209	1	23,24,25	1.62	2 (8%)	25,32,34	0.81	0
1	LLP	H	209[B]	1	23,24,25	1.38	1 (4%)	25,32,34	0.72	0
1	LLP	I	209[B]	1	23,24,25	1.38	1 (4%)	25,32,34	0.74	0
1	LLP	L	209	1	23,24,25	1.44	1 (4%)	25,32,34	0.88	0
1	LLP	D	209	1	23,24,25	1.63	2 (8%)	25,32,34	0.84	0
1	LLP	P	209[B]	1	23,24,25	1.38	1 (4%)	25,32,34	0.78	0
1	LLP	F	209	1	23,24,25	1.68	2 (8%)	25,32,34	0.80	0
1	LLP	B	209	1	23,24,25	1.64	2 (8%)	25,32,34	0.82	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	LLP	J	209	1	-	6/16/17/19	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	LLP	A	209	1	-	6/16/17/19	0/1/1/1
1	LLP	H	209[B]	1	-	3/16/17/19	0/1/1/1
1	LLP	I	209[B]	1	-	3/16/17/19	0/1/1/1
1	LLP	L	209	1	-	5/16/17/19	0/1/1/1
1	LLP	D	209	1	-	6/16/17/19	0/1/1/1
1	LLP	P	209[B]	1	-	3/16/17/19	0/1/1/1
1	LLP	F	209	1	-	6/16/17/19	0/1/1/1
1	LLP	B	209	1	-	6/16/17/19	0/1/1/1

The worst 5 of 14 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	J	209	LLP	C4'-NZ	7.06	1.51	1.27
1	F	209	LLP	C4'-NZ	6.99	1.50	1.27
1	B	209	LLP	C4'-NZ	6.95	1.50	1.27
1	D	209	LLP	C4'-NZ	6.85	1.50	1.27
1	A	209	LLP	C4'-NZ	6.79	1.50	1.27

There are no bond angle outliers.

There are no chirality outliers.

5 of 44 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	209	LLP	N-CA-CB-CG
1	A	209	LLP	C-CA-CB-CG
1	B	209	LLP	N-CA-CB-CG
1	B	209	LLP	C-CA-CB-CG
1	D	209	LLP	N-CA-CB-CG

There are no ring outliers.

6 monomers are involved in 13 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	J	209	LLP	3	0
1	A	209	LLP	3	0
1	I	209[B]	LLP	1	0
1	D	209	LLP	1	0
1	F	209	LLP	3	0
1	B	209	LLP	2	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

19 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
4	PY6	O	401	-	24,24,24	1.78	6 (25%)	29,33,33	1.86	8 (27%)
5	PEG	F	402	-	6,6,6	0.26	0	5,5,5	0.44	0
3	NLE	F	401	-	7,8,8	0.86	0	8,9,9	0.71	0
3	NLE	A	401	-	7,8,8	0.81	0	8,9,9	0.85	0
4	PY6	N	401	-	24,24,24	1.69	5 (20%)	29,33,33	1.73	10 (34%)
5	PEG	J	402	-	6,6,6	0.24	0	5,5,5	0.24	0
4	PY6	H	401[A]	-	24,24,24	2.12	7 (29%)	29,33,33	2.37	11 (37%)
4	PY6	M	401	-	24,24,24	1.88	5 (20%)	29,33,33	1.99	12 (41%)
5	PEG	D	402	-	6,6,6	0.23	0	5,5,5	0.38	0
4	PY6	C	401	-	24,24,24	1.97	5 (20%)	29,33,33	2.25	12 (41%)
3	NLE	B	401	-	7,8,8	1.08	0	8,9,9	0.70	0
4	PY6	K	401	-	24,24,24	1.87	4 (16%)	29,33,33	1.97	12 (41%)
4	PY6	E	401	-	24,24,24	1.79	6 (25%)	29,33,33	1.74	9 (31%)
4	PY6	P	402[A]	6	24,24,24	2.12	7 (29%)	29,33,33	2.37	12 (41%)
4	PY6	I	401[A]	-	24,24,24	2.03	6 (25%)	29,33,33	2.40	13 (44%)
4	PY6	G	401	-	24,24,24	1.67	5 (20%)	29,33,33	1.79	11 (37%)
6	PLP	P	401[A]	4	15,15,16	0.72	0	20,22,23	0.76	0
3	NLE	J	401	-	7,8,8	0.82	0	8,9,9	0.80	0
3	NLE	D	401	-	7,8,8	0.91	0	8,9,9	0.65	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	PY6	O	401	-	-	5/19/19/19	0/1/1/1
5	PEG	F	402	-	-	2/4/4/4	-
3	NLE	F	401	-	-	1/8/8/8	-
3	NLE	A	401	-	-	1/8/8/8	-
4	PY6	N	401	-	-	5/19/19/19	0/1/1/1
5	PEG	J	402	-	-	2/4/4/4	-
4	PY6	H	401[A]	-	-	5/19/19/19	0/1/1/1
4	PY6	M	401	-	-	1/19/19/19	0/1/1/1
5	PEG	D	402	-	-	2/4/4/4	-
4	PY6	C	401	-	-	5/19/19/19	0/1/1/1
3	NLE	B	401	-	-	3/8/8/8	-
4	PY6	K	401	-	-	4/19/19/19	0/1/1/1
4	PY6	E	401	-	-	5/19/19/19	0/1/1/1
4	PY6	P	402[A]	6	-	5/19/19/19	0/1/1/1
4	PY6	I	401[A]	-	-	4/19/19/19	0/1/1/1
4	PY6	G	401	-	-	5/19/19/19	0/1/1/1
6	PLP	P	401[A]	4	-	0/6/6/8	0/1/1/1
3	NLE	J	401	-	-	2/8/8/8	-
3	NLE	D	401	-	-	3/8/8/8	-

The worst 5 of 56 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	P	402[A]	PY6	P-O4P	7.06	1.82	1.60
4	M	401	PY6	P-O4P	6.98	1.82	1.60
4	C	401	PY6	P-O4P	6.96	1.82	1.60
4	K	401	PY6	P-O4P	6.94	1.82	1.60
4	H	401[A]	PY6	P-O4P	6.90	1.82	1.60

The worst 5 of 110 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	H	401[A]	PY6	C4A-N-CA	5.69	124.70	113.92
4	I	401[A]	PY6	C4A-N-CA	5.67	124.67	113.92
4	P	402[A]	PY6	C4A-N-CA	5.63	124.59	113.92
4	C	401	PY6	C4A-N-CA	5.39	124.13	113.92
4	O	401	PY6	O2P-P-O4P	-4.45	94.90	106.73

There are no chirality outliers.

5 of 60 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	C	401	PY6	C3-C4-C4A-N
4	C	401	PY6	C5-C4-C4A-N
4	C	401	PY6	CB-CA-N-C4A
4	E	401	PY6	C-CA-N-C4A
4	H	401[A]	PY6	C5-C4-C4A-N

There are no ring outliers.


8 monomers are involved in 24 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	O	401	PY6	2	0
3	F	401	NLE	3	0
3	A	401	NLE	3	0
5	D	402	PEG	1	0
3	B	401	NLE	2	0
4	K	401	PY6	7	0
4	E	401	PY6	3	0
3	J	401	NLE	3	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





Ligand NLE F 401




Ligand NLE A 401












Ligand PY6 C 401







Ligand PY6 K 401




Ligand PY6 E 401




Ligand PY6 P 402 (A)




Ligand PY6 I 401 (A)



Ligand PY6 G 401





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	385/414 (92%)	-0.10	3 (0%) 82 82	45, 67, 89, 102	0
1	B	387/414 (93%)	-0.10	3 (0%) 82 82	44, 62, 81, 93	0
1	D	382/414 (92%)	-0.03	3 (0%) 82 82	48, 71, 91, 105	0
1	F	386/414 (93%)	-0.05	1 (0%) 90 89	46, 70, 104, 114	0
1	H	371/414 (89%)	0.36	13 (3%) 47 45	59, 113, 197, 213	0
1	I	386/414 (93%)	0.13	4 (1%) 79 79	61, 87, 108, 115	0
1	J	383/414 (92%)	0.30	6 (1%) 70 70	62, 90, 124, 136	0
1	L	373/414 (90%)	0.16	5 (1%) 74 74	61, 90, 118, 124	0
1	P	384/414 (92%)	0.29	4 (1%) 79 79	67, 101, 141, 160	0
2	C	388/413 (93%)	-0.03	4 (1%) 79 79	49, 75, 102, 111	0
2	E	389/413 (94%)	0.12	5 (1%) 74 74	61, 95, 135, 143	0
2	G	387/413 (93%)	0.09	1 (0%) 90 89	59, 88, 120, 142	0
2	K	386/413 (93%)	0.32	11 (2%) 55 53	67, 95, 116, 122	0
2	M	382/413 (92%)	0.17	8 (2%) 63 63	55, 89, 124, 139	0
2	N	387/413 (93%)	0.23	3 (0%) 82 82	74, 108, 138, 147	0
2	O	380/413 (92%)	0.47	18 (4%) 37 35	71, 129, 181, 189	0
All	All	6136/6617 (92%)	0.15	92 (1%) 71 71	44, 87, 139, 213	0

The worst 5 of 92 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	E	357	ALA	4.1
1	H	306	GLY	3.7
2	E	273	ALA	3.6
2	C	289	GLY	3.6
2	N	389	SER	3.4

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	LLP	P	209[B]	24/25	0.78	0.24	73,98,100,100	20
1	LLP	J	209	24/25	0.89	0.10	74,88,89,89	0
1	LLP	D	209	24/25	0.90	0.09	52,64,65,65	0
1	LLP	L	209	24/25	0.91	0.10	72,82,82,83	0
1	LLP	H	209[B]	24/25	0.92	0.10	92,110,110,110	42
1	LLP	F	209	24/25	0.93	0.08	53,66,68,68	0
1	LLP	A	209	24/25	0.93	0.09	51,55,57,57	0
1	LLP	I	209[B]	24/25	0.93	0.10	66,82,82,82	41
1	LLP	B	209	24/25	0.94	0.08	46,52,54,54	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	PY6	P	402[A]	24/24	0.07	0.31	71,72,72,72	44
5	PEG	J	402	7/7	0.58	0.14	96,96,97,97	0
5	PEG	D	402	7/7	0.77	0.10	73,73,73,73	0
6	PLP	P	401[A]	15/16	0.78	0.10	98,99,100,100	22
3	NLE	F	401	9/9	0.84	0.14	88,89,90,90	0
3	NLE	A	401	9/9	0.85	0.17	96,96,98,98	0
3	NLE	J	401	9/9	0.85	0.17	119,120,121,121	0
5	PEG	F	402	7/7	0.86	0.08	78,78,79,79	0
4	PY6	M	401	24/24	0.87	0.13	79,81,81,81	0
4	PY6	E	401	24/24	0.87	0.11	76,78,78,79	0
4	PY6	I	401[A]	24/24	0.89	0.12	46,47,47,47	44
4	PY6	O	401	24/24	0.91	0.09	108,109,109,109	0
4	PY6	K	401	24/24	0.91	0.09	66,67,69,69	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	NLE	B	401	9/9	0.91	0.10	64,65,67,67	0
4	PY6	G	401	24/24	0.93	0.10	68,69,69,69	0
3	NLE	D	401	9/9	0.93	0.13	97,98,100,100	0
4	PY6	N	401	24/24	0.93	0.08	79,80,81,81	0
4	PY6	H	401[A]	24/24	0.94	0.12	93,94,94,94	44
4	PY6	C	401	24/24	0.95	0.08	69,71,71,71	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around PY6 P 402 (A):

2mF_o-DF_c (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
 and green (positive)






Electron density around NLE F 401:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NLE A 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NLE J 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PY6 M 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PY6 E 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PY6 I 401 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PY6 O 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PY6 K 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NLE B 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PY6 G 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NLE D 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PY6 N 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PY6 H 401 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around PY6 C 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.