



wwPDB EM Validation Summary Report ⓘ

Apr 14, 2025 – 11:33 am BST

PDB ID : 9HFM / pdb_00009hfm
EMDB ID : EMD-52117
Title : Translation-initiation state of human mitochondrial ribosome small subunit (State D)
Authors : Finke, A.F.; Heinrichs, M.; Aibara, S.; Richter-Dennerlein, R.; Hillen, H.S.
Deposited on : 2024-11-18
Resolution : 3.00 Å (reported)
Based on initial models : 7PO1, 7PO2

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev117
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.42

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415
RNA backbone	6643	2191

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	0	218	<div><div>14%</div><div>84%</div><div>13%</div><div>.</div></div>
2	1	323	<div><div>11%</div><div>72%</div><div>13%</div><div>15%</div></div>
3	2	118	<div><div>46%</div><div>76%</div><div>14%</div><div>.</div><div>8%</div></div>
4	3	199	<div><div>.</div><div>33%</div><div>64%</div></div>
5	4	689	<div><div>52%</div><div>76%</div><div>10%</div><div>14%</div></div>
6	8	278	<div><div>24%</div><div>31%</div><div>66%</div></div>
7	A	955	<div><div>.</div><div>66%</div><div>24%</div><div>.</div><div>6%</div></div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
8	B	296	
9	C	167	
10	D	430	
11	E	125	
12	F	242	
13	G	396	
14	H	201	
15	I	194	
16	J	138	
17	K	128	
18	L	257	
19	M	137	
20	N	130	
21	O	258	
22	P	142	
23	Q	87	
24	R	360	
25	S	190	
26	T	173	
27	U	205	
28	V	414	
29	W	187	
30	X	398	
31	Y	395	
32	Z	106	

2 Entry composition

There are 38 unique types of molecules in this entry. The entry contains 66106 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 28S ribosomal protein S34, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	0	212	Total	C	N	O	S	0	0
			1765	1116	336	308	5		

- Molecule 2 is a protein called 28S ribosomal protein S35, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	1	276	Total	C	N	O	S	0	0
			2238	1419	381	427	11		

- Molecule 3 is a protein called Small ribosomal subunit protein mS37.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	2	108	Total	C	N	O	S	0	0
			867	540	171	148	8		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
2	2	ACE	-	acetylation	UNP Q96BP2

- Molecule 4 is a protein called Aurora kinase A-interacting protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	3	71	Total	C	N	O	S	0	0
			629	403	135	90	1		

- Molecule 5 is a protein called Pentatricopeptide repeat domain-containing protein 3, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	4	592	Total	C	N	O	S	0	0
			4795	3070	812	885	28		

- Molecule 6 is a protein called Translation initiation factor IF-3, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	8	95	Total	C	N	O	S	0	0
			758	478	135	141	4		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
8	243	LEU	PHE	variant	UNP Q9H2K0

- Molecule 7 is a RNA chain called 12S mitochondrial rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	A	896	Total	C	N	O	P	0	0
			19041	8535	3441	6169	896		

- Molecule 8 is a protein called 28S ribosomal protein S2, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	B	220	Total	C	N	O	S	0	0
			1789	1142	324	313	10		

- Molecule 9 is a protein called 28S ribosomal protein S24, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	C	132	Total	C	N	O	S	0	0
			1083	699	195	185	4		

- Molecule 10 is a protein called 28S ribosomal protein S5, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	D	338	Total	C	N	O	S	0	0
			2691	1689	508	481	13		

- Molecule 11 is a protein called 28S ribosomal protein S6, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	E	122	Total	C	N	O	S	0	0
			972	614	177	177	4		

- Molecule 12 is a protein called 28S ribosomal protein S7, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	F	208	Total	C	N	O	S	0	0
			1725	1104	312	298	11		

- Molecule 13 is a protein called 28S ribosomal protein S9, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	G	303	Total	C	N	O	S	0	0
			2491	1584	442	451	14		

- Molecule 14 is a protein called 28S ribosomal protein S10, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	H	139	Total	C	N	O	S	0	0
			1138	734	192	209	3		

- Molecule 15 is a protein called 28S ribosomal protein S11, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	I	137	Total	C	N	O	S	0	0
			1019	641	193	181	4		

- Molecule 16 is a protein called 28S ribosomal protein S12, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	J	107	Total	C	N	O	S	0	0
			829	515	167	141	6		

- Molecule 17 is a protein called 28S ribosomal protein S14, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	K	101	Total	C	N	O	S	0	0
			862	537	179	141	5		

- Molecule 18 is a protein called 28S ribosomal protein S15, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	L	170	Total	C	N	O	S	0	0
			1421	906	263	245	7		

- Molecule 19 is a protein called 28S ribosomal protein S16, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	M	115	Total	C	N	O	S	0	0
			913	578	181	148	6		

- Molecule 20 is a protein called 28S ribosomal protein S17, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	N	109	Total	C	N	O	S	0	0
			859	557	155	144	3		

- Molecule 21 is a protein called 28S ribosomal protein S18b, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	O	193	Total	C	N	O	S	0	0
			1592	1014	294	277	7		

- Molecule 22 is a protein called 28S ribosomal protein S18c, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	P	96	Total	C	N	O	S	0	0
			771	496	133	134	8		

- Molecule 23 is a protein called Small ribosomal subunit protein bS21m.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	Q	87	Total	C	N	O	S	0	0
			744	460	150	126	8		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Q	2	ACE	-	acetylation	UNP P82921
Q	50	ARG	CYS	variant	UNP P82921

- Molecule 24 is a protein called 28S ribosomal protein S22, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	R	293	Total	C	N	O	S	0	0
			2393	1524	411	450	8		

- Molecule 25 is a protein called 28S ribosomal protein S23, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	S	135	Total	C	N	O	S	0	0
			1111	716	198	196	1		

- Molecule 26 is a protein called 28S ribosomal protein S25, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	T	168	Total	C	N	O	S	0	0
			1371	877	239	244	11		

- Molecule 27 is a protein called 28S ribosomal protein S26, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	U	176	Total	C	N	O	S	0	0
			1488	916	301	267	4		

- Molecule 28 is a protein called 28S ribosomal protein S27, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	V	362	Total	C	N	O	S	0	0
			2969	1904	495	558	12		

- Molecule 29 is a protein called 28S ribosomal protein S28, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	W	99	Total	C	N	O	S	0	0
			783	495	140	144	4		

- Molecule 30 is a protein called 28S ribosomal protein S29, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	X	349	Total	C	N	O	S	0	0
			2830	1810	496	513	11		

- Molecule 31 is a protein called 28S ribosomal protein S31, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	Y	149	Total	C	N	O	S	0	0
			1246	801	207	234	4		

- Molecule 32 is a protein called 28S ribosomal protein S33, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	Z	96	Total	C	N	O	S	0	0
			810	517	145	144	4		

- Molecule 33 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
33	3	1	Total	Mg	0
			1	1	
33	A	41	Total	Mg	0
			41	41	
33	B	1	Total	Mg	0
			1	1	
33	X	1	Total	Mg	0
			1	1	


- Molecule 34 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms		AltConf
34	A	1	Total	K	0
			1	1	

- Molecule 35 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		AltConf
35	O	1	Total	Zn	0
			1	1	

- Molecule 36 is FE2/S2 (INORGANIC) CLUSTER (CCD ID: FES) (formula: Fe₂S₂).




Mol	Chain	Residues	Atoms			AltConf
36	P	1	Total	Fe	S	0
			4	2	2	
36	T	1	Total	Fe	S	0
			4	2	2	

- Molecule 37 is ADENOSINE-5'-TRIPHOSPHATE (CCD ID: ATP) (formula: $C_{10}H_{16}N_5O_{13}P_3$).



Mol	Chain	Residues	Atoms					AltConf
37	X	1	Total	C	N	O	P	0
			31	10	5	13	3	

- Molecule 38 is GUANOSINE-5'-DIPHOSPHATE (CCD ID: GDP) (formula: $C_{10}H_{15}N_5O_{11}P_2$).




Mol	Chain	Residues	Atoms					AltConf
38	X	1	Total	C	N	O	P	0
			28	10	5	11	2	


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 28S ribosomal protein S34, mitochondrial



- Molecule 2: 28S ribosomal protein S35, mitochondrial



- Molecule 3: Small ribosomal subunit protein mS37





MET ALA ALA LEU PHE LEU LYS ARG LEU THR THR THR VAL VAL SER SER ILE ARG CYS PHE LEU LYS HIS HIS ILE LEU LEU GLN ASP THR ALA PRO ALA GLN LEU SER PRO ILE ALA SER ALA PRO ARG LEU LEU SER SER PHE LEU LEU ILE HIS ALA LYS LEU PHE ARG MET THR ALA GLU ASP

THR GLN ASN GLU GLY LYS LYS THR LYS THR LYS LYS THR THR THR VAL PHE SER SER ASN VAL GLY ARG LYS LYS ILE ARG ILE SER GLN ARG VAL ILE HIS LEU PHE ASP GLU THR LYS GLY PRO ALA GLN ASP LEU GLY ASN MET HIS ARG ALA ASN VAL ILE ARG SER ARG LEU MET ASP GLU ARG ARG LEU VAL THR VAL GLN ARG ASN

THR SER THR GLU PRO ALA GLU TYR GLN MET THR GLY LEU GLN MET THR LEU THR VAL ASP V201 S202 E203 N204 E206 E207 E208 E209 F210 H211 Q212 Q213 L214 Q215 T216 M217 P218 G219 T220 A221 P222 F223 S224 S225 R226 A229 V230 Q231 G232 G233 K234 A235 L236 M237 C238 V239 L240 R241 A242 L243 S244 K245 N246 E247 E248 K249 A250 Y251 K252 E253

K194 K195 K196 LYS ASN VAL ASP V201 S202 E203 N204 E206 E207 E208 E209 F210 H211 Q212 Q213 L214 Q215 T216 M217 P218 G219 T220 A221 P222 F223 S224 S225 R226 A229 V230 Q231 G232 G233 K234 A235 L236 M237 C238 V239 L240 R241 A242 L243 S244 K245 N246 E247 E248 K249 A250 Y251 K252 E253

T254 GLN THR GLN ARG ASP THR ASN LYS ASP HIS GLY ASN ASP LYS GLU SER VAL LEU HIS GLN

• Molecule 7: 12S mitochondrial rRNA



A A649 U850 A651 U654 U659 U662 A663 G664 U669 A672 U673 U680 A688 A700 G701 C702 A703 U704 C705 C706 G709 U721 C722 C728 U729 A730 A731 A735 C736 C737 A738 C740 A741 A753 A760 A761 G766 G767 A768 G769 U773

G777 C780 G791 G796 C800 A801 C805 C808 U830 U831 U832 U833 C834 C835 A836 G843 A844 A845 A846 G847 U848 A851 A852 C853 U854 A860 U861 C867 C868 C870 A871 G889 C890 C891 A892 G893 G902 U903 A905 C917 A918 A919 G920 U921


C922 A923 A929 G930 A938 A939 A940 A941 A942 U947 U948 U949 U953 C954 A955 A956 C957 C958 C963 C964 A967 U974 A975 A976 C983 C984 G988 G991 U992 A993 A994 U1000 C1002 A1013 A1014 A1015 C1020 U1021 A1022 A1025 A1026

U1033 A1041 U1042 C1043 U1044 G1045 A1046 A1047 C1048 A1049 C1050 G1057 C1065 C1066 U1077 A1078 G1079 A1080 A1081 A1082 A1086 G1097 C1098 U1103 A1104 C1105 C1106 U1107 C1108 A1109 A1117 A1119 C1120 A1121 G1134 G1135 C1136 A1137 A1140 G1146 G1149 C1150 A1151 A1152 C1153 A1154 G1155

U1158 A1159 A1160 A1161 A1162 C1163 A1167 A1188 U1189 C1190 G1200 A1201 G1202 G1206 U1215 C1223 A1231 A1232 C1233 G1244 U1245 U1246 G1247 C1248 U1249 C1250 A1251 G1261 C1264 U1267 C1268 U1269 U1270 C1271 A1272 G1273 C1274 A1275 G1282 A1283 U1284 G1285 A1286


G1289 C1290 U1291 G1297 U1298 A1299 G1303 A1304 C1312 G1320 A1326 G1327 G1334 U1335 A1338 G1339 C1340 A1343 C1352 A1353 A1354 G1355 A1356 G1360 C1366 A1367 U1370 U1371 C1376 C1377 C1378 A1382 A1383 A1384 C1387 A1390 U1400 G1401 A1404 C1405 U1406 U1407

G1412 U1413 C1414 G1422 C1429 A1430 G1431 G1438 U1443 A1444 G1445 A1446 G1447 G1454 G1457 G1464 C1467 U1468 G1469 G1474 C1481 A1482 A1492 C1493 C1494 C1495 G1496 C1497 A1501 A G U A A U A C U U C A A A G G A C A




- Molecule 8: 28S ribosomal protein S2, mitochondrial

Chain B: 69% 5% 26%




- Molecule 9: 28S ribosomal protein S24, mitochondrial

Chain C: 70% 9% 21%



- Molecule 10: 28S ribosomal protein S5, mitochondrial

Chain D: 13% 72% 6% 21%





- Molecule 11: 28S ribosomal protein S6, mitochondrial


Chain E: 14% 86% 12%




- Molecule 12: 28S ribosomal protein S7, mitochondrial




- Molecule 13: 28S ribosomal protein S9, mitochondrial




- Molecule 14: 28S ribosomal protein S10, mitochondrial




- Molecule 15: 28S ribosomal protein S11, mitochondrial






- Molecule 22: 28S ribosomal protein S18c, mitochondrial




- Molecule 23: Small ribosomal subunit protein bS21m





- Molecule 24: 28S ribosomal protein S22, mitochondrial





- Molecule 25: 28S ribosomal protein S23, mitochondrial







- Molecule 26: 28S ribosomal protein S25, mitochondrial



- Molecule 27: 28S ribosomal protein S26, mitochondrial



- Molecule 28: 28S ribosomal protein S27, mitochondrial




- Molecule 29: 28S ribosomal protein S28, mitochondrial






- Molecule 30: 28S ribosomal protein S29, mitochondrial

Chain X: 9% 76% 12% 12%




- Molecule 31: 28S ribosomal protein S31, mitochondrial

Chain Y: 12% 35% 62% 9%



- Molecule 32: 28S ribosomal protein S33, mitochondrial

Chain Z: 14% 82% 8% 9%



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	80262	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	40	Depositor
Minimum defocus (nm)	600	Depositor
Maximum defocus (nm)	1600	Depositor
Magnification	81000	Depositor
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	3.984	Depositor
Minimum map value	-0.422	Depositor
Average map value	0.025	Depositor
Map value standard deviation	0.080	Depositor
Recommended contour level	0.51	Depositor
Map size (\AA)	461.99997, 461.99997, 461.99997	wwPDB
Map dimensions	440, 440, 440	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.05, 1.05, 1.05	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ACE, GDP, MG, ATP, K, FES, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	0	0.29	0/1811	0.55	0/2452
2	1	0.29	0/2285	0.46	0/3090
3	2	0.26	0/877	0.54	0/1171
4	3	0.31	0/640	0.61	0/844
5	4	0.27	0/4904	0.44	0/6636
6	8	0.24	0/766	0.42	0/1023
7	A	0.56	0/21295	0.75	4/33141 (0.0%)
8	B	0.35	0/1832	0.51	0/2480
9	C	0.34	0/1113	0.50	0/1505
10	D	0.33	0/2742	0.53	0/3670
11	E	0.31	0/989	0.52	0/1335
12	F	0.27	0/1767	0.47	0/2373
13	G	0.30	0/2544	0.48	0/3408
14	H	0.33	0/1162	0.50	0/1575
15	I	0.28	0/1039	0.51	0/1400
16	J	0.32	0/845	0.56	0/1137
17	K	0.31	0/880	0.59	0/1182
18	L	0.33	0/1445	0.49	0/1932
19	M	0.37	0/934	0.56	0/1255
20	N	0.35	0/877	0.52	0/1187
21	O	0.36	0/1648	0.49	0/2243
22	P	0.34	0/788	0.45	0/1058
23	Q	0.32	0/754	0.55	0/1003
24	R	0.33	0/2440	0.47	0/3295
25	S	0.32	0/1138	0.52	0/1533
26	T	0.35	0/1402	0.48	0/1883
27	U	0.29	0/1510	0.56	0/2025
28	V	0.25	0/3030	0.41	0/4093
29	W	0.31	0/795	0.54	0/1071
30	X	0.28	0/2902	0.45	0/3928
31	Y	0.28	0/1280	0.41	0/1725
32	Z	0.30	0/828	0.49	0/1104

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
All	All	0.40	0/69262	0.59	4/97757 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	1582	G	P-O3'-C3'	-9.54	108.26	119.70
7	A	1581	G	P-O3'-C3'	-8.08	110.00	119.70
7	A	1580	U	P-O3'-C3'	-7.38	110.84	119.70
7	A	1042	U	O4'-C1'-N1	5.20	112.36	108.20

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	0	1765	0	1773	23	0
2	1	2238	0	2269	31	0
3	2	867	0	908	18	0
4	3	629	0	702	7	0
5	4	4795	0	4796	42	0
6	8	758	0	796	5	0
7	A	19041	0	9676	134	0
8	B	1789	0	1781	10	0
9	C	1083	0	1088	11	0
10	D	2691	0	2754	17	0
11	E	972	0	1000	12	0
12	F	1725	0	1769	10	0
13	G	2491	0	2473	15	0
14	H	1138	0	1173	19	0
15	I	1019	0	1059	12	0
16	J	829	0	874	6	0
17	K	862	0	885	10	0
18	L	1421	0	1506	19	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
19	M	913	0	943	12	0
20	N	859	0	922	11	0
21	O	1592	0	1557	11	0
22	P	771	0	800	9	0
23	Q	744	0	758	8	0
24	R	2393	0	2415	21	0
25	S	1111	0	1115	5	0
26	T	1371	0	1393	10	0
27	U	1488	0	1499	17	0
28	V	2969	0	2961	30	0
29	W	783	0	797	2	0
30	X	2830	0	2822	37	0
31	Y	1246	0	1197	10	0
32	Z	810	0	824	6	0
33	3	1	0	0	0	0
33	A	41	0	0	0	0
33	B	1	0	0	0	0
33	X	1	0	0	0	0
34	A	1	0	0	0	0
35	O	1	0	0	0	0
36	P	4	0	0	0	0
36	T	4	0	0	0	0
37	X	31	0	12	4	0
38	X	28	0	12	7	0
All	All	66106	0	57309	483	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 483 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
30:X:108:LEU:HD23	30:X:141:VAL:HG21	1.51	0.93
7:A:1382:A:OP1	30:X:166:ARG:NH2	2.06	0.87
7:A:1050:C:OP2	18:L:198:ARG:NH1	2.09	0.85
7:A:955:A:OP1	7:A:957:C:N4	2.09	0.84
28:V:156:ASN:ND2	28:V:159:ASP:OD2	2.10	0.84

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	0	210/218 (96%)	206 (98%)	4 (2%)	0	100	100
2	1	274/323 (85%)	267 (97%)	7 (3%)	0	100	100
3	2	102/118 (86%)	99 (97%)	3 (3%)	0	100	100
4	3	69/199 (35%)	66 (96%)	3 (4%)	0	100	100
5	4	588/689 (85%)	572 (97%)	16 (3%)	0	100	100
6	8	91/278 (33%)	88 (97%)	3 (3%)	0	100	100
8	B	218/296 (74%)	213 (98%)	5 (2%)	0	100	100
9	C	130/167 (78%)	130 (100%)	0	0	100	100
10	D	334/430 (78%)	319 (96%)	14 (4%)	1 (0%)	37	70
11	E	120/125 (96%)	118 (98%)	2 (2%)	0	100	100
12	F	206/242 (85%)	204 (99%)	2 (1%)	0	100	100
13	G	297/396 (75%)	289 (97%)	8 (3%)	0	100	100
14	H	137/201 (68%)	134 (98%)	3 (2%)	0	100	100
15	I	135/194 (70%)	128 (95%)	6 (4%)	1 (1%)	19	54
16	J	105/138 (76%)	99 (94%)	6 (6%)	0	100	100
17	K	99/128 (77%)	98 (99%)	1 (1%)	0	100	100
18	L	168/257 (65%)	160 (95%)	8 (5%)	0	100	100
19	M	113/137 (82%)	110 (97%)	3 (3%)	0	100	100
20	N	107/130 (82%)	103 (96%)	4 (4%)	0	100	100
21	O	191/258 (74%)	188 (98%)	3 (2%)	0	100	100
22	P	94/142 (66%)	92 (98%)	2 (2%)	0	100	100
23	Q	85/87 (98%)	84 (99%)	1 (1%)	0	100	100
24	R	291/360 (81%)	276 (95%)	15 (5%)	0	100	100
25	S	133/190 (70%)	131 (98%)	2 (2%)	0	100	100
26	T	166/173 (96%)	165 (99%)	1 (1%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
27	U	174/205 (85%)	172 (99%)	2 (1%)	0	100	100
28	V	358/414 (86%)	349 (98%)	9 (2%)	0	100	100
29	W	97/187 (52%)	91 (94%)	6 (6%)	0	100	100
30	X	347/398 (87%)	340 (98%)	7 (2%)	0	100	100
31	Y	147/395 (37%)	142 (97%)	5 (3%)	0	100	100
32	Z	94/106 (89%)	92 (98%)	2 (2%)	0	100	100
All	All	5680/7581 (75%)	5525 (97%)	153 (3%)	2 (0%)	100	100

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
15	I	184	ASN
10	D	396	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	0	185/190 (97%)	185 (100%)	0	100	100
2	1	254/291 (87%)	254 (100%)	0	100	100
3	2	93/100 (93%)	92 (99%)	1 (1%)	70	87
4	3	65/166 (39%)	65 (100%)	0	100	100
5	4	529/609 (87%)	529 (100%)	0	100	100
6	8	85/247 (34%)	85 (100%)	0	100	100
8	B	194/249 (78%)	194 (100%)	0	100	100
9	C	115/143 (80%)	115 (100%)	0	100	100
10	D	282/357 (79%)	282 (100%)	0	100	100
11	E	104/107 (97%)	104 (100%)	0	100	100
12	F	185/209 (88%)	185 (100%)	0	100	100
13	G	262/342 (77%)	262 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
14	H	129/180 (72%)	129 (100%)	0	100	100
15	I	105/147 (71%)	105 (100%)	0	100	100
16	J	92/118 (78%)	92 (100%)	0	100	100
17	K	91/113 (80%)	91 (100%)	0	100	100
18	L	155/226 (69%)	155 (100%)	0	100	100
19	M	94/113 (83%)	94 (100%)	0	100	100
20	N	95/115 (83%)	95 (100%)	0	100	100
21	O	174/230 (76%)	173 (99%)	1 (1%)	84	93
22	P	87/123 (71%)	87 (100%)	0	100	100
23	Q	78/78 (100%)	78 (100%)	0	100	100
24	R	262/318 (82%)	262 (100%)	0	100	100
25	S	116/164 (71%)	116 (100%)	0	100	100
26	T	153/157 (98%)	153 (100%)	0	100	100
27	U	152/174 (87%)	152 (100%)	0	100	100
28	V	325/364 (89%)	324 (100%)	1 (0%)	91	96
29	W	86/158 (54%)	86 (100%)	0	100	100
30	X	309/351 (88%)	309 (100%)	0	100	100
31	Y	137/357 (38%)	137 (100%)	0	100	100
32	Z	88/95 (93%)	87 (99%)	1 (1%)	70	87
All	All	5081/6591 (77%)	5077 (100%)	4 (0%)	92	98

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
3	2	36	ARG
21	O	89	ARG
28	V	192	LYS
32	Z	54	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 6 such sidechains are listed below:

Mol	Chain	Res	Type
15	I	184	ASN
28	V	377	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
28	V	380	GLN
8	B	93	HIS
5	4	336	ASN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
7	A	887/955 (92%)	114 (12%)	1 (0%)

5 of 114 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
7	A	651	A
7	A	680	U
7	A	688	A
7	A	704	U
7	A	721	U

All (1) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
7	A	1406	U

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 50 ligands modelled in this entry, 46 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
38	GDP	X	403	-	24,30,30	0.96	2 (8%)	30,47,47	0.69	1 (3%)
37	ATP	X	402	33	26,33,33	0.75	0	31,52,52	0.94	2 (6%)
36	FES	T	201	19,26	0,4,4	-	-	-		
36	FES	P	201	22,11	0,4,4	-	-	-		

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
38	GDP	X	403	-	-	0/12/32/32	0/3/3/3
37	ATP	X	402	33	-	2/18/38/38	0/3/3/3
36	FES	T	201	19,26	-	-	0/1/1/1
36	FES	P	201	22,11	-	-	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	X	403	GDP	C5-C6	-2.63	1.42	1.47
38	X	403	GDP	C8-N7	-2.10	1.31	1.35

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
37	X	402	ATP	C5-C6-N6	2.37	123.95	120.35
38	X	403	GDP	O6-C6-C5	2.07	128.41	124.37
37	X	402	ATP	PB-O3B-PG	-2.01	125.94	132.83

There are no chirality outliers.

All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
37	X	402	ATP	PB-O3B-PG-O2G
37	X	402	ATP	PB-O3B-PG-O3G


There are no ring outliers.

2 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
38	X	403	GDP	7	0
37	X	402	ATP	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-52117. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 220




Y Index: 220




Z Index: 220


6.2.2 Raw map



X Index: 220



Y Index: 220




Z Index: 220


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 235




Y Index: 216




Z Index: 200


6.3.2 Raw map



X Index: 235



Y Index: 216




Z Index: 225


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.51. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_52117_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 311 nm^3 ; this corresponds to an approximate mass of 281 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.333 \AA^{-1}

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.333 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.00	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.98	8.01	4.11

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.98 differs from the reported value 3.0 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-52117 and PDB model 9HFM. Per-residue inclusion information can be found in section [3](#) on page [12](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.51 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.51).



































































9.4 Atom inclusion [i](#)



At the recommended contour level, 80% of all backbone atoms, 72% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.51) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7190	 0.4930
0	 0.6820	 0.4940
1	 0.6570	 0.4740
2	 0.4170	 0.4230
3	 0.7170	 0.5240
4	 0.3310	 0.3030
8	 0.3040	 0.3070
A	 0.8860	 0.5520
B	 0.8680	 0.5580
C	 0.7620	 0.5500
D	 0.7080	 0.5190
E	 0.7040	 0.5150
F	 0.6110	 0.4600
G	 0.7040	 0.4880
H	 0.7120	 0.5150
I	 0.6840	 0.4870
J	 0.7600	 0.5410
K	 0.8090	 0.5430
L	 0.7340	 0.4960
M	 0.8650	 0.5770
N	 0.8460	 0.5670
O	 0.8370	 0.5600
P	 0.8050	 0.5410
Q	 0.7860	 0.5450
R	 0.7670	 0.5070
S	 0.6870	 0.4790
T	 0.8150	 0.5440
U	 0.7080	 0.4770
V	 0.3500	 0.3000
W	 0.7970	 0.5370
X	 0.6540	 0.4710
Y	 0.5390	 0.4070
Z	 0.6510	 0.4850

